JMB

Index for Volumes 265–274 1997

HMLTN
QH
301
.J73
INDEX
v.265-
274
1997

ACADEMIC PRESS

Academic Press
Online Journal Library

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1997_265-274_index

JMB

Editor-in-Chief

Peter Wright

Department of Molecular Biology, The Scripps Research Institute, 10550 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.

Executive Editor

Jonathan Karn

MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.

Founding Editor
Sir John Kendrew

Consulting Editor
Sydney Brenner

Advisory Editors

Fred Cohen
Alan R. Fersht
Max Gottesman
Robert Huber
Aaron Klug
Moshe Yaniv

Board of Editors

Wolfgang Baumeister, Max-Planck-Institut für Biochemie, Am klopferspitz 18a, D-82152 Martinsried bei Munchen, Germany
Nam-Hai Chua, Laboratory of Plant Molecular Biology, The Rockefeller University, 1230 York Avenue, New York, NY 10021, U.S.A.
Fred Cohen, Dept of Cellular and Molecular Pharmacology, University of California, San Francisco, CA 94143-0450, U.S.A.
David E. Draper, Dept of Chemistry, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, U.S.A.
Richard H. Ebright, The State University of New Jersey, Rutgers, Waksman Institute, PO Box 759, Piscataway, NJ 08855-0759, U.S.A.
Alan R. Fersht, University Chemical Laboratory, Cambridge University, Lensfield Road, Cambridge, CB2 1EW, U.K.
Max Gottesman, Institute of Cancer Research, College of Physicians and Surgeons of Columbia University, 701 W. 168th Street, New York, NY 10032, U.S.A.
Barry Holland, Institut de Genetique et Microbiologie, Batiment 409, Universite de Paris XI, 91405 Orsay Cedex 05, France
Barry Honig, Dept of Biochemistry & Molecular Biophysics, College of Physicians & Surgeons of Columbia University, 630 W. 168th Street, NY 10032, U.S.A.
Robert Huber, Max Planck Institute für Biochimie, 82152 Martinsried bei Munchen, Germany
Aaron Klug, MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.
Jeffrey H. Miller, Dept of Microbiology, University of California, 405 Hilgard Avenue, Los Angeles, CA 90024, U.S.A.
Michael F. Moody, School of Pharmacy, University of London, 29–39 Brunswick Square, London WC1N 1AX, U.K.
Kiyoshi Nagai, Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.
Steven Reed, Dept of Molecular Biology, The Scripps Research Institute, 10550 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.
Douglas Rees, Division of Chemistry and Chemical Engineering, California Institute of Technology, 147-75CH, Pasadena, CA 91125, U.S.A.
Timothy J. Richmond, Institut für Molekularbiologie und Biophysik Eidgenössische Technische Hochschule, Hönggerberg, CH 8093 Zürich, Switzerland
Janet M. Thornton, Biomolecular Structure and Modelling Unit, Dept of Biochemistry and Molecular Biology, University College of London, Room 628, Gower Street, London WC1E 6BT, U.K.
Ignacio Tinoco, Dept of Chemistry, University of California, Berkeley, CA 94720-1460, U.S.A.
Gunnar Von Heijne, Dept. of Biochemistry, University of Stockholm, S-106 91 Stockholm, Sweden
James Wells, Protein Engineering, Genentech Inc, 460 Point San Bruno Blvd, South San Francisco, CA 94080, U.S.A.
Ian Wilson, Dept of Molecular Biology, The Scripps Research Institute, 10550 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.
Keith R. Yamamoto, Dept of Cellular and Molecular Pharmacology, University of California, San Francisco, CA 94143-0450, U.S.A.
Mitsuhiro Yanagida, Dept of Biophysics, Faculty of Science, Kyoto University, Sakyo-Ku, Kyoto 606, Japan
Moshe Yaniv, Department of Biotechnology, Pasteur Institute, 25 rue de Dr Roux, 75724 Paris Cedex 15, France

Editorial Office

Journal of Molecular Biology, Academic Press Editorial Office, 10d St Edward's Passage, Cambridge CB2 3PJ, U.K.

JOURNAL OF MOLECULAR BIOLOGY: ISSN 0022–2836. Volumes 275–284, 1998, is published weekly (except the last two weeks in December; 50 issues in total) by Academic Press at 24–28 Oval Road, London NW1 7DX, England. Annual worldwide subscription price including postage: £2495. Personal subscription rates are available from the publisher. Subscription orders should be sent to Academic Press, Foots Cray High Street, Sidcup, Kent DA14 5HP, U.K. (Tel: 0181–308 5700). Send notices of changes of address to the publisher at least 6–8 weeks in advance, including both old and new addresses.

Academic Press journals do not levy page charges.

Buyers in Canada should add GST at the current rate of 7%. Periodicals postage paid at Jamaica, NY 11431, U.S.A.

Air freight and mailing in the U.S.A. by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003, U.S.A.

U.S.A. POSTMASTERS: send change of addresses to JOURNAL OF MOLECULAR BIOLOGY, c/o Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003, U.S.A.

Printed in U.K., on acid free paper.

Listed in Biological Abstracts, Science Citation Index, Chemical Abstracts, Reference Update, Excerpta Medica database EMBASE, Current Contents, SCISEARCH, Research Alert, Biotechnology Citation Index, Biochemistry and Biophysics Citation Index, Index Medicus, Genetics Abstracts, Biological & Agricultural Index.

JMB

Contents of Index

Contents of Volume 265 1
Contents of Volume 266 5
Contents of Volume 267 12
Contents of Volume 268 21
Contents of Volume 269 26
Contents of Volume 270 33
Contents of Volume 271 38
Contents of Volume 272 44
Contents of Volume 273 49
Contents of Volume 274 56
Keyword Index 63
Author Index 163

List of Contents Volume 265

Number 1, 10 January 1997

Communication

Escherichia coli lac Repressor-*lac* Operator Interaction and the Influence of Allosteric Effectors (mb960706) — **N. Horton, M. Lewis and P. Lu** — 1–7

Articles

A Model for the Mechanism of Polymerase Translocation (mb960707) — **R. Guajardo and R. Sousa** — 8–19

The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids (mb960708) — **K.-H. Rhee, G. Stier, P. B. Becker D. Suck and R. Sandaltzopoulos** — 20–29

Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD (mb960709) — **G. W. Blakely, A. O. Davidson and D. J. Sherratt** — 30–39

Myosin Rod Protein: A Novel Thick Filament Component of *Drosophila* Muscle (mb960710) — **D. M. Standiford, M. B. Davis K. Miedema, C. Franzini-Armstrong and C. P. Emerson Jr** — 40–55

Differential Binding of *S*-Adenosylmethionine, *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I (mb960711) — **G. Schluckebier, M. Kozak N. Bleimling, E. Weinhold and W. Saenger** — 56–67

Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations (mb960712) — **D. Xu, S. L. Lin and R. Nussinov** — 68–84

Author Index — 85

Number 2, 17 January 1997

Communication

Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core (mb960713) — **G. Plessel, R. Lührmann and B. Kastner** — 87–94

Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{supTyr}$ (mb960728) — **S.-i. Yokobori and S. Pääbo** — 95–99

Direct Visualization of Extensibility in Isolated Titin Molecules (mb960717) — **L. Tskhovrebova and J. Trinick** — 100–106

Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum* (mb960714) — **T. Walz and R. Ghosh** — 107–111

Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol (mb960715) — **H. Lu, M. Buck, S. E. Radford and C. M. Dobson** — 112–117

Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase (mb960716) — **T. Hansson, P. Nordlund and J. Åqvist** — 118–127

Articles

Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements (mb960723) — **P. McNicholas, R. Salavati and D. Oliver** — 128–141

Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation (mb960724) — **R. Salavati and D. Oliver** — 142–152

Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts (mb960721) — **H. Sutterluety and C. Seiser** — 153–160

A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding (mb960726) — **K. Proba, A. Honegger and A. Plückthun** — 161–172

Solution Structure of the Esperamicin A_1-DNA Complex (mb960719) — **R. A. Kumar, N. Ikemoto and D. J. Patel** — 173–186

Solution Structure of the Calicheamicin γ_1^I-DNA Complex (mb960718) — **R. A. Kumar, N. Ikemoto and D. J. Patel** — 187–201

Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution (mb960730) — **G. Koellner, M. Luić, D. Shugar W. Saenger and A. Bzowska** — 202–216

MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints (mb960720) — **J. Skolnick, A. Kolinski and A. R. Ortiz** — 217–241

When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin (mb960725) — **M. Pfuhl, S. Improta, A. S. Politou and A. Pastore** — 242–256

Corrigendum (mb960791) — 257

Author Index — 259

Number 3, 24 January 1997

Communication

The Activation Defect of a λ*cI* Positive Control Mutant (mb960735) — **F. W. Whipple, M. Ptashne and A. Hochschild** — 261–265

Articles

A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori* (mb960734) — **A. Mangé, E. Julien, J.-C. Prudhomme and P. Couble** — 266–274

A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription (mb960741) — **B. He, M. Rong, R. K. Durbin and W. T. McAllister** — 275–288

Saccharomyces cerevisiae MSH2, a Mispaired Base Recognition Protein, Also Recognizes Holliday Junctions in DNA (mb960743) — **E. Alani, S. Lee, M. F. Kane, J. Griffith and R. D. Kolodner** — 289–301

Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli* (mb960740) — **J. Wagner, H. Kamiya and R. P. P. Fuchs** — 302–309

Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor (mb960732) — **S. Kojima, T. Atsumi, K. Muramoto S. Kudo, I. Kawagishi and M. Homma** — 310–318

Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation (mb960739) — **D. A. Wilkinson, M. T. Norcum T. J. Fizgerald, T. N. Marion D. M. Tillman and G. M. Carlson** — 319–329

Structure of Human χχ Alcohol Dehydrogenase: A Glutathione-dependent Formaldehyde Dehydrogenase (mb960731) — **Z.-N. Yang, W. F. Bosron and T. D. Hurley** — 330–343

Inhibitory Mechanism of Serpins. Identification of Steps Involving the Active-site Serine Residue of the Protease (mb960727) — **S. R. Stone and B. F. Le Bonniec** — 344–362

Author Index — 363

Number 4, 31 January 1997

Communication

Processing of Human Mitochondrial $tRNA^{Ser(AGY)}_{GCU}$: A Novel Pathway in tRNA Biosynthesis (mb960750) — **W. Rossmanith** — 365–371

Articles

Rapid Evolution of Translational Control Mechanisms in RNA Genomes (mb960745) — **J. Klovins, N. A. Tsareva M. H. de Smit, V. Berzins and J. van Duin** — 372–384

Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23 S rRNA Synthesis *in Vivo* (mb960744) — **T. Pfeiffer and R. K. Hartmann** — 385–393

An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line (mb960733) — **Y. Takami, S. Takeda and T. Nakayama** — 394–408

Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction (mb960753) — **V. Guénebaut, R. Vincentelli D. Mills, H. Weiss and K. R. Leonard** — 409–418

Effects of Mutations in $Pr160^{gag\text{-}pol}$ upon $tRNA^{Lys3}$ and $Pr160^{gag\text{-}pol}$ Incorporation into HIV-1 (mb960742) — **J. Mak, A. Khorchid, Q. Cao Y. Huang, I. Lowy, M. A. Parniak V. R. Prasad, M. A. Wainberg and L. Kleiman** — 419–431

The Structure of the Complex between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate (mb960738) — **T. C. Taylor and I. Andersson** — 432–444

Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbors Genetic Algorithm (mb960746) — **M. L. Raymer, P. C. Sanschagrin W. F. Punch, S. Venkataraman E. D. Goodman and L. A. Kuhn** — 445–464

Corrigendum (mb960792) — 465

Author Index — 467

Number 5, 7 February 1997

Communications

Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure (mb960761) — **A. Orlova and E. H. Egelman** — 469–474

The Structural Link Between Polymerization and Sickle Cell Disease (mb960759) — **R. Mirchev and F. A. Ferrone** — 475–479

Articles

The Transcriptional Activity of a Muscle-specific Promoter Depends Critically on the Structure of the TATA Element and its Binding Protein (mb960752) — **T. T. Diagana, D. L. North, C. Jabet M. Y. Fiszman, S. Takeda and R. G. Whalen** — 480–493

Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site (mb960754) — **V. Derbyshire, J. C. Kowalski J. T. Dansereau, C. R. Hauer and M. Belfort** — 494–506

Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch (mb960747) — **G. Jagura-Burdzy and C. M. Thomas** — 507–518

RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins
(mb960748)
Q. Shan, J. M. Bork, B. L. Webb R. B. Inman and M. M. Cox 519–540

Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*
(mb960762)
B. Miao, J. E. Davis and E. A. Craig 541–552

Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry
(mb960757)
A. Hoenger and R. A. Milligan 553–564

Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity
(mb960736)
C. Spitzfaden, R. P. Grant H. J. Mardon and I. D. Campbell 565–579

Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala
(mb960749)
Z. Cao, D. Liao, R. Mirchev J. J. Martin de Llano, J.-P. Himanen J. M. Manning and F. A. Ferrone 580–589

Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics
(mb960763)
N. König, G. A. Zampighi and P. J. G. Butler 590–602

DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures
(mb960755)
C. A. Hunter and X.-J. Lu 603–619

Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution
(mb960729)
H. M. Greenblatt, O. Almog, B. Maras A. Spungin-Bialik, D. Barra S. Blumberg and G. Shoham 620–636

Author Index 637–638

Volume 266

Number 1, 14 February 1997

Communications

Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity
(mb960786)
H. R. Hill, N. J. Stonehouse S. A. Fonseca, P. G. Stockley 1–7

Steric-model for Activation of Muscle Thin Filaments
(mb960800)
P. Vibert, R. Craig and W. Lehman 8–14

Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution
(mb960756)
M. Moreau, E. de Cock, P.-L. Fortier C. Garcia, C. Albaret, S. Blanquet J.-Y. Lallemand and F. Dardel 15–22

A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance (mb960770) — G. E. Dale, C. Broger, A. D' Arcy, P. G. Hartman R. DeHoogt, S. Jolidon, I. Kompis, A. M. Labhardt, H. Langen, H. Locher, M. G. P. Page, D. Stüber, R. L. Then, B. Wipf and C. Oefner — 23–30

Structure-based Design of a constrained-peptide Mimic of the HIV-1 V3 Loop Neutralization Site (mb960768) — J. B. Ghiara, D. C. Ferguson, A. C. Satterthwait, H. J. Dyson and I. A. Wilson — 31–39

Articles

Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome (mb960780) — R. Green, R. R. Samaha and H. F. Noller — 40–50

Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements (mb960766) — M. D. Stump, S. Madison-Antenucci, R. J. Kokoska and D. A. Steege — 51–65

The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding (mb960782) — D. Payet and A. Travers — 66–75

Characterization of the Mycobacteriophage L5 Attachment Site, *attP* (mb960774) — C. E. A. Peña, M. H. Lee, M. L. Pedulla and G. F. Hatfull — 76–92

The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles (mb960767) — B. R. Knudsen, K. Dahlstrøm, O. Westergaard and M. Jayaram — 93–107

Tn*3* Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends (mb960765) — M. J. M^{c}Ilwraith, M. R. Boocock and W. M. Stark — 108–121

The Resolving Enzyme CCE1 of Yeast Opens the Structure of the Four-way DNA Junction (mb960795) — M. F. White and D. M. J. Lilley — 122–134

Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus (mb960773) — M. Eisenstein, I. Shariv, G. Koren, A. A. Friesem and E. Katchalski-Katzir — 135–143

Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding (mb960775) — B. Sclavi, S. Woodson, M. Sullivan, M. R. Chance and M. Brenowitz — 144–159

X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor (mb960778) — Y. Devedjiev, A. Popov, B. Atanasov and H.-D. Bartunik — 160–172

The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration
(mb960771)
D. Fushman, S. Cahill and D. Cowburn 173–194

Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation
(mb960758)
I. Bahar and R. L. Jernigan 195–214

Author Index 215

Number 2, 21 February 1997

Communications

Structure and Subunit Composition of the RuvAB-Holliday Junction Complex
(mb960799)
X. Yu, S. C. West and E. H. Egelman 217–222

Probing The Conformational State of Apomyoglobin by Limited Proteolysis
(mb960787)
A. Fontana, M. Zambonin P. Polverino de Laureto V. De Filippis, A. Clementi and E. Scaramella 223–230

Articles

Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome
(mb960760)
F. Tronche, F. Ringeisen M. Blumenfeld, M. Yaniv and M. Pontoglio 231–245

Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts
(mb960737)
J. Ofengand and A. Bakin 246–268

Structural Rules and Conformational Compensations in the tRNA L-Form
(mb960803)
S. Steinberg, F. Leclerc and R. Cedergren 269–282

Structural Requirements for the Formation of 1-Methylguanosine *in vivo* in $tRNA^{Pro}_{GGG}$ of *Salmonella typhimurium*
(mb960789)
Q. Qian and G. R. Björk 283–296

Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination
(mb960794)
H. Shimizu, H. Yamaguchi Y. Ashizawa, Y. Kohno, M. Asami J. Kato and H. Ikeda 297–305

Mutant RecA Proteins Which Form Hexamer-sized Oligomers
(mb960751)
K. M. Logan, M. C. Skiba, S. Eldin and K. L. Knight 306–316

A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation
(mb960790)
R. L. Sohn, K. L. Vikstrom M. Strauss, C. Cohen A. G. Szent-Gyorgyi and L. A. Leinwand 317–330

Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis (mb960777) — J. D. Jontes and R. A. Milligan — 331–342

Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation) (mb960788) — J. Wadzack, N. Burkhardt, R. Jünemann, G. Diedrich, K. H. Nierhaus, J. Frank, P. Penczek, W. Meerwinck, M. Schmitt, R. Willumeit and H. B. Stuhrmann — 343–356

Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin (mb960764) — C. Hammann, G. van Pouderoyen, H. Nar, F.-X. G. Rüth, A. Messerschmidt, R. Huber, T. den Blaauwen and G. W. Canters — 357–366

The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence (mb960796) — M. G. Malkowski, J. B. Lazar, P. H. Johnson and B. F. P. Edwards — 367–380

Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase (mb960769) — M. C. Lawrence, J. A. R. G. Barbosa, B. J. Smith, N. E. Hall, P. A. Pilling, H. C. Ooi and S. M. Marcuccio — 381–399

Limits of NMR Structure Determination using Variable Target Function Calculations: Ribonuclease T_1, a Case Study (mb960784) — S. Pfeiffer, Y. Karimi-Nejad and H. Rüterjans — 400–423

Molecular Docking to Ensembles of Protein Structures (mb960776) — R. M. A. Knegtel, I. D. Kuntz and C. M. Oshiro — 424–440

Binding of Amino Acid Side-chains to S_1 Cavities of Serine Proteinases (mb960781) — W. Lu, I. Apostol, M. A. Qasim, N. Warne, R. Wynn, W. L. Zhang, S. Anderson, Y. W. Chiang, E. Ogin, I. Rothberg, K. Ryan and M. Laskowski Jr — 441–461

Author Index — 463

Number 3, 28 February 1997

Articles

Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure (mb960807) — O. Lefebvre, G. Steger and M. Yaniv — 465–478

Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1 (mb960722) — B. Luo, D. J. Perry, L. Zhang, I. Kharat, M. Basic and J. B. Fagan — 479–492

Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction (mb960810) — D. L. Abramovitz and A. M. Pyle — 493–506

DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome
(mb960805)
M. Lavigne, P. Roux, H. Buc and F. Schaeffer 507–524

Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*
(mb960828)
F. Hayes and D. J. Sherratt 525–537

Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems
(mb960811)
W. S. Hlavacek and M. A. Savageau 538–558

Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene
(mb960816)
C. M. Sommers and M. E. Dumont 559–575

NMR Solution Structure of the Pathogenesis-related Protein P14a
(mb960772)
C. Fernández, T. Szyperski T. Bruyère, P. Ramage, E. Mösinger and K. Wüthrich 576–593

Relation Between Amino Acid Composition and Cellular Location of Proteins
(mb960804)
J. Cedano, P. Aloy, J. A. Pérez-Pons and E. Querol 594–600

The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site
(mb960798)
R. Skinner, J.-P. Abrahams J. C. Whisstock, A. M. Lesk R. W. Carrell and M. R. Wardell 601–609

Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities
(mb960793)
E. López-Hernández, P. Cronet L. Serrano and V. Muñoz 610–620

Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies
(mb960808)
M. Hengsakul and A. E. G. Cass 621–632

Erratum (mb960827) 633–634

Author Index 635–636

Number 4, 7 March 1997

Communications

Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion
(mb960812)
R. Wilting, S. Schorling B. C. Persson and A Böck 637–641

The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase
(mb960846)
J. G. Grossman, S. S. Hasnain F. K. Yousafzai, B. E. Smith and R. R. Eady 642–648

NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein (mb960821) — **R. Jelinek, T. D. Terry, J. J. Gesell P. Malik, R. N. Perham and S. J. Opella** — 649–655

Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction (mb960815) — **N. A. Ranson, S. G. Burston and A. R. Clarke** — 656–664

Articles

Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals (mb960820) — **R. Gösseringer, E. Küster, A. Galinier J. Deutscher and W. Hillen** — 665–676

Mechanistic Insights into p53-promoted RNA-RNA Annealing (mb960813) — **W. Nedbal, M. Frey, B. Willemann H. Zentgraf and G. Sczakiel** — 677–687

The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT* (mb960824) — **L. M. Guzmán and M. Espinosa** — 688–702

Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex (mb960830) — **E. Delagoutte, E. Bertrand-Burggraf J. Dunand and R. P. P. Fuchs** — 703–710

Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA (mb960825) — **P. Furrer, J. Bednar, A. Z. Stasiak V. Katritch, D. Michoud, A. Stasiak and J. Dubochet** — 711–721

Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import (mb960801) — **P. Percipalle, W. D. Clarkson H. M. Kent, D. Rhodes and M. Stewart** — 722–732

Charged Residues of the Rotor Protein FliG Essential for Torque Generation in the Flagellar Motor of *Escherichia coli* (mb960836) — **S. A. Lloyd and D. F. Blair** — 733–744

Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids (mb960783) — **S. L. Lam and S. C. F. Au-Yeung** — 745–760

Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-Maltotrioside (mb960823) — **J. E. W. Meyer, M. Hofnung and G. E. Schulz** — 761–775

Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study (mb960818) — **C. S. Verma, L. S. D. Caves R. E. Hubbard and G. C. K. Roberts** — 776–796

Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic
(mb960806)
B. Striepen, C. F. Zinecker, J. B. L. Damm, P. A. T. Melgers, G. J. Gerwig, M. Koolen, J. F. G. Vliegenthart, J.-F. Dubremetz and R. T. Schwarz 797–813

An Automated Classification of the Structure of Protein Loops
(mb960819)
B. Oliva, P. A. Bates, E. Querol, F. X. Avilés and M. J. E. Sternberg 814–830

Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds
(mb960809)
B. H. Park, E. S. Huang and M. Levitt 831–846

The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}
(mb960814)
T. Schweins, K. Scheffzek, R. Aßheuer and A. Wittinghofer 847–856

Author Index 857–858

Number 5, 14 March 1997

Communication

Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain
(mb960856)
M. U. Johansson, M. de Château, M. Wikström, S. Forsen, T. Drakenberg and L. Björck 859–865

Articles

Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression
(mb960852)
H.-H. Kristensen, P. Valentin-Hansen and L. Søgaard-Andersen 866–876

Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation
(mb960802)
V. I. Lim 877–890

Protein P7 of Phage ϕ6 RNA Polymerase Complex, Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles
(mb960817)
J. T. Juuti and D. H. Bamford 891–900

The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends
(mb960843)
S. Grimes and D. Anderson 901–914

RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin
(mb960844)
K. Carles-Kinch and K. N. Kreuzer 915–926

Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4
(mb960829)
M. A. Sweezy and S. W. Morrical 927–938

A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage
(mb960835)
D. Mazel, E. Coïc, S. Blanchard, W. Saurin and P. Marlière 939–949

A Dynamic *in Vivo* View of the HIV-I Rev-RRE Interaction (mb960858) — **B. Charpentier, F. Stutz and M. Rosbash** — 950–962

Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex (mb960837) — **D. A. Doyle and B. A Wallace** — 963–977

Module Swaps between Related Translocator Proteins pIV^{f1}, pIV^{IKe} and PuID: Identification of a Specificity Domain (mb960866) — **S. Daefler, M. Russel and P. Model** — 978–992

Traffic Control of Completely Assembled MHC Class I Molecules Beyond the Endoplasmic Reticulum (mb960822) — **S. Joyce** — 993–1001

Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy (mb960840) — **J.-C. Taveau, N. Boisset, J. Lamy, O. Lambert and J. N. Lamy** — 1002–1015

Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus* (mb960797) — **G. Wallon, G. Kryger, S. T. Lovett T. Oshima, D. Ringe, G. A. Petsko** — 1016–1031

Characterization of Recombinant Soybean Leghemoglobin *a* and Apolar Distal Histidine Mutants (mb960833) — **M. S. Hargrove, J. K. Barry E. A. Brucker, M. B. Berry G. N. Phillips Jr, J. S. Olson R. Arredondo-Peter, J. M. Dean R. V. Klucas and G. Sarath** — 1032–1042

Structure-based Identification of a Ricin Inhibitor (mb960865) — **X. Yan, T. Hollis, M. Svinth, P. Day A. F. Monzingo, G. W. A. Milne and J. D. Robertus** — 1043–1049

Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study (mb960785) — **P. L. Wintrode and P. L. Privalov** — 1050–1062

Author Index — 1063–1064

Volume 267

Number 1, 21 March 1997

Communications

Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes (mb960834) — **F. Livák and D. G. Schatz** — 1–9

Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein (mb960861) — **S. J. Edelstein and W. G. Bardsley** — 10–16

Articles

Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution (mb960838)	**A. K. North and S. Kustu**	17–36
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements (mb960860)	**G. Minchiotti, C. Contursi and P. P. Di Nocera**	37–46
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near −10 and Expands Unidirectionally (mb960853)	**Y.-F. Chen and J. D. Helmann**	47–59
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase (mb970875)	**C. Wilson and A. J. Dombroski**	60–74
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes (mb960870)	**L. C. Thomason, D. S. Thaler M. M. Stahl and F. W. Stahl**	75–87
Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase (mb960841)	**C. Haase-Pettingell and J. King**	88–102
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites (mb960826)	**A. Bareket-Samish, I. Cohen and T. E. Haran**	103–117
Single-chain Repressors Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators (mb960832)	**A. Simoncsits, J. Chen, P. Percipalle S. Wang, I. Törö and S. Pongor**	118–131
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B (mb960854)	**Z. Wu and G. Chaconas**	132–141
The Thermosome: Alternating α and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum* (mb960849)	**M. Nitsch, M. Klumpp, A. Lupas and W. Baumeister**	142–149
Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY (mb960847)	**K. Birkenkamp-Demtröder, S. Golz and B. Kemper**	150–162
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities (mb960845)	**Q. Liu, J. B. Green, A. Khodadadi P. Haeberli, L. Beigelman and A. M. Pyle**	163–171
Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane (mb960848)	**M. P. Krebs, W. Li and T. P. Halambeck**	172–183

The Tryptophan/Histidine Interaction in α-Helices (mb960831) — J. Fernández-Recio, A. Vázquez C. Civera, P. Sevilla and J. Sancho — 184–197

Thermodynamic Hierarchy and Local Energetics of Folded Proteins (mb960839) — H. Qian — 198–206

Novel Knowledge-based Mean Force Potential at Atomic Level (mb960868) — F. Melo and E. Feytmans — 207–222

Author Index — 223

Number 2, 28 March 1997

Communication

Regulation of Bcl-2 Gene Expression by BCR-ABL is Mediated by Ras (mb960779) — I. Sánchez-García and D. Martín-Zanca — 225–228

Articles

Attenuation of Gene Expression by a Trinucleotide Repeat-rich Tract from the Terminal Exon of the Rat Hepatic Polymeric Immunoglobulin Receptor Gene (mb970890) — T. Aoki, K. S. Koch and H. L. Leffert — 229–236

The Genome of the Pseudo T-even Bacteriophages, a Diverse Group that Resembles T4 (mb960867) — C. Monod, F. Repoila M. Kutateladze, F. Tétart and H. M. Krisch — 237–249

A Simple Screen for Permissive Sites in Proteins: Analysis of *Escherichia coli lac* Permease (mb960881) — C. Manoil and J. Bailey — 250–263

Cellular Nucleic Acid Binding Protein Binds a Conserved Region of the 5′ UTR of *Xenopus laevis* Ribosomal Protein mRNAs (mb960888) — L. Pellizzoni, F. Lotti B. Maras and P. Pierandrei-Amaldi — 264–275

CpG Methylation Remodels Chromatin Structure *in vitro* (mb970899) — C. Davey, S. Pennings and J. Allan — 276–288

Identification of a Triplex DNA-Binding Protein from Human Cells (mb970884) — A.-L. Guieysse, D. Praseuth and C. Hélène — 289–298

The Effect of Ionic Conditions on the Conformations of Supercoiled DNA. I. Sedimentation Analysis (mb960876) — V. V. Rybenkov, A. V. Vologodskii and N. R. Cozzarelli — 299–311

The Effect of Ionic Conditions on the Conformations of Supercoiled DNA. II. Equilibrium Catenation (mb960877) — V. V. Rybenkov, A. V. Vologodskii and N. R. Cozzarelli — 312–323

Excision Repair at the Level of the Nucleotide in the *Saccharomyces cerevisiae MFA2* Gene: Mapping of Where Enhanced Repair in the Transcribed Strand Begins or Ends and Identification of only a Partial Rad16 Requisite for Repairing Upstream Control Sequences (mb960908) — **Y. Teng, S. Li, R. Waters and S. H. Reed** — 324–337

How Accurately and Precisely Can RNA Structure be Determined by NMR? (mb960855) — **F. H-.T. Allain and G. Varani** — 338–351

Predicting the Conformational Class of Short and Medium Size Loops Connecting Regular Secondary Structures: Application to Comparative Modelling (mb960851) — **S. D. Rufino, L. E. Donate L. H. J. Canard and T. L. Blundell** — 352–367

Electrostatic Effects in Homeodomain-DNA Interactions (mb960842) — **F. Fogolari, A. H. Elcock, G. Esposito P. Viglino, J. M. Briggs and J. A. McCammon** — 368–381

Interaction of the Receptor Binding Domains of *Pseudomonas aeruginosa* Pili Strains PAK, PAO, KB7 and P1 to a Cross-reactive Antibody and Receptor Analog: Implications for Synthetic Vaccine Design (mb960871) — **A. P. Campbell, W. Y. Wong M. Houston Jr, F. Schweizer P. J. Cachia, R. T. Irvin, O. Hindsgaul R. S. Hodges and B. D. Sykes** — 382–402

An Aromatic Stacking Interaction Between Subunits Helps Mediate DNA Sequence Specificity: Operator Site Discrimination by Phage λ *c*I Repressor (mb960869) — **Y. T. Huang, E. Rusinova J. B. A. Ross and D. F. Senear** — 403–417

High-resolution Solution Structure of Human pNR-2/pS2: A Single Trefoil Motif Protein (mb970896) — **V. I. Polshakov, M. A. Williams A. R. Gargaro, T. A. Frenkiel B. R. Westley, M. P. Chadwick, F. E. B. May and J. Feeney** — 418–432

Analyses of Carbohydrate Recognition by Legume Lectins: Size of the Combining Site Loops and their Primary Specificity (mb960863) — **V. Sharma and A. Surolia** — 433–445

Protein Topology Recognition from Secondary Structure Sequences: Application of the Hidden Markov Models to the Alpha Class Proteins (mb960874) — **V. Di Francesco, J. Garnier and P. J. Munson** — 446–463

Number 3, 4 April 1997

Communications

The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases (mb970891) — **J. Stebbins, E. M. Towler M. G. Tennant, I. C. Deckman and C. Debouck** — 467–475

Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase (mb970883) — **I. Auzat, G. Le Bras and J.-R. Garel** — 476–480

Articles

Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^S-Dependent Promoter (mb970901)	**H. Qi, R. Menzel and Y.-C. Tse-Dinh**	481–489
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors (mb970893)	**E. Sjøttem, C. Andersen and T. Johansen**	490–504
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs (mb960903)	**D. C. Schweisguth and P. B. Moore**	505–519
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns (mb960882)	**M. Costa, E. Dème, A. Jacquier and F. Michel**	520–536
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron (mb970872)	**S. Robineau, E. Bergantino G. Carignani, F. Michel and P. Netter**	537–547
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot (mb960894)	**S. Matsutani**	548–560
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins (mb960909)	**B. J. McCarthy and D. M. Worrall**	561–569
Three-dimensional Image Reconstruction of Large Nuclear RNP (lnRNP) Particles by Automated Electron Tomography (mb970898)	**R. Sperling, A. J. Koster C. Melamed-Bessudo, A. Rubinstein M. Angenitzki, Z. Berkovitch-Yellin and J. Sperling**	570–583
Guanidinobenzoic Acid Inhibitors of Influenza Virus Neuraminidase (mb960885)	**E. A. Sudbeck, M. J. Jedrzejas S. Singh, W. J. Brouillette G. M. Air, W. G. Laver, Y. S. Babu S. Bantia, P. Chand, N. Chu J. A. Montgomery, D. A. Walsh and M. Luo**	584–594
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature (mb960878)	**M. Shatzky-Schwartz N. D. Arbuckle, M. Eisenstein D. Rabinovich, A. Bareket-Samish T. E. Haran, B. F. Luisi and Z. Shakked**	595–623
Solution Structure of the HIV-2 TAR-Argininamide Complex (mb960879)	**A. S. Brodsky and J. R. Williamson**	624–639
Crystal Structure of a Ternary Complex of D-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution (mb960864)	**U. Dengler, K. Niefind, M. Kieβ and D. Schomburg**	640–660
Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri* (mb960887)	**Y. Morishita, K. Hasegawa Y. Matsuura, Y. Katsube, M. Kubota and S. Sakai**	661–672

The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor (mb970905) — O. Schott, M. Billeter, B. Leiting, G. Wider and K. Wüthrich — 673–683

Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries (mb970912) — H. J. Ditzel, P. W. H. I. Parren, J. M. Binley, J. Sodroski, J. P. Moore, C. F. Barbas III and D. R. Burton — 684–695

Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation (mb970892) — C. Frisch, G. Schreiber, C. M. Johnson and A. R. Fersht — 696–706

Determination of Atomic Desolvation Energies From the Structures of Crystallized Proteins (mb960859) — C. Zhang, G. Vasmatzis, J. L. Cornette and C. DeLisi — 707–726

Development and Validation of a Genetic Algorithm for Flexible Docking (mb960897) — G. Jones, P. Willett, R. C. Glen, A. R. Leach and R. Taylor — 727–748

Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion (mb970904) — T. Meinnel, C. Lazennec, S. Villoing and S. Blanquet — 749–761

Author Index — 763–764

Number 4, 11 April 1997

Communications

Fluorescence Properties of a Tryptophan Residue in an Aromatic Core of the Protein Subunit of Ribonuclease P from *Escherichia coli* (see also pages 818–829) (mb970907) — V. Gopalan, R. Golbik, G. Schreiber, A. R. Fersht and S. Altman — 765–769

Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli* (mb970919) — C. Jourlin, M. Ansaldi and V. Méjean — 770–777

Articles

Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli* (mb960913) — H. Izu, O. Adachi and M. Yamada — 778–793

Measurement of the Linking Number Change in Transcribing Chromatin (mb970917) — C. E. Drabik, C. A. Nicita and L. C. Lutter — 794–806

Identification and Characterization of Genomic Nucleosome-positioning Sequences (mb970916) — H. R. Widlund, H. Cao, S. Simonsson, E. Magnusson, T. Simonsson, P. E. Nielsen, J. D. Kahn, D. M. Crothers and M. Kubista — 807–817

Analysis of the Functional Role of Conserved Residues in the Protein Subunit of Ribonuclease P from *Escherichia coli* (see also pages 765–769) (mb970906)	**V. Gopalan, A. D. Baxevanis D. Landsman and S. Altman**	818–829
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection (mb970921)	**T. L. Beattie and R. A. Collins**	830–840
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein (mb960873)	**A. Guagliardi, A. Napoli, M. Rossi and M. Ciaramella**	841–848
An Abnormal Ketamine Response in Mutants Defective in the Ryanodine Receptor Gene *ryr-1 (unc-68)* of *Caenorhabditis elegans* (mb970910)	**Y. Sakube, H. Ando and H. Kagawa**	849–864
Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage (mb970922)	**S. Steinbacher, S. Miller, U. Baxa N. Budisa, A. Weintraub, R. Seckler and R. Huber**	865–880
A DNA Decamer with a Sticky End: The Crystal Structure of d-CGACGATCGT (mb970918)	**H. Qiu, J. C. Dewan and N. C. Seeman**	881–898
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae* (mb960880)	**C. F. Aguilar, N. B. Cronin M. Badasso, T. Dreyer, M. P. Newman J. B. Cooper, D. J. Hoover, S. P. Wood M. S. Johnson and T. L. Blundell**	899–915
Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution (mb960900)	**S. Knapp, W. M. de Vos, D. Rice and R. Ladenstein**	916–932
Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^{1}H and ^{13}C Chemical Shifts (mb960886)	**M. Wittekind, C. Mapelli, V. Lee V. Goldfarb, M. S. Friedrichs C. A. Meyers and L. Mueller**	933–952
Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain (mb970902)	**Y. H. Jeon, T. Yamazaki, T. Otomo A. Ishihama and Y. Kyogoku**	953–962
Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study (mb970923)	**G. L. Millhauser, C. J. Stenland P. Hanson, K. A. Bolin and F. J. M. van de Ven**	963–974
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization (mb960857)	**H. W. T. van Vlijmen and M. Karplus**	975–1001

Modeling of Protein Conformational Fluctuations in pK_a Predictions (mb970895) — **H.-X. Zhou and M. Vijayakumar** — 1002–1011

Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations (mb970911) — **A. P. Nanzer, A. E. Torda, C. Bisang C. Weber, J. A. Robinson and W. F. van Gunsteren** — 1012–1025

A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence (mb970924) — **D. W. Rice and D. Eisenberg** — 1026–1038

Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs (mb970930) — **W. D. Kohn, C. M. Kay and R. S. Hodges** — 1039–1052

Author Index — 1053–1054

Number 5, 18 April 1997

Review

Sheared Purine·Purine Pairing in Biology (mb970914) — **S.-H. Chou, L. Zhu and B. R. Reid** — 1055–1067

Communication

Fast and Slow Tracks in Lysozyme Folding: Insight into the Role of Domains in the Folding Process (mb970963) — **A. Matagne, S. E. Radford and C. M. Dobson** — 1068–1074

Articles

Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication (mb970929) — **M. Hemmings-Mieszczak, G. Steger and T. Hohn** — 1075–1088

Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor (mb970939) — **G. Miranda, D. Schuppli, I. Barrera C. Hausherr, J. M. Sogo and H. Weber** — 1089–1103

Assessing the Reliability of RNA Folding using Statistical Mechanics (mb970889) — **M. Huynen, R. Gutell and D. Konings** — 1104–1112

Phenotypic Heterogeneity of Mutational Changes at a Conserved Nucleotide in 16 S Ribosomal RNA (mb970943) — **F. T. Pagel, S. Q. Zhao, K. A. Hijazi and E. J. Murgola** — 1113–1123

Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole (mb970925) — **E. Martinez, M. A. Jimenez B. Seguí-Real, J. Vandekerckhove and I. V. Sandoval** — 1124–1138

The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR (mb970931)	**J. C. Macosko, C.-H. Kim and Y.-K. Shin**	1139–1148
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs (mb970936)	**R. Biswas, M. C. Wahl, C. Ban and M. Sundaralingam**	1149–1156
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC) (mb970941)	**X. Chen, B. Ramakrishnan and M. Sundaralingam**	1157–1170
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^5 CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA (mb970945)	**D. B. Tippin and M. Sundaralingam**	1171–1185
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site (mb970920)	**D. E. Frank, R. M. Saecker, J. P. Bond M. W. Capp, O. V. Tsodikov S. E. Melcher, M. M. Levandoski and M. T. Record, Jr**	1186–1206
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody (mb970950)	**J. Lescar, R. Stouracova, M.-M. Riottot V. Chitarra, J. Brynda, M. Fabry M. Horejsi, J. Sedlacek and G. A. Bentley**	1207–1222
Characterization of NADP$^+$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift Changes (mb970915)	**K. L. Constantine, L. Mueller V. Goldfarb, M. Wittekind W. J. Metzler, J. Yanchunas Jr J. G. Robertson, M. F. Malley M. S. Friedrichs and B. T. Farmer II**	1223–1246
Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization (mb970938)	**H. Miyashita, T. Hara, R. Tanimura S. Fukuyama, C. Cagnon, A. Kohara and I. Fujii**	1247–1257
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules (mb970937)	**K. Gulukota, J. Sidney, A. Sette and C. DeLisi**	1258–1267
Prediction of Protein Side-chain Rotamers from a Backbone-dependent Rotamer Library: A New Homology Modeling Tool (mb970926)	**M. J. Bower, F. E. Cohen and R. L. Dunbrack, Jr**	1268–1282
Author Index		1283–1284

Volume 268

Number 1, 25 April 1997

Communications

Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy (mb970955) — **A. Kuzminov, E. Schabtach and F. W. Stahl** — 1–7

A Statistical Model for Locating Regulatory Regions in Genomic DNA (mb970965) — **E. M. Crowley, K. Roeder and M. Bina** — 8–14

Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel (mb970952) — **M. C. San Martín, C. Gruss and J. M. Carazo** — 15–20

Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus* (mb970944) — **I. C. Hampele, A. D'Arcy, G. E. Dale D. Kostrewa, J. Nielsen, C. Oefner M. G. P. Page, H.-J. Schönfeld D. Stüber and R. L. Then** — 21–30

Protein Secondary Structure Prediction Using Local Alignments (mb970958) — **A. A. Salamov and V. V. Solovyev** — 31–36

Articles

Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase (mb970934) — **C. L. Chan and R. Landick** — 37–53

Multiple Interactions Stabilize a Single Paused Transcription Intermediate in which Hairpin to 3′ End Spacing Distinguishes Pause and Termination Pathways (mb970935) — **C. L. Chan, D. Wang and R. Landick** — 54–68

The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire (mb970956) — **O. Ignatovich, I. M. Tomlinson P. T. Jones and G. Winter** — 69–77

Prediction of Complete Gene Structures in Human Genomic DNA (mb970951) — **C. Burge and S. Karlin** — 78–94

Maturation of Mammalian 20 S Proteasome: Purification and Characterization of 13 S and 16 S Proteasome Precursor Complexes (mb970947) — **G. Schmidtke, M. Schmidt and P-M. Kloetzel** — 95–106

Stabilization of a Recombinant Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation (mb960850) — **U. Brinkmann, A. Di Carlo G. Vasmatzis, N. Kurochkina, R. Beers B. Lee and I. Pastan** — 107–117

Kinetics of DNA Hydration (mb960862) — **V. P. Denisov, G. Carlström, K. Venu and B. Halle** — 118–136

Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae* (mb970940) — **S.-H. Hu, J. A. Peek, E. Rattigan R. K. Taylor and J. L. Martin** — 137–146

The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution (mb970957) — **M. Ingelman, V. Bianchi and H. Eklund** — 147–157

Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels (mb970954) — **J. R. Gillespie and D. Shortle** — 158–169

Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. II. Distance Restraints from Paramagnetic Relaxation and Calculation of an Ensemble of Structures (mb970953) — **J. R. Gillespie and D. Shortle** — 170–184

Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module (mb970932) — **J. L. Neira, L. S. Itzhaki A. G. Ladurner, B. Davis G. de Prat Gay and A. R. Fersht** — 185–197

Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks (mb970928) — **C. M. Johnson, M. Oliveberg J. Clarke and A. R. Fersht** — 198–208

Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions (mb970959) — **K. T. Simons, C. Kooperberg E. Huang and D. Baker** — 209–225

Author Index — 227

Number 2, 2 May 1997

Communications

RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals (mb970976) — **S. W. Mason, M. Wallisch and I. Grummt** — 229–234

Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli* (mb970971) — **C. Condon, H. Putzer, D. Luo and M. Grunberg-Manago** — 235–242

Articles

A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators (mb970979) — **M.-C. Marsolier, M.-N. Prioleau and A. Sentenac** — 243–249

Possible Roles of HIV-1 Nucleocapsid Protein in the Specificity of Proviral DNA Synthesis and in Its Variability (mb970978) — **M. Lapadat-Tapolsky, C. Gabus M. Rau and J.-L. Darlix** — 250–260

Analysis of the *in Vivo* Decay of the *Escherichia coli* Dicistronic *pyrF-orfF* Transcript: Evidence for Multiple Degradation Pathways (mb970962) — **C. M. Arraiano, A. A. Cruz and S. R. Kushner** — 261–272

Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene (mb970972) — **M. Kunnimalaiyaan, F. Shi and B. L. Nielsen** — 273–283

Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli* (mb970967)	**Y. Xu, V. Derbyshire, K. Ng, X. C. Sun N. D. F. Grindley and C. M. Joyce**	284–302
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions (mb970973)	**G.-F. Richard, C. Fairhead and B. Dujon**	303–321
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae* (mb970942)	**R. Percudani, A. Pavesi and S. Ottonello**	322–330
Solution Structure as a Function of pH of Two Central Mismatches, C·T and C·C, in the 29 to 39 K-*ras* Gene Sequence, by Nuclear Magnetic Resonance and Molecular Dynamics (mb970975)	**Y. Boulard, J. A. H. Cognet and G. V. Fazakerley**	331–347
Solution Structure of the Conserved 16 S-like Ribosomal RNA UGAA Tetraloop (mb970964)	**S. E. Butcher, T. Dieckmann and J. Feigon**	348–358
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex (mb970986)	**S. Nonin, F. Jiang and D. J. Patel**	359–374
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices (mb970949)	**H. Inouye and D. A. Kirschner**	375–389
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody (mb970974)	**G. J. Wedemayer, L. H. Wang P. A. Patten, P. G. Schultz and R. C. Stevens**	390–400
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method (mb970961)	**J. Novotny, R. E. Bruccoleri M. Davis and K. A. Sharp**	401–411
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions (mb970966)	**S. M. Prince, M. Z. Papiz, A. A. Freer G. McDermott A. M. Hawthornthwaite-Lawless R. J. Cogdell and N. W. Isaacs**	412–423
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution (mb970970)	**P. D. Hempstead, S. J. Yewdall A. R. Fernie, D. M. Lawson, P. J. Artymiuk, D. W. Rice G. C. Ford and P. M. Harrison**	424–448
Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution (mb970968)	**J. Yang, A. Teplyakov and J. W. Quail**	449–459
Crystal Structure of Epstein-Barr Virus Protein BCRF1 a Homolog of Cellular Interleukin-10 (mb970990)	**A. Zdanov, C. Schalk-Hihi, S. Menon K. W. Moore and A. Wlodawer**	460–467
Solution Structure of Recombinant Human Interleukin-6 (mb970933)	**G.-Y. Xu, H.-A. Yu, J. Hong, M. Stahl T. McDonagh, L. E. Kay and D. A. Cumming**	468–481
The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism (mb970982)	**J. Lillemoen, C. S. Cameron and D. W. Hoffman**	482–493
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A (mb970989)	**K.-B. Wong, A. R. Fersht and S. M. V. Freund**	494–511

GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases (mb970969) — **A. C. Clark and C. Frieden** — 512–525

Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse (mb970960) — **N. Schönbrunner, K.-P. Koller and T. Kiefhaber** — 526–538

Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures (mb970948) — **M. Linial, N. Linial, N. Tishby and G. Yona** — 539–556

Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase (mb970977) — **B. M. Baker and K. P. Murphy** — 557–569

Electrostatic Complementarity at Protein/Protein Interfaces (mb970987) — **A. J. McCoy, V. Chandana Epa and P. M. Colman** — 570–584

Retraction (mb971020) — 585

Author Index — 587

Number 3, 9 May 1997

Articles

The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease (mb970985) — **A. M. Muro-Pastor, A. Herrero and E. Flores** — 589–598

Identification of a Novel Type 1 Diabetes-specific Epitope by Screening Phage Libraries with Sera from Pre-diabetic Patients (mb970946) — **C. Mennuni, C. Santini, D. Lazzaro F. Dotta, L. Farilla, A. Fierabracci G. F. Bottazzo, U. Di Mario R. Cortese and A. Luzzago** — 599–606

Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel *in vivo* Selection for Protein-ligand Interactions (mb970981) — **C. Krebber, S. Spada, D. Desplancq A. Krebber, L. Ge and A. Plückthun** — 607–618

Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues (mb971002) — **W. Wang and D. C. Shakes** — 619–630

Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme (mb970988) — **M. Illangasekare and M. Yarus** — 631–639

Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases (mb970993) — **N. Nameki, K. Tamura, H. Asahara and T. Hasegawa** — 640–647

Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer (mb970927) — **M. Perach, T. Rubinek, S. H. Hughes and A. Hizi** — 648–654

Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution (mb970995) — **M. H. Parker, W. F. Stafford III and P. E. Prevelige Jr** — 655–665

Solution Structure of R-elafin, a Specific Inhibitor of Elastase
(mb970983)
Céline Francart, Manuel Dauchez Alain J. P. Alix and Guy Lippens 666–677

Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models
(mb970994)
R. A. Abagyan and M. M. Totrov 678–685

Author Index 687–688

Number 4, 16 May 1997

Effects on mRNA Degradation by *Escherichia coli* Transcription Termination Factor Rho and pBR322 Copy Number Control Protein Rop
(mb971004)
S. Sozhamannan and B. L. Stitt 689–703

Only One Nucleotide Insertion to the Long Variable Arm Confers an Efficient Serine Acceptor Activity upon *Saccharomyces cerevisiae* $tRNA^{Leu}$ *In Vitro*
(mb970991)
H. Himeno, S. Yoshida, A. Soma and K. Nishikawa 704–711

GroE Modulates Kinetic Partitioning of Folding Intermediates between Alternative States to Maximize the Yield of Biologically Active Protein
(mb971007)
A. N. Fedorov and T. O. Baldwin 712–723

Molecular and Immunological Analysis of an ABC Transporter Complex Required for Cytochrome *c* Biogenesis
(mb970992)
B. S. Goldman, D. L. Beckman A. Bali, E. M. Monika, K. K. Gabbert and R. G. Kranz 724–738

A Crystallographic Comparison Between Mutated Glyceraldehyde-3-phosphate Dehydrogenases from *Bacillus stearothermophilus* Complexed with Either NAD^+ or $NADP^+$
(mb970998)
C. Didierjean, S. Rahuel-Clermont B. Vitoux, O. Dideberg, G. Branlant and A. Aubry 739–759

Non-native Local Interactions in Protein Folding and Stability: Introducing a Helical Tendency in the All β-Sheet α-Spectrin SH3 Domain
(mb970984)
J. Prieto, M. Wilmans, M. A. Jimenez M. Rico and L. Serrano 760–778

Atomic Resolution (1.0 Å) Crystal Structure of *Fusarium solani* Cutinase: Stereochemical Analysis
(mb971000)
S. Longhi, M. Czjzek, V. Lamzin A. Nicolas and C. Cambillau 779–799

Author Index 801–802

Number 5, 23 May 1997

Communications

In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA
(mb971011)
H. Himeno, M. Sato, T. Tadaki M. Fukushima, C. Ushida and A. Muto 803–808

Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation? (mb971014) — **S. A. Tatulian, R. L. Biltonen and L. K. Tamm** — 809–815

A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State (mb970999) — **S. Godbole and B. E. Bowler** — 816–821

Articles

Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1 (mb970997) — **B. Becker, N. de la Fuente, M. Gassel D. Günther, P. Tavares, R. Lurz T. A. Trautner and J. C. Alonso** — 822–839

Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein (mb971012) — **M. Moscoso, R. Eritja and M. Espinosa** — 840–856

Protein Evolution Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of a Structural Segment of Homology, the Module (mb971003) — **M. Riley and B. Labedan** — 857–868

The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution (mb971005) — **B. Ren, W. Huang, B. Åkesson and R. Ladenstein** — 869–885

Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding (mb970980) — **K. J. Barnham, T. R. Dyke W. R. Kem and R. S. Norton** — 886–902

Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme (mb970996) — **L. A. Morozova-Roche C. C. Arico-Muendel, D. T. Haynie V. I. Emelyanenko, H. Van Dael and C. M. Dobson** — 903–921

Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability (mb971001) — **H. Hatanaka, R. Tanimura, S. Katoh and F. Inagaki** — 922–933

The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artificial F_{ab} Fragment (mb971006) — **W. Schiweck and A. Skerra** — 934–951

Author Index — 953–954

Volume 269

Number 1, 30 May 1997

Communication

Species-specific tRNA Recognition in Relation to tRNA Synthetase Contact Residues (mb971025) — **S. Nair, L. Ribas de Pouplana F. Houman, A. Avruch, X. Shen and P. Schimmel** — 1–9

Articles

Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme (mb971016)	**X. Zhang and F. W. Studier**	10–27
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties (mb971015)	**D. L. Lyakhov, B. He, X. Zhang F. W. Studier, J. J. Dunn and W. T. McAllister**	28–40
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo* (mb971039)	**P. J. Lopez, J. Guillerez, R. Sousa and M. Dreyfus**	41–51
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement (mb971021)	**K.-Y. Chang and I. Tinoco Jr**	52–66
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein (mb971013)	**J. A. Deardorff and A. B. Sachs**	67–81
Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC (mb971027)	**L. E. Engler, K. K. Welch and L. Jen-Jacobson**	82–101
Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex (mb971032)	**A. Bravo and M. Salas**	102–112
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity (mb971026)	**L. A. Labeots and M. A. Weiss**	113–128
Molecular Structure of the Lipoamide Dehydrogenase Domain of a Surface Antigen from *Neisseria meningitidis* (mb971009)	**I. Li de la Sierra, L. Pernot, T. Prangé P. Saludjian, M. Schiltz, R. Fourme and G. Padrón**	129–141
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization (mb971018)	**K. Watanabe, Y. Hata, H. Kizaki Y. Katsube and Y. Suzuki**	142–153
Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI (mb971031)	**S. A. Beeser, D. P. Goldenberg and T. G. Oas**	154–164
Author Index		165

Number 2, 6 June 1997

Articles

Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes (mb971017)	**C. Ontiveros, J. G. Valadez J. Hernández and G. Guarneros**	167–175

Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism (mb971034)	**W. A. Rosche, T. Q. Trinh and R. R. Sinden**	176–187
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides (mb971036)	**D. Faulhammer and M. Famulok**	188–202
Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite (mb971038)	**J. Li, R. R. Gutell, S. H. Damberger R. A. Wirtz, J. C. Kissinger M. J. Rogers, J. Sattabongkot and T. F. McCutchan**	203–213
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer (mb971050)	**T. H. J. Huang, P. E. Fraser and A. Chakrabartty**	214–224
Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis (mb971024)	**O. Yu. Fedoroff, Y. Ge and B. R. Reid**	225–239
Protein Folding Simulations with Genetic Algorithms and a Detailed Molecular Description (mb971010)	**J. T. Pedersen and J. Moult**	240–259
The Domains in γB-crystallin: Identical Fold–Different Stabilities (mb971033)	**E.-M. Mayr, R. Jaenicke and R. Glockshuber**	260–269
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity (mb971023)	**E. M. Schad, A. C. Papageorgiou L. A. Svensson and K. R. Acharya**	270–280
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope (mb971028)	**D. G. Covell and A. Wallqvist**	281–297
Author Index		299

Number 3, 13 June 1997

Review

Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors (mb971065)	**E. Martínez-Hackert and A. M. Stock**	301–312

Articles

ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding (mb971053)	**J. Saturno, J. M. Lázaro, F. J. Esteban L. Blanco and M. Salas**	313–325

RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin (mb971022) — **P. Auffinger and E. Westhof** — 326–341

Mutations in the Res Subunit of the *Eco*PI Restriction Enzyme that Affect ATP-dependent Reactions (mb971045) — **S. Saha and D. N. Rao** — 342–354

Reconstitution of Human Topoisomerase I by Fragment Complementation (mb971056) — **L. Stewart, G. C. Ireton and J. J. Champoux** — 355–372

The Steric Trigger in Rhodopsin Activation (mb971035) — **T. Shieh, M. Han, T. P. Sakmar and S. O. Smith** — 373–384

Dual Conformations of a T Cell Receptor Vα Homodimer: Implications for Variability in VαVβ Domain Association (mb971047) — **H. Li, M. I. Lebedeva, E. S. Ward and R. A. Mariuzza** — 385–394

The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa (mb971029) — **M. J. M. Burgering, L. P. M. Orbons A. van der Doelen, J. Mulders H. J. M. Theunissen P. D. J. Grootenhuis, W. Bode R. Huber and M. T. Stubbs** — 395–407

Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin (mb971044) — **M. Nilges, M. J. Macias S. I. O'Donoghue and H. Oschkinat** — 408–422

Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation (mb971019) — **R. B. Russell, M. A. S. Saqi R. A. Sayle, P. A. Bates and M. J. E. Sternberg** — 423–439

Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds (mb971070) — **S. C. Baker, N. F. W. Saunders A. C. Willis, S. J. Ferguson, J. Hajdu and V. Fülöp** — 440–455

Author Index — 457

Number 4, 20 June 1997

Review

Control of Actin Dynamics in Cell Motility (mb971062) — **M.-F. Carlier and D. Pantaloni** — 459–467

Communications

Voltage Sensing in the PhoE and OmpF Outer Membrane Porins of *Escherichia coli*: Role of Charged Residues (mb971063) — **P. Van Gelder, N. Saint, P. Phale E. F. Eppens, A. Prilipov R. van Boxtel, J. P. Rosenbusch and J. Tommassen** — 468–472

Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12 (mb971069) — **H. de Cock, M. Struyvé M. Kleerebezem, T. van der Krift and J. Tommassen** — 473–478

The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure (mb971055) — **D. Hamada and Y. Goto** — 479–487

Stability of Type I Collagen CNBr Peptide Trimers (mb971046) — **A. Rossi, G. Zanaboni, G. Cetta and R. Tenni** — 488–493

Articles

Control of Methylation Spreading in Synthetic DNA Sequences by the Murine DNA Methyltransferase (mb971064) — **T. O. Tollefsbol and C. A. Hutchison III** — 494–504

Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*parC* Complex (mb971061) — **R. B. Jensen and K. Gerdes** — 505–513

The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking (mb971059) — **T. Horiguchi, Y. Miwa and K. Shigesada** — 514–528

Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei* (mb971066) — **A. Treumann, N. Zitzmann A. Hülsmeier, A. R. Prescott A. Almond, J. Sheehan and M. A. J. Ferguson** — 529–547

Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis (mb971058) — **M. Whittaker and R. A. Milligan** — 548–557

Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study (mb971037) — **G. De Simone, G. Balliano, P. Milla C. Gallina, C. Giordano, C. Tarricone M. Rizzi, M. Bolognesi and P. Ascenzi** — 558–569

Crystal Structure of a Decameric Complex of Human Serum Amyloid P Component with Bound dAMP (mb971075) — **E. Hohenester, W. L. Hutchinson M. B. Pepys and S. P. Wood** — 570–578

The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1) (mb971041) — **S. Koshiba, T. Kigawa, J.-H. Kim M. Shirouzu, D. Bowtell and S. Yokoyama** — 579–591

Automated Analysis of Protein NMR Assignments Using Methods from Artificial Intelligence (mb971052) — **D. E. Zimmerman, C. A. Kulikowski Y. Huang, W. Feng, M. Tashiro S. Shimotakahara, C. Chien R. Powers and G. T. Montelione** — 592–610

The Rate of Isomerisation of Peptidyl-proline Bonds as a Probe for Interactions in the Physiological Denatured State of Chymotrypsin Inhibitor 2 (mb971043) — **Y.-J. Tan, M. Oliveberg, D. E. Otzen and A. R. Fersht** — 611–622

Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site (mb971054) — **M. Sahrawy, A. Chueca, R. Hermoso J. J. Lázaro and J. L. Gorgé** — 623–630

Protein Thermal Stability, Hydrogen Bonds and Ion Pairs (mb971042) — **G. Vogt, S. Woell and P. Argos** — 631–643

Author Index — 645–646

Number 5, 27 June 1997

Review Articles

Recognition and Manipulation of Branched DNA Structure by Junction-resolving Enzymes (mb971097) — **M. F. White, M.-J. E. Giraud-Panis J. R. G. Pöhler and D. M. J. Lilley** — 647–664

Quasi-equivalent Viruses: A Paradigm for Protein Assemblies (mb971068) — **J. E. Johnson and J. A. Speir** — 665–675

Articles

In Vivo Analyses of Upstream Promoter Sequence Elements in the 5 S rRNA Gene from *Saccharomyces cerevisiae* (mb971071) — **Y. Lee, C. W. M. Wong, D. Guyer A. M. Erkine and R. N. Nazar** — 676–683

Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA (mb971083) — **K. Steinmetzer and S. Brantl** — 684–693

Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides (mb971073) — **L. Dente, C. Vetriani, A. Zucconi G. Pelicci, L. Lanfrancone P. G. Pelicci and G. Cesareni** — 694–703

Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage (mb971077) — **L. Jespers, S. Jenné, I. Lasters and D. Collen** — 704–718

In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae* (mb971076) — **M. Meyer, P. Dimroth and M. Bott** — 719–731

In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA (mb971092) — **K. Lee, S. Varma, J. SantaLucia Jr and P. R. Cunningham** — 732–743

Molecular Characterization of the hdm2–p53 Interaction (mb971078) — **A. Böttger, V. Böttger C. Garcia-Echeverria, P. Chène H.-K. Hochkeppel, W. Sampson K. Ang, S. F. Howard, S. M. Picksley and D. P. Lane** — 744–756

The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System (mb971072)	**E. V. Pierpaoli, E. Sandmeier A. Baici, H.-J. Schönfeld, S. Gisler and P. Christen**	757–768
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses (mb971048)	**H. Wang, J. N. Culver and G. Stubbs**	769–779
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex (mb971051)	**S. Yoo, D. G. Myszka, C.-Y. Yeh M. McMurray, C. P. Hill and W. I. Sundquist**	780–795
The Structures and Relative Stabilities of d(G·G) Reverse Hoogsteen, d(G·T) Reverse Wobble, and d(G·C) Reverse Watson-Crick Base-pairs in DNA Crystals (mb971100)	**B. H. M. Mooers, B. F. Eichman and P. Shing Ho**	796–810
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis (mb971085)	**G. W. Han, M. L. Kopka, D. Cascio K. Grzeskowiak and R. E. Dickerson**	811–826
Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction (mb971089)	**A. A. Wood, C. M. Nunn, J. O. Trent and S. Neidle**	827–841
The Cyclic AMP Receptor Promoter DNA Complex: A Comparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics (mb971086)	**F.-J. Meyer-Almes and D. Porschke**	842–850
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis* (mb971084)	**C. Wiesmann, W. Hengstenberg and G. E. Schulz**	851–860
Crystal Structure of an Oligomer of Proteolytic Zymogens: Detailed Conformational Analysis of the Bovine Ternary Complex and Implications for Their Activation (mb971040)	**F. X. Gomis-Rüth, M. Gómez-Ortiz J. Vendrell, S. Ventura, W. Bode R. Huber and F. X. Avilés**	861–880
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC (mb971067)	**A. J. McCoy and A. A. Kortt**	881–891
Importance of Electrostatic Interactions in the Rapid Binding of Polypeptides to GroEL (mb971081)	**S. Perrett, R. Zahn, G. Stenberg and A. R. Fersht**	892–901
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability (mb971008)	**W. R. Taylor**	902–943
Author Index		945–946

Volume 270

Number 1, 4 July 1997

Communications

$Ta_6Br_{12}^{2+}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography (mb971074) — J. Knäblein, T. Neuefeind, F. Schneider, A. Bergner, A. Messerschmidt, J. Löwe, B. Steipe and R. Huber — 1–7

NMR Analysis of the Interaction between Protein L and Ig Light Chains (mb971090) — J. Enokizono, M. Wikström, U. Sjöbring, L. Björck, S. Forsén, Y. Arata, K. Kato and I. Shimada — 8–13

Articles

Regulation of the "*tetCD*" Genes of Transposon Tn*10* (mb971094) — C. M. Pepe, C. Suzuki, C. Laurie and R. W. Simons — 14–25

Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library (mb971116) — S. Atwell, J. B. B. Ridgway, J. A. Wells and P. Carter — 26–35

Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA (mb971096) — J.-C. Paillart, E. Westhof, C. Ehresmann, B. Ehresmann and R. Marquet — 36–49

The Replisome Organizer (G*38*P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with two Discrete Distant Regions of the SPP1 Genome (mb971060) — R. Missich, F. Weise, S. Chai, R. Lurz, X. Pedré and J. C. Alonso — 50–64

An Invariant Lysine Residue is Involved in Catalysis at the 3′-5′ Exonuclease Active Site of Eukaryotic-type DNA Polymerases (mb971093) — M. de Vega, T. Ilyina, J. M. Lázaro, M. Salas and L. Blanco — 65–78

Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum* (mb971091) — S. Liemann, I. Bringemeier, J. Benz, P. Göttig, A. Hofmann, R. Huber, A. A. Noegel and U. Jacob — 79–88

Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Denaturants and Temperature (mb971049) — L. S. Itzhaki, J. L. Neira and A. R. Fersht — 89–98

Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis (mb971088) — J. L. Neira, L. S. Itzhaki, D. E. Otzen, B. Davis and A. R. Fersht — 99–110

The Role of Glu73 of Barnase in Catalysis and the Binding of Barstar (mb971080) — G. Schreiber, C. Frisch and A. R. Fersht — 111–122

Author Index — 123

Number 2, 11 July 1997

Articles

Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy (mb971079)	**K. Rippe, M. Guthold P. H. von Hippel and C. Bustamante**	125–138
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability (mb971104)	**J.-P. Vartanian, U. Plikat, M. Henry R. Mahieux, L. Guillemot A. Meyerhans and S. Wain-Hobson**	139–151
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli* (mb971057)	**D. E. Wiese II, B. R. Ernsting R. M. Blumenthal and R. G. Matthews**	152–168
The Junction-resolving Enzyme T7 Endonuclease I: Quaternary Structure and Interaction with DNA (mb971128)	**M. J. Parkinson and D. M. J. Lilley**	169–178
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor (mb971115)	**J. Vogel, T. Hübschmann, T. Börner and W. R. Hess**	179–187
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation (mb971082)	**G. Moncalián, G. Grandoso M. Llosa and F. de la Cruz**	188–200
Quantitation of the Inhibition of Hfr x F^- Recombination by the Mutagenesis Complex UmuD′C (mb971098)	**F. Boudsocq, M. Campbell, R. Devoret and A. Bailone**	201–211
The DNA Replication Protein PriA and the Recombination Protein RecG Bind D-loops (mb971120)	**P. McGlynn, A. A. Al-Deib, J. Liu K. J. Marians and R. G. Lloyd**	212–221
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism (mb971111)	**Y. Mimori-Kiyosue, F. Vonderviszt and K. Namba**	222–237
Bivalent Binding of a Neutralising Antibody to a Calicivirus Involves the Torsional Flexibility of the Antibody Hinge (mb971095)	**E. Thouvenin, S. Laurent M.-F. Madelaine, D. Rasschaert J.-F. Vautherot and E. A. Hewat**	238–246
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of $d(Gm^5CGm^5CGCGCGC)$ (mb971102)	**D. B. Tippin, B. Ramakrishnan and M. Sundaralingam**	247–258
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability (mb971105)	**J.-H. Lim, Y. G. Yu, Y. S. Han S.-je Cho, B.-Y. Ahn, S.-H. Kim and Y. Cho**	259–274

Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain (mb971106) — **D. J. McBride Jr, V. Choe J. R. Shapiro and B. Brodsky** — 275–284

Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking (mb971099) — **J. Wu and H. R. Kaback** — 285–293

Three-state Model for Lysozyme Folding: Triangular Folding Mechanism With an Energetically Trapped Intermediate (mb971030) — **G. Wildegger and T. Kiefhaber** — 294–304

Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing (mb971103) — **E. Demchuk, D. Bashford G. P. Gippert and D. A. Case** — 305–317

Author Index — 319

Number 3, 18 July 1997

Communications

Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70 (mb971131) — **P. J. T. Dekker and N. Pfanner** — 321–327

Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps (mb971137) — **C. Mayer-Jung, D. Moras and Y. Timsit** — 328–335

Articles

Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo* (mb971121) — **J. D. Fontes, N. Jabrane-Ferrat and B. M. Peterlin** — 336–345

Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro* (mb971133) — **J. Xu and R. C. Johnson** — 346–359

Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting (mb971134) — **I. Brierley, M. R. Meredith A. J. Bloys and T. G. Hagervall** — 360–373

Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries (mb971107) — **E. N. Peletskaya, V. V. Glinsky G. V. Glinsky, S. L. Deutscher and T. P. Quinn** — 374–384

DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe (mb971125) — **J. A. Yoder, N. S. Soman G. L. Verdine and T. H. Bestor** — 385–395

Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase (mb971109) — **M. Oram, J. F. Marko and S. E. Halford** — 396–412

Random Walk Models for DNA Synapsis by Resolvase (mb971108)	**R. B. Sessions, M. Oram M. D. Szczelkun and S. E. Halford**	413–425
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues (mb971129)	**D. Loakes, F. Hill, D. M. Brown and S. A. Salisbury**	426–435
Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics (mb971113)	**J. L. Miller and P. A. Kollman**	436–450
Effects of Mg^{2+}, K^{+}, and H^{+} on an Equilibrium between Alternative Conformations of an RNA Pseudoknot (mb971119)	**T. C. Gluick, R. B. Gerstner and D. E. Draper**	451–463
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site (mb971127)	**Z. Du, J. A. Holland, M. R. Hansen D. P. Giedroc and D. W. Hoffman**	464–470
Protein Fold Recognition by Prediction-based Threading (mb971101)	**B. Rost, R. Schneider and C. Sander**	471–480
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix (mb971114)	**F. C. L. Almeida and S. J. Opella**	481–495
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR (mb971123)	**F. Penin, C. Geourjon, R. Montserret A. Böckmann, A. Lesage, Y. S. Yang C. Bonod-Bidaud, J.-C. Cortay D. Nègre, A. J. Cozzone and G. Deléage**	496–510
Crystal Structure of r(GUGUGUA)dC with Tandem G·U/U·G Wobble Pairs with Strand Slippage (mb971118)	**R. Biswas and M. Sundaralingam**	511–519
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study (mb971130)	**G. Löffler, H. Schreiber and O. Steinhauser**	520–534
Corrigendum (mb971117)		535
Author Index		537–538

Number 4, 25 July 1997

Communications

HMG1 Protein Inhibits the Translesion Synthesis of the Major DNA Cisplatin Adduct by Cell Extracts (mb971143)	**J.-S. Hoffmann, D. Locker, G. Villani and M. Leng**	539–543

Growth Rate-optimised tRNA Abundance and Codon Usage
(mb971142) — O. G. Berg and C. G. Kurland — 544–550

Articles

Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse
(mb971138) — A. K. Dixon, T.-M. Tait, E. A. Campbell, M. Bobrow, R. G. Roberts and T. C. Freeman — 551-558

DNA Sequence Encodes Information for Nucleosome Array Formation
(mb971136) — K. Liu and A. Stein — 559–573

Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides
(mb971135) — K. Kaneko, H. Wille, I. Mehlhorn, H. Zhang, H. Ball, F. E. Cohen, M. A. Baldwin and S. B. Prusiner — 574–586

Sequence of the Human Immunoglobulin Diversity (D) Segment Locus: A Systematic Analysis Provides No Evidence for the Use of DIR Segments, Inverted D Segments, "Minor" D Segments or D-D Recombination
(mb971141) — S. J. Corbett, I. M. Tomlinson, E. L. L. Sonnhammer, D. Buck and G. Winter — 587–597

Conformation-invariant Structures of the $\alpha_1\beta_1$ Human Hemoglobin Dimer
(mb971087) — W. L. Nichols, B. H. Zimm and L. F. Ten Eyck — 598–615

Bioincorporation of Telluromethionine into Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins
(mb971132) — N. Budisa, W. Karnbrock, S. Steinbacher, A. Humm, L. Prade, T. Neuefeind, L. Moroder and R. Huber — 616–623

Author Index — 625–626

Number 5, 1 August 1997

Communications

Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*
(mb971112) — M. L. A. Khan, C. B. Gogonea, Z. K. Siddiqui, M. Y. Ali, R. Kikuno, K. Nishikawa and S. S. Siddiqui — 627–639

An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability
(mb971146) — B. Kuhlman, H. Y. Yang, J. A. Boice, R. Fairman and D. P. Raleigh — 640–647

Articles

Determinants for *Escherichia coli* RNA Polymerase Assembly within the β Subunit
(mb971139) — Y. Wang, K. Severinov, N. Loizos, D. Fenyö, E. Heyduk, T. Heyduk, B. T. Chait and S. A. Darst — 648–662

Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I
(mb971157) — D. Zerbib, S. D. Colloms, D. J. Sherratt and S. C. West — 663–673

A Novel Method to Develop Highly Specific Models for Regulatory Units Detects a New LTR in GenBank which Contains a Functional Promoter (mb971140) — **K. Frech, J. Danescu-Mayer and T. Werner** — 674–687

Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs (mb971145) — **H. Sorimachi, A. Freiburg, B. Kolmerer, S. Ishiura, G. Stier, C. C. Gregorio, D. Labeit, W. A. Linke, K. Suzuki and S. Labeit** — 688–695

Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding (mb971149) — **M. Yang, X.-p. Chen, K. Militello, R. Hoffman, B. Fernandez, C. Baumann and P. Gollnick** — 696–710

Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron (mb971155) — **B. L. Golden, E. R. Podell, A. R. Gooding and T. R. Cech** — 711–723

The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions (mb971144) — **K. Valegård, J. B. Murray, N. J. Stonehouse, S. van den Worm, P. G. Stockley and L. Liljas** — 724–738

Tertiary Structural Changes and Iron Release From Human Serum Transferrin (mb971126) — **S. L. Mecklenburg, R. J. Donohoe and G. A. Olah** — 739–750

Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex (mb971122) — **D. C. Williams Jr, G. S. Rule, R. J. Poljak and D. C. Benjamin** — 751–762

A Comparison of the Folding Kinetics and Thermodynamics of Two Homologous Fibronectin Type III Modules (mb971148) — **K. W. Plaxco, C. Spitzfaden, I. D. Campbell and C. M. Dobson** — 763–770

Folding and Stability of a Fibronectin Type III Domain of Human Tenascin (mb971147) — **J. Clarke, S. J. Hamill and C. M. Johnson** — 771–778

Author Index — 779–780

Volume 271

Number 1, 8 August 1997

Commmunications

Fine Tuning a Molecular Motor: The Location of Alternative Domains in the *Drosophila* Myosin Head (mb971160) — **S. I. Bernstein and R. A. Milligan** — 1–6

Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon (mb971159) — **H. Hohjoh and M. F. Singer** — 7–12

Articles

Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements (mb971124)	**E. P. Delver and A. A. Belogurov**	13–30
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site (mb971154)	**S. Li and R. Waters**	31–46
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50% (mb971162)	**B. Larsen, R. F. Gesteland and J. F. Atkins**	47–60
Dynamic Interplay of TFIIA, TBP and TATA DNA (mb971152)	**C. A. Weideman, Robert C. Netter L. R. Benjamin, J. J. McAllister L. A. Schmiedekamp, R. A. Coleman and B. F. Pugh**	61–75
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification (mb971156)	**L.-J. Syu and M. M. Fluck**	76–99
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer (mb971165)	**Y. Lin and S. D. Jayasena**	100–111
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I (mb971172)	**M. D. Szczelkun, P. Janscak K. Firman and S. E. Halford**	112–123
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation (mb971166)	**Z.-F. Wang, A. M. Sirotkin G. M. Buchold, A. I. Skoultchi and W. F. Marzluff**	124–138
A Novel Class of Unconventional Myosins from *Toxoplasma gondii* (mb971167)	**M. B. Heintzelman and J. D. Schwartzman**	139–146
The Detailed Structure of Tandem G·A Mismatched Base-pair Motifs in RNA Duplexes is Context Dependent (mb971158)	**H. A. Heus, S. S. Wijmenga H. Hoppe and C. W. Hilbers**	147–158
Author Index		159

Number 2, 15 August 1997

Communication

Tension in Haemoglobin Revealed by Fe-His(F8) Bond Rupture in the Fully Liganded T-State (mb971180)	**M. Paoli, G. Dodson R. C. Liddington and A. J. Wilkinson**	161–167

Articles

RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide (mb971164) — **V. A. Malkov, L. Sastry and R. D. Camerini-Otero** — 168–177

Quantitative Specificity of the Mnt Repressor (mb971171) — **D. S. Fields, Y.-y. He, A. Y. Al-Uzri and G. D. Stormo** — 178–194

A *Xenopus* Zinc Finger Protein that Specifically Binds dsRNA and RNA-DNA Hybrids (mb971177) — **P. J. Finerty, Jr and B. L. Bass** — 195–208

Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *In vivo* aa-tRNA Selection in a tRNA-dependent Manner (mb971176) — **J.-nong Li, B. Esberg, J. F. Curran and G. R. Björk** — 209–221

cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts (mb971161) — **T. H. Shaikh, A. M. Roy, J. Kim M. A. Batzer and P. L. Deininger** — 222–234

Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft (mb971163) — **A. Orlova, X. Chen, P. A. Rubenstein and E. H. Egelman** — 235–243

Specific Binding of Hoechst 33258 to the d(CGCAAATTTGCG)$_2$ Duplex: Calorimetric and Spectroscopic Studies (mb971170) — **I. Haq, J. E. Ladbury B. Z. Chowdhry, T. C. Jenkins and J. B. Chaires** — 244–257

Crystal Structure of Cytoplasmic *Escherichia coli* Peptidyl-prolyl Isomerase: Evidence for Decreased Mobility of Loops upon Complexation (mb971151) — **K. J. Edwards, D. L. Ollis and N. E. Dixon** — 258–265

NMR Structural Studies of Human Cystatin C Dimers and Monomers (mb971150) — **I. Ekiel, M. Abrahamson D. B. Fulton, P. Lindahl, A. C. Storer W. Levadoux, M. Lafrance, S. Labelle Y. Pomerleau, D. Groleau L. LeSauteur and K. Gehring** — 266–277

Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis (mb971169) — **H.-C. Chang, A. Smolyar, R. Spoerl T. Witte, Y. Yao, E. C. Goyarts S. G. Nathenson and E. L. Reinherz** — 278–293

Erratum (mb971201) — 294–295

Author Index — 297

Number 3, 22 August 1997

Articles

Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another (mb971194) — **C. Priano, R. Arora, L. Jayant and D. R. Mills** — 299–310

De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence (mb971185)	**B. Chen and A. M. Lambowitz**	311–332
Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage (mb971174)	**B. Parhami-Seren, T. Keel and G. L. Reed**	333–341
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae* (mb971202)	**N. S. Lee, O. Rutebuka, T. Arakawa T. A. Bickle and J. Ryu**	342–348
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction (mb971195)	**A. W. Kirby, M. N. Gaskin M. A. Antezana, S. J. Goodman E. Myers and M. F. Bruist**	349–361
Tn*5* Transposase Mutants that Alter DNA Binding Specificity (mb971188)	**M. Zhou and W. S. Reznikoff**	362–373
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain (mb971196)	**M. Sun, Q.-S. Gao, L. Kirnarskiy A. Rees and S. Paul**	374–385
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats (mb971186)	**U. Römling, K. D. Schmidt and B. Tümmler**	386–404
Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein (mb971204)	**J. Tittor, U. Haupts, C. Haupts D. Oesterhelt, A. Becker and E. Bamberg**	405–416
Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution (mb971182)	**E. V. Orlova, P. Dube, J. R. Harris E. Beckman, F. Zemlin, J. Markl and M. van Heel**	417–437
Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids (mb971153)	**M. Leijon, U. Sehlstedt, P. E. Nielsen and A. Gräslund**	438–455
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidum* (mb971189)	**Y.-F. Li, W. Zhou, R. E. Blankenship and J. P. Allen**	456–471
Amide Hydrogen Exchange and Internal Dynamics in the Chemotactic Protein CheY from *Escherichia coli* (mb971178)	**E. Lacroix, M. Bruix E. López-Hernández, L. Serrano and M. Rico**	472–487

Author Index 489

Number 4, 29 August 1997

Articles

Reported Translational Bypass in a *trpR'-lacZ'* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting (mb971187)	**N. M. Wills, J. A. Ingram R. F. Gesteland and J. F. Atkins**	491–498
Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro* (mb971197)	**Z. Wang and P. Dröge**	499–510
Correlated Mutations Contain Information About Protein–protein Interaction (mb971198)	**F. Pazos, M. Helmer-Citterich G. Ausiello and A. Valencia**	511–523
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å (mb971210)	**F. Mueller and R. Brimacombe**	524–544
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data (mb971211)	**F. Mueller and R. Brimacombe**	545–565
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre (mb971212)	**F. Mueller, H. Stark, M. van Heel J. Rinke-Appel and R. Brimacombe**	566–587
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models (mb971190)	**D. I. Svergun, N. Burkhardt J. S. Pedersen, M. H. J. Koch V. V. Volkov, M. B. Kozin W. Meerwink, H. B. Stuhrmann G. Diedrich and K. H. Nierhaus**	588–601
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution (mb971191)	**D. I. Svergun, N. Burkhardt J. S. Pedersen, M. H. J. Koch V. V. Volkov, M. B. Kozin W. Meerwink, H. B. Stuhrmann G. Diedrich and K. H. Nierhaus**	602–618
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose (mb971222)	**Y. Yoshioka, K. Hasegawa Y. Matsuura, Y. Katsube and M. Kubota**	619–628
Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing (mb971181)	**M. E. Than, P. Hof, R. Huber G. P. Bourenkov, H. D. Bartunik G. Buse and T. Soulimane**	629–644
Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution (mb971184)	**B. Rosinke, C. Renner, E.-M. Mayr R. Jaenicke and T. A. Holak**	645–655
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate (mb971173)	**W. R. Cannon, B. J. Garrison and S. J. Benkovic**	656–668
Author Index		669–670

Number 5, 5 September 1997

Communication

Pressure-induced Changes in the Folded Structure of Lysozyme (mb971208) — **K. Akasaka, T. Tezuka and H. Yamada** — 671–678

Articles

A Thioreduction Pathway Tethered to the Membrane for Periplasmic Cytochromes *c* Biogenesis; *in Vitro* and *in Vivo* Studies (mb971227) — **E. M. Monika, B. S. Goldman D. L. Beckman and R. G. Kranz** — 679–692

Novel Alleles of the *Escherichia coli dnaA* Gene (mb971209) — **M. D. Sutton and J. M. Kaguni** — 693–703

Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities (mb971225) — **C. Mézard, A. A. Davies, A. Stasiak and S. C. West** — 704–717

The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import (mb971230) — **V. Citovsky, B. Guralnick M. N. Simon and J. S. Wall** — 718–727

Mapping of a Second Actin–Tropomyosin and a Second Troponin C Binding Site within the C Terminus of Troponin I, and their Importance in the Ca^{2+}-dependent Regulation of Muscle Contraction (mb971200) — **B. Tripet, J. E. Van Eyk and R. S. Hodges** — 728–750

The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals (mb971216) — **H. Hebert, I. Schmidt-Krey, R. Morgenstern, K. Murata, T. Hirai K. Mitsuoka and Y. Fujiyoshi** — 751–758

The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses (mb971214) — **K. Tars, M. Bundule, K. Fridborg and L. Liljas** — 759–773

Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen (mb971218) — **M. Podobnik, R. Kuhelj, V. Turk and D. Turk** — 774–788

Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability (mb971215) — **C. F. Aguilar, I. Sanderson M. Moracci, M. Ciaramella, R. Nucci M. Rossi and L. H. Pearl** — 789–802

Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR (mb971192) — **S. E. Nieba-Axmann, M. Ottiger K. Wüthrich and A. Plückthun** — 803–818

Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy
(mb971217)
M. Caffrey, M. Cai, J. Kaufman S. J. Stahl, P. T. Wingfield A. M. Gronenborn and G. M. Clore 819–826

Modular Structure of the Trigger Factor Required for High Activity in Protein Folding
(mb971206)
T. Zarnt, T. Tradler, G. Stoller C. Scholz, F. X. Schmid and G. Fischer 827–837

Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog
(mb971168)
S. L. Lin, D. Xu, A. Li, M. Rosen H. J. Wolfson and R. Nussinov 838–845

Author Index 847–848

Volume 272

Number 1, 12 September 1997

Communications

The X-ray Structure of the DNA-binding Domain from the *Saccharomyces cerevisiae* Cell-cycle Transcription Factor Mbp1 at 2.1 Å Resolution
(mb971229)
I. A. Taylor, M. K. Treiber, L. Olivi and S. J. Smerdon 1–8

Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution
(mb971219)
O. Zhang, L. E. Kay, D. Shortle and J. D. Forman-Kay 9–20

Articles

Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase
(mb971199)
B. F. Weston, I. Kuzmine and C. T. Martin 21–30

Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms
(mb971193)
D. J. Welty, J. M. Jones and H. Nakai 31–41

Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy
(mb971183)
O. Lambert, V. Gerke, M.-F. Bader F. Porte and A. Brisson 42–55

Channel Specificity: Structural Basis for Sugar Discrimination and Differential Flux Rates in Maltoporin
(mb971224)
Y.-F. Wang, R. Dutzler P. J. Rizkallah, J. P. Rosenbusch and T. Schirmer 56–63

The NMR Solution Conformation of Unligated Human Cyclophilin A
(mb971220)
M. Ottiger, O. Zerbe, P. Güntert and K. Wüthrich 64–81

A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal
(mb971213)
M. Inoue, Y. Muto, H. Sakamoto T. Kigawa, K. Takio, Y. Shimura and S. Yokoyama 82–94

The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units
(mb971205)
A. R. Panchenko, Z. Luthey-Schulten R. Cole and P. G. Wolynes 95–105

Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information
(mb971203)
H. A. Gabb, R. M. Jackson and M. J. E. Sternberg 106–120

Analysis of Protein-Protein Interaction Sites using Surface Patches
(mb971234)
S. Jones and J. M. Thornton 121–132

Prediction of Protein-Protein Interaction Sites using Patch Analysis
(mb971233)
S. Jones and J. M. Thornton 133–143

An Alpha-carbon Template for the Transmembrane Helices in the Rhodopsin Family of G-protein-coupled Receptors
(mb971240)
J. M. Baldwin, G. F. X. Schertler and V. M. Unger 144–164

Author Index 165

Number 2, 19 September 1997

Articles

Sequence Elements Downstream of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat are Required for Efficient Viral Gene Transcription
(mb971239)
C. Liang, X. Li, Y. Quan M. Laughrea, L. Kleiman, J. Hiscott and M. A. Wainberg 167–177

A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium
(mb971238)
C. S. McHenry, M. Seville and M. G. Cull 178–189

Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP
(mb971228)
U. Pieper, T. Brinkmann, T. Krüger M. Noyer-Weidner and A. Pingoud 190–199

Molecular Recognition in Signal Transduction: The Interaction Surfaces of the Spo0F Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis
(mb971226)
Y.-L. Tzeng and J. A. Hoch 200–212

Functional Cooperation of the Mitochondrial Processing Peptidase Subunits
(mb971231)
P. Luciano, S. Geoffroy, A. Brandt J.-F. Hernandez and V. Géli 213–225

Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules
(mb971244)
S. Adam, W. Göhring, H. Wiedemann M.-L. Chu, R. Timpl and G. Kostka 226–236

High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA
(mb971223)
P. S. Eis, J. A. Smith, J. M. Rydzewski D. A. Case, D. L. Boger and W. J. Chazin 237–252

NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation
(mb971241)
A. P. Wiles, G. Shaw, J. Bright A. Perczel, I. D. Campbell and P. N. Barlow 253–265

The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization
(mb971236)
K. G. Fleming, A. L. Ackerman and D. M. Engelman 266–275

Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence
(mb971237)
D. Gilis and M. Rooman 276–290

Author Index 291

Number 3, 26 September 1997

Articles

Repression and Activation of Promoter-bound RNA Polymerase Activity by Gal Repressor
(mb971221)
H. E. Choy, R. R. Hanger, T. Aki M. Mahoney, K. Murakami A. Ishihama and S. Adhya 293–300

Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria
(mb971235)
K. Luger, T. J. Rechsteiner A. J. Flaus, M. M. Y. Waye and T. J. Richmond 301–311

Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects
(mb971264)
S. D. Lefebvre and S. W. Morrical 312–326

An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function
(mb971254)
U. Saarma, J. Remme, M. Ehrenberg and N. Bilgin 327–335

Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences
(mb971252)
J. C. Moore, H.-M. Jin, O. Kuchner and F. H. Arnold 336–347

Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils
(mb971245)
A. Alvarez, C. Opazo, R. Alarcón J. Garrido and N. C. Inestrosa 348–361

Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7
(mb971179)
G. G. Hsu, A. R. Bellamy and M. Yeager 362–368

Cytosine-rich Strands of the Insulin Minisatellite Adopt Hairpins with Intercalated Cytosine^{+}·Cytosine Pairs
(mb971248)
P. Catasti, X. Chen, L. L. Deaven R. K. Moyzis, E. M. Bradbury and G. Gupta 369–382

The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes
(mb971243)
G. J. Kleywegt, J.-Y. Zou, C. Divne G. J. Davies, I. Sinning, J. Ståhlberg T. Reinikainen, M. Srisodsuk T. T. Teeri and T. A. Jones 383–397

The High Resolution Crystal Structure of Deoxyhemoglobin S
(mb971253)
D. J. Harrington, K. Adachi and W. E. Royer, Jr 398–407

Pentameric and Decameric Structures in Solution of Serum Amyloid P Component by X-ray and Neutron Scattering and Molecular Modelling Analyses
(mb971271)
A. W. Ashton, M. K. Boehm J. R. Gallimore, M. B. Pepys and S. J. Perkins 408–422

Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water
(mb971246)
D. Mohanty, R. Elber, D. Thirumalai D. Beglov and B. Roux 423–442

Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*
(mb971266)
P. Zhang, K. T. Dayie and G. Wagner 443–455

Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps
(mb971250)
B. J. Stapley and A. J. Doig 456–464

Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides
(mb971262)
B. J. Stapley and A. J. Doig 465–473

Author Index 475

Number 4, 3 October 1997

Communication

Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*
(mb971267)
B. Westermann and W. Neupert 477–483

Articles

The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing
(mb971282)
L. Neumann, W. Kraas, S. Uebel G. Jung and R. Tampé 484–492

Sensing Homology at the Strand-swapping Step in λ Excisive Recombination
(mb971260)
S. E. Nunes-Düby, D. Yu and A. Landy 493–508

A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae* (mb971286) — **M. C. Whitby and J. Dixon** — 509–522

A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans* (mb971232) — **J. P. Baker and M. A. Titus** — 523–535

Two Conformations of RNA Polymerase II Revealed by Electron Crystallography (mb971273) — **F. J. Asturias, G. D. Meredith C. L. Poglitsch and R. D. Kornberg** — 536–540

Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles (mb971258) — **M. Sastri, R. Kekuda, K. Gopinath C. T. R. Kumar, J. R. Jagath and H. S. Savithri** — 541–552

Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration (mb971247) — **Y. Duan, P. Wilkosz, M. Crowley and J. M. Rosenberg** — 553–572

High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A (mb971265) — **M. Tashiro, R. Tejero D. E. Zimmerman, B. Celda B. Nilsson and G. T. Montelione** — 573–590

Ferredoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water (mb971278) — **W. Pfeil, U. Gesierich G. R. Kleemann and R. Sterner** — 591–596

Stabilization Centers in Proteins: Identification, Characterization and Predictions (mb971242) — **Z. Dosztányi, A. Fiser and I. Simon** — 597–612

Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins (mb971249) — **D. J. Abraham, G. E. Kellogg J. M. Holt and G. K. Ackers** — 613–632

Helix-helix Packing in a Membrane-like Environment (mb971276) — **I. Mingarro, A. Elofsson and G. von Heijne** — 633–641

Author Index — 643–644

Number 5, 10 October 1997

Review

Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes (mb971281) — **D. J. Patel, A. K. Suri, F. Jiang L. Jiang, P. Fan, R. A. Kumar and S. Nonin** — 645–664

Articles

Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype (mb971261) — **E. Winzeler, R. Wheeler and L. Shapiro** — 665–676

The Antiterminator RNA of Phage HK022 (mb971251) — **S. Banik-Maiti, R. A. King and R. A. Weisberg** — 677–687

Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes (mb971275) — D. M. Tasset, M. F. Kubik and W. Steiner — 688–698

The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening (mb971259) — J. A. Farah and G. R. Smith — 699–715

Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran (mb971255) — W. D. Clarkson, A. H. Corbett, B. M. Paschal, H. M. Kent, A. J. McCoy, L. Gerace, P. A. Silver and M. Stewart — 716–730

Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion (mb971274) — G. B. Chavali, S. Nagpal, S. S. Majumdar, O. Singh and D. M. Salunke — 731–740

Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis (mb971269) — W.-D. Schubert, O. Klukas, N. Krauß, W. Saenger, P. Fromme and H. T. Witt — 741–769

The Structural Stability of the Co-chaperonin GroES (mb971263) — O. Boudker, M. J. Todd and E. Freire — 770–779

Helix Packing in Membrane Proteins (mb971279) — J. U. Bowie — 780–789

Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation (mb971285) — D. Yang, Y.-K. Mok, J. D. Forman-Kay, N. A. Farrow and L. E. Kay — 790–804

Author Index — 805–806

Volume 273

Number 1, 17 October 1997

Communications

A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2 (mb971300) — A. Merlin, O. von Ahsen, E. A. Craig, K. Dietmeier and N. Pfanner — 1–6

Folding of RNA Involves Parallel Pathways (mb971311) — J. Pan, D. Thirumalai and S. A. Woodson — 7–13

Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously (mb971272) — M. M. Soloviev and E. A. Barnard — 14–18

Solution Structure of the Iγ Subdomain of the Mu End DNA-binding Domain of Phage Mu Transposase (mb971312) — R. T. Clubb, S. Schumacher, K. Mizuuchi, A. M. Gronenborn and G. M. Clore — 19–25

Articles

Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs (mb971295) — A. P. Gultyaev, T. Franch and K. Gerdes — 26–37

Programmed Cell Death by *hok/sok* of Plasmid R1: Processing at the *hok* mRNA 3′-end Triggers Structural Rearrangements that Allow Translation and Antisense RNA Binding (mb971294)	**T. Franch, A. P. Gultyaev and K. Gerdes**	38–51
Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solution (mb971270)	**C. Stemmer, J.-P. Briand and S. Muller**	52–60
The GCN4 Leucine Zipper can Functionally Substitute for the Heat Shock Transcription Factor's Trimerization Domain (mb971283)	**B. L. Drees, E. K. Grotkopp and H. C. M. Nelson**	61–74
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12 (mb971308)	**A. Conter, C. Menchon and C. Gutierrez**	75–83
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA (mb971289)	**R. J. Grainger, A. I. H. Murchie D. G. Norman and D. M. J. Lilley**	84–92
Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival (mb971310)	**L. Claret and J. Rouviere-Yaniv**	93–104
$(GT)_n$ Repetitive Tracts Affect Several Stages of RecA-promoted Recombination (mb971293)	**M. Dutreix**	105–113
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance (mb971302)	**C. R. Machado, U. M. Praekelt R. Costa de Oliveira, A. C. C. Barbosa K. L. Byrne, P. A. Meacock and C. F. M. Menck**	114–121
HIV/SIV Glycoproteins: Structure-function Relationships (mb971277)	**N. W. Douglas, G. H. Munro and R. S. Daniels**	122–149
3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin (mb971307)	**J. L. Hodgkinson, M. EL-Mezgueldi R. Craig, P. Vibert, S. B. Marston and W. Lehman**	150–159
Kinetic Evidence for Low Chemical Processivity in ncd and Eg5 (mb971319)	**I. M-T. C. Crevel, A. Lockhart and R. A. Cross**	160–170
The Crystal Structure of a Parallel-stranded Guanine Tetraplex at 0.95 Å Resolution (mb971292)	**K. Phillips, Z. Dauter, A. I. H. Murchie D. M. J. Lilley and B. Luisi**	171–182
Solution Structure of the First Three Zinc Fingers of TFIIIA Bound to the Cognate DNA Sequence: Determinants of Affinity and Sequence Specificity (mb971291)	**D. S. Wuttke, M. P. Foster, D. A. Case J. M. Gottesfeld and P. E. Wright**	183–206
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis (mb971315)	**J. J. Perona and A. M. Martin**	207–225
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with D-Fucose (mb971314)	**S. M. Soisson B. MacDougall-Shackleton, R. Schleif and C. Wolberger**	226–237

Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution (mb971257) — **N. C. J. Strynadka, M. Cherney, A. R. Sielecki, M. X. Li, L. B. Smillie and M. N. G. James** — 238–255

Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli* (mb971280) — **J. E. Seemann and G. E. Schulz** — 256–268

Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes* (mb971290) — **J. Moser, B. Gerstel, J. E. W. Meyer, T. Chakraborty, J. Wehland and D. W. Heinz** — 269–282

Torsion Angle Dynamics for NMR Structure Calculation with the New Program DYANA (mb971284) — **P. Güntert, C. Mumenthaler and K. Wüthrich** — 283–298

Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface (mb971296) — **M. Nohaile, D. Kern, D. Wemmer, K. Stedman and S. Kustu** — 299–316

Complementation of Peptide Fragments of the Single Domain Protein Chymotrypsin Inhibitor 2 (mb971303) — **A. G. Ladurner, L. S. Itzhaki, G. de Prat Gay and A. R. Fersht** — 317–329

Glutamine, Alanine or Glycine Repeats Inserted into the Loop of a Protein Have Minimal Effects on Stability and Folding Rates (mb971304) — **A. G. Ladurner and A. R. Fersht** — 330–337

Visible Volume: A Robust Measure for Protein Structure Characterization (mb971298) — **L. Lo Conte and T. F. Smith** — 338–348

Intermediate Sequences Increase the Detection of Homology Between Sequences (mb971288) — **J. Park, S. A. Teichmann, T. Hubbard and C. Chothia** — 349–354

Do Aligned Sequences Share the Same Fold? (mb971287) — **R. A. Abagyan and S. Batalov** — 355–368

Author Index — 369

Number 2, 24 October 1997

Communication

Validation of Protein Models from C^{α} Coordinates Alone (mb971309) — **G. J. Kleywegt** — 371–376

Articles

Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF (mb971317) — **J. Dworkin, G. Jovanovic and P. Model** — 377–388

Release Factor RF3 Abolishes Competition Between Release Factor RF1 and Ribosome Recycling Factor (RRF) for a Ribosome Binding Site (mb971324) — **M. Yu. Pavlov, D. V. Freistroffer, V. Heurgué-Hamard, R. H. Buckingham and M. Ehrenberg** — 389–401

A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes (mb971256) — **R. Jana, T. R. Hazbun, A. K. M. M. Mollah and M. C. Mossing** — 402–416

DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA (mb971268) — **B. Pascucci, A. Versteegh, A. van Hoffen, A. A. van Zeeland, L. H. F. Mullenders and E. Dogliotti** — 417–427

Residues of the Cytoplasmic Domain of MotA Essential for Torque Generation in the Bacterial Flagellar Motor (mb971316) — **J. Zhou and D. F. Blair** — 428–439

Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor (mb971321) — **L. Hudson, J. J. Harford, R. C. Denny and J. M. Squire** — 440–455

Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway (mb971299) — **L. P. Gaspar, J. E. Johnson, J. L. Silva and A. T. Da Poian** — 456–466

Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding (mb971329) — **T. Dieckmann, S. E. Butcher, M. Sassanfar, J. W. Szostak and J. Feigon** — 467–478

Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi* (mb971318) — **D. H. Anderson, M. S. Weiss and D. Eisenberg** — 479–500

Author Index — 501

Number 3, 31 October 1997

Communications

The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome (mb971297) — **J.-L. Banères, A. Martin and J. Parello** — 503–508

Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines (mb971352) — **L. Tao, T. Nielsen, P. Friedlander, M. Zannis-Hadjopoulos and G. Price** — 509–518

NMR Study of the Exchange Rate Between Two Stacked Conformers of a Model Holliday Junction (mb971340) — **F. J. J. Overmars and C. Altona** — 519–524

Articles

Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers (mb971339) — **Y. Choo, A. Castellanos, B. García-Hernández, I. Sánchez-García and A. Klug** — 525–532

Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation (mb971355) — **F. Côté and J.-P. Perreault** — 533–543

Selective Phage Infection Mediated by Epitope Expression on F Pilus (mb971332) — **A.-C. Malmborg, E. Söderlind, L. Frost and C. A. K. Borrebaeck** — 544–551

An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-RNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA (mb971320)	**A. Méreau, R. Fournier, A. Grégoire A. Mougin, P. Fabrizio, R. Lührmann and C. Branlant**	552–571
Affinity and Specificity of *trp* Repressor-DNA Interactions Studied with Fluorescent Oligonucleotides (mb971333)	**R. J. Reedstrom, M. P. Brown A. Grillo, D. Roen and C. A. Royer**	572–585
Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA (mb971323)	**C. Spickler, M.-N. Brunelle and L. Brakier-Gingras**	586–599
Probing RNA-Protein Interactions Using Pyrene-labeled Oligodeoxynucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues (mb971343)	**R. Preuß, J. Dapprich and N. G. Walter**	600–613
A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform (mb971328)	**D. Peretz, R. A. Williamson Y. Matsunaga, H. Serban, C. Pinilla R. B. Bastidas, R. Rozenshteyn T. L. James, R. A. Houghten F. E. Cohen, S. B. Prusiner and D. R. Burton**	614–622
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY (mb971335)	**A. S. Toker and R. M. Macnab**	623–634
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum, *Thermococcus* strain KS-1 (mb971337)	**T. Yoshida, M. Yohda, T. Iida T. Maruyama, H. Taguchi, K. Yazaki T. Ohta, M. Odaka, I. Endo and Y. Kagawa**	635–645
Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes (mb971334)	**G. M. Adams, S. Falke A. L. Goldberg, C. A. Slaughter G. N. DeMartino and E. P. Gogol**	646–657
Polymorphism of Bacteriophage T7 (mb971353)	**I. S. Gabashvili, S. A. Khan S. J. Hayes and P. Serwer**	658–667
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP) (mb971346)	**X.-J. Lu, M. A. El Hassan and C. A. Hunter**	668–680
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP) (mb971345)	**X.-J. Lu, M. A. El Hassan and C. A. Hunter**	681–691
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor (mb971342)	**C. R. Robinson, D. Rentzeperis J. L. Silva and R. T. Sauer**	692–700
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution (mb971326)	**G. A. Tavares, P. Béguin and P. M. Alzari**	701–713
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism (mb971331)	**M. Mathieu, Y. Modis, J. Ph. Zeelen C. K. Engel, R. A. Abagyan A. Ahlberg, B. Rasmussen V. S. Lamzin, W. H. Kunau and R. K. Wierenga**	714–728
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction (mb971348)	**M. Sunde, L. C. Serpell, M. Bartlam P. E. Fraser, M. B. Pepys and C. C. F. Blake**	729–739

Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil (mb971344) — **J. Pascual, M. Pfuhl, D. Walther M. Saraste and M. Nilges** — 740–751

Catalysis of Protein Folding by Parvulin (mb971301) — **C. Scholz, J. Rahfeld, G. Fischer and F. X. Schmid** — 752–762

Author Index — 763–764

Number 4, 7 November 1997

Communications

Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter (mb971349) — **W. Sun, S. Hattman and E. Kool** — 765–774

Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter (mb971350) — **A. Újvári and C. T. Martin** — 775–781

Interdependence in the Processing of Ribosomal RNAs in *Schizosaccharomyces pombe* (mb971351) — **L. Good, R. V. A. Intine and R. N. Nazar** — 782–788

De Novo Protein Design: Towards Fully Automated Sequence Selection (mb971341) — **B. I. Dahiyat, C. A. Sarisky and S. L. Mayo** — 789–796

Articles

Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ (mb971327) — **W. A. Rees, S. E. Weitzel, A. Das and P. H. von Hippel** — 797–813

Possible Mechanisms for the Regulation of Telomere Length (mb971305) — **A. Kowald** — 814–825

The Interaction of the F Plasmid Killer Protein CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription (mb971357) — **S. E. Critchlow, M. H. O'Dea A. J. Howells, M. Couturier M. Gellert and A. Maxwell** — 826–839

Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer (mb971361) — **J. Gallego, S.-H. Chou and B. R. Reid** — 840–856

Crystallization, Structural Determination and Analysis of a Novel Parasite Vaccine Candidate: *Fasciola hepatica* Glutathione S-transferase (mb971338) — **J. Rossjohn, S. C. Feil, M. C. J. Wilce J. L. Sexton, T. W. Spithill and M. W. Parker** — 857–872

In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53 (mb971360) — **P. Chène, P. Mittl and M. Gruütter** — 873–881

Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1\text{-}108}$ Complex (mb971336) — **S. Sogabe, F. Stuart, C. Henke, A. Bridges, G. Williams, A. Birch, F. K. Winkler and J. A. Robinson** — 882–897

Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides (mb971347) — **M. Ramírez-Alvarado, F. J. Blanco, H. Niemann and L. Serrano** — 898–912

Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern (mb971356) — **B. A. Sampoli Benitez, M. J. Hunter, D. P. Meininger and E. A. Komives** — 913–926

Standard Conformations for the Canonical Structures of Immunoglobulins (mb971354) — **B. Al-Lazikani, A. M. Lesk and C. Chothia** — 927–948

Author Index — 949–950

Number 5, 14 November 1997

Communication

Transient Channel-opening in Bacteriorhodopsin: an EPR Study (mb971362) — **T. E. Thorgeirsson, W. Xiao, L. S. Brown, R. Needleman, J. K. Lanyi and Y.-K. Shin** — 951–957

Articles

Role of Open Complex Instability in Kinetic Promoter Selection by Bacteriophage T7 RNA Polymerase (mb971358) — **J. Villemain, R. Guajardo and R. Sousa** — 958–977

Structural Alterations Far from the Anticodon of the tRNA$^{Pro}_{GGG}$ of *Salmonella typhimurium* Induce +1 Frameshifting at the Peptidyl-site (mb971363) — **Q. Qian and G. R. Björk** — 978–992

MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex (mb971372) — **M. J. Alkema, J. Jacobs, J. W. Voncken, N. A. Jenkins, N. G. Copeland, D. P. E. Satijn, A. P. Otte, A. Berns and M. van Lohuizen** — 993–1003

Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering (mb971330) — **J. F. Hunt, P. D. McCrea, G. Zaccaï and D. M. Engelman** — 1004–1019

Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure (mb971383) — **Y. V. Bukhman and D. E. Draper** — 1020–1031

Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product (mb971306) — **S. C. Mosimann, M. M. Cherney, S. Sia, S. Plotch and M. N. G. James** — 1032–1047

The Entropy Cost of Protein Association (mb971368) — **A. Tamura and P. L. Privalov** — 1048–1060

Author Index — 1061–1062

Volume 274

Number 1, 21 November 1997

Communications

Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase
(mb971390)
L. F. Wood, N. Y. Tszine and G. E. Christie 1–7

Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA
(mb971387)
A. S. Mankin 8–15

Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor
(mb971375)
N. Kaneko, H. Ago, R. Matsuda E. Inagaki and M. Miyano 16–20

Structural Characterization of the Myoglobin Active Site Using Infrared Crystallography
(mb971367)
J. T. Sage and W. Jee 21–26

Articles

The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control
(mb971373)
F. Matsunaga, M. Ishiai [1]G. Kobayashi, H. Uga, T. Yura and C. Wada 27–38

Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis
(mb971380)
Y. Cao, B. Hallet, D. J. Sherratt and F. Hayes 39–53

Rules Governing the Orientation of the 2′-Hydroxyl Group in RNA
(mb971370)
P. Auffinger and E. Westhof 54–63

X-ray Fibre Diffraction Study of an Elevated Temperature Structure of Poly(dA)·Poly(dT)
(mb971378)
S. Premilat and G. Albiser 64–71

Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins
(mb971377)
K. J. Addess, J. P. Basilion R. D. Klausner, T. A. Rouault and A. Pardi 72–83

The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution
(mb971364)
A. J. Oakley, M. Lo Bello A. Battistoni, G. Ricci, J. Rossjohn H. O. Villar and M. W. Parker 84–100

The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA
(mb971379)
A. P. Hinck, M. A. Markus, S. Huang S. Grzesiek, I. Kustonovich D. E. Draper and D. A. Torchia 101–113

Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis
(mb971313) — **J. Ma and M. Karplus** — 114–131

Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability
(mb971365) — **K. Takano, J. Funahashi Y. Yamagata, S. Fujii and K. Yutani** — 132–142

Author Index — 143

Number 2, 28 November 1997

Communications

Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS
(mb971381) — **C. Ueguchi, C. Seto, T. Suzuki and T. Mizuno** — 145–151

NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein
(mb971369) — **C. J. Penkett, C. Redfield, I. Dodd J. Hubbard, D. L. McBay D. E. Mossakowska, R. A. G. Smith C. M. Dobson and L. J. Smith** — 152–159

Articles

Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein
(mb971389) — **M. R. Van Gilst and P. H. von Hippel** — 160–173

SelD Homolog from *Drosophila* Lacking Selenide-dependent Monoselenophosphate Synthetase Activity
(mb971371) — **B. C. Persson, A. Böck, H. Jäckle and G. Vorbrüggen** — 174–180

Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions
(mb971385) — **C. Benham, T. Kohwi-Shigematsu and J. Bode** — 181–196

Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme
(mb971405) — **D. J. Earnshaw, B. Masquida S. Müller, S. Th. Sigurdsson F. Eckstein, E. Westhof and M. J. Gait** — 197–212

An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing
(mb971403) — **H. Aihara, Y. Ito, H. Kurumizaka T. Terada, S. Yokoyama and T. Shibata** — 213–221

Three-dimensional Structure of Diferric Bovine Lactoferrin at 2.8 Å Resolution
(mb971386) — **S. A. Moore, B. F. Anderson C. R. Groom, M. Haridas and E. N. Baker** — 222–236

The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies
(mb971394) — **T. V. Chalikian, J. Völker, D. Anafi and K. J. Breslauer** — 237–252

Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA
(mb971399) — **M. Baginski, F. Fogolari and J. M. Briggs** — 253–267

Folding of Barnase in the Presence of the Molecular Chaperone SecB (mb971398) — **G. Stenberg and A. R. Fersht** — 268–275

C-capping and Helix Stability: The Pro C-capping Motif (mb971322) — **J. Prieto and L. Serrano** — 276–288

Author Index — 289

Number 3, 5 December 1997

Review

Three-dimensional Structures of Proteins Involved in Programmed Cell Death (mb971415) — **H. Liang and S. W. Fesik** — 291–302

Communications

DNA-binding Specificity of the Homeodomain-leucine Zipper Domain (mb971408) — **G. Sessa, G. Morelli and I. Ruberti** — 303–309

Visualization of Caldesmon on Smooth Muscle Thin Filaments (mb971422) — **W. Lehman, P. Vibert and R. Craig** — 310–317

Articles

The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis (mb971397) — **P. Freestone, T. Nyström, M. Trinei and V. Norris** — 318–324

Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors (mb971395) — **O. Lichtarge, K. R. Yamamoto and F. E. Cohen** — 325–337

A Novel Highly Reproducible Quantitative Competitive RT PCR System (mb971392) — **J. Zhang and C. D. Byrne** — 338–352

A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation (mb971416) — **M. Costa, J.-M. Fontaine S. Loiseaux-de Goër and F. Michel** — 353–364

Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein (mb971404) — **M. Krause, B. Rückert, R. Lurz and W. Messer** — 365–380

The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion (mb971382) — **T. Pillot, L. Lins, M. Goethals B. Vanloo, J. Baert J. Vandekerckhove, M. Rosseneu and R. Brasseur** — 381–393

X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2′(3′)-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain (mb971325) — **C. B. Bauer, P. A. Kuhlman C. R. Bagshaw and I. Rayment** — 394–407

Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography (mb971400) — **A. Pesce, C. Capasso, A. Battistoni S. Folcarelli, G. Rotilio, A. Desideri and M. Bolognesi** — 408–420

Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA (mb971406) — **M. Suzuki, N. Amano, J. Kakinuma and M. Tateno** — 421–435

Author Index — 437

Number 4, 12 December 1997

Communications

Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex (mb971411) — **L. Neely, J. W. Trauger, E. E. Baird P. B. Dervan and J. M. Gottesfeld** — 439–445

Crystal Structrure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism (mb971402) — **T. Neuefeind, R. Huber H. Dasenbrock, L. Prade and B. Bieseler** — 446–453

Articles

Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin (mb971391) — **Y. V. Postnikov, J. E. Herrera R. Hock, U. Scheer and M. Bustin** — 454–465

Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC (mb971434) — **E. A. Espeso, J. Tilburn L. Sánchez-Pulido, C. V. Brown A. Valencia, H. N. Arst, Jr and M. A. Peñalva** — 466–480

Structural Features in the 3′ External Transcribed Spacer Affecting Intragenic Processing of Yeast rRNA (mb971376) — **J. Hitchen, E. Ivakine Y. F. Melekhovets, A. Lalev and R. N. Nazar** — 481–490

Defining Functional Regions of the IS*903* Transposase (mb971410) — **N. P. Tavakoli, J. DeVost and K. M. Derbyshire** — 491–504

Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs (mb971417) — **H. F. Becker, Y. Motorin, M. Sissler C. Florentz and H. Grosjean** — 505–518

Essential Structures of a Self-aminoacylating RNA (mb971414) — **M. Illangasekare, O. Kovalchuke and M. Yarus** — 519–529

Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains (mb971432) — **D. K. Smith and H. Xue** — 530–545

The *Escherichia coli dnaA* Gene: Four Functional Domains (mb971425)	**M. D. Sutton and J. M. Kaguni**	546–561
A Structural Census of Genomes: Comparing Bacterial, Eukaryotic, and Archaeal Genomes in Terms of Protein Structure (mb971412)	**M. Gerstein**	562–576
Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides (mb971401)	**T. Neuefeind, R. Huber, P. Reinemer J. Knäblein, L. Prade, K. Mann and B. Bieseler**	577–587
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein (mb971374)	**H. Gu, D. Kim and D. Baker**	588–596
Identification of Critical IgG Binding Epitopes on the Neonatal Fc Receptor (mb971388)	**D. E. Vaughn, C. M. Milburn D. M. Penny, W. Lance Martin J. L. Johnson and P. J. Bjorkman**	597–607
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure (mb971393)	**S. Blickling, H.-G. Beisel, D. Bozic J. Knäblein, B. Laber and R. Huber**	608–621
The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes (mb971407)	**A. C. M. Young, P. Valadon A. Casadevall, M. D. Scharff and J. C. Sacchettini**	622–634
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture (mb971424)	**P. F. Varela, A. Romero, L. Sanz M. J. Romão, E. Töpfer-Petersen and J. J. Calvete**	635–649
Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family (mb971423)	**M. J. Romão, I. Kölln, J. M. Dias A. L. Carvalho, A. Romero P. F. Varela, L. Sanz E. Töpfer-Petersen and J. J. Calvete**	650–660
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution (mb971396)	**W. Klaus, B. Gsell, A. M. Labhardt B. Wipf and H. Senn**	661–675
Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima* (mb971421)	**G. Pappenberger, H. Schurig and R. Jaenicke**	676–683
Author Index		685–686

Number 5, December 1997

Communication

Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid
(mb971431)
C. Vénien-Bryan, F. Balavoine, B. Toussaint, C. Mioskowski, E. A. Hewat, B. Helme and P. M. Vignais 687–692

Articles

Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β
(mb971420)
B. R. Henderson and P. Percipalle 693–707

Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome
(mb971440)
R. U. Protacio, K. J. Polach and J. Widom 708–721

Temperature-sensitive Mutants of the *Eco*RI Endonuclease
(mb971419)
R. S. Muir, H. Flores, N. D. Zinder, P. Model, X. Soberon and J. Heitman 722–737

Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions
(mb971427)
G. Maga, M. Amacker, N. Ruel, U. Hübscher and S. Spadari 738–747

Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme
(mb971366)
D. Jeruzalmi and T. A. Steitz 748–756

The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: A Dynamic Molecule with Multiple Regulatory Interactions
(mb971426)
J. C. Williams, A. Weijland, S. Gonfloni, A. Thompson, S. A. Courtneidge, G. Superti-Furga and R. K. Wierenga 757–775

Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH
(mb971444)
B. A. Katz 776–800

Solution Structure of Human $p8^{MTCP1}$, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif
(mb971438)
P. Barthe, Y.-S. Yang, L. Chiche, F. Hoh, M.-P. Strub, L. Guignard, J. Soulier, M.-H. Stern, H. van Tilbeurgh, J.-M. Lhoste and C. Roumestand 801–815

Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein
(mb971439)
Y. Gaudin, J. Sturgis, M. Doumith, A. Barge, B. Robert and R. W. H. Ruigrok 816–825

Author Index 827–828

Keyword Index

14-3-3

Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues, **268**, 619–630.

5′

Crystal Structure of r(GUGUGUA)dC with Tandem G·U/U·G Wobble Pairs with Strand Slippage, **270**, 511–519.

σ^{54}-promoter

Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.

σ^{70}

Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.

$(\alpha/\beta)_8$ barrel

Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.

A-band unit cell

Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.

abasic

Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.

ABC transporter

The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing, **272**, 484–492.

abortive initiation

A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.

abortive transcription

The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.

acetylcholinesterase

Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.

Acetylneuraminate Lyase

Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.

***N*-Acetylneuraminate lyase**

Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.

acidic domain

The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.

acidic seminal fluid protein

Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family, **274**, 650–660.

actin

A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.

Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure, **265**, 469–474.

Steric-model for Activation of Muscle Thin Filaments, **266**, 8–14.

Control of Actin Dynamics in Cell Motility, **269**, 459–467.

Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft, **271**, 235–243.

3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin, **273**, 150–159.

Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.

Visualization of Caldesmon on Smooth Muscle Thin Filaments, **274**, 310–317.

actin polymerization

Control of Actin Dynamics in Cell Motility, **269**, 459–467.

α-actinin

Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs, **270**, 688–695.

3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin, **273**, 150–159.

active site

The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.

Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.

actomyosin

Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis, **269**, 548–557.

S-adenosyl-L-homocysteine

Differential Binding of *S*-Adenosylmethionine *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I, **265**, 56–67.

S-adenosyl-L-methionine

Differential Binding of *S*-Adenosylmethionine *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I, **265**, 56–67.

adenovirus regulatory regions

A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

adenylate

Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.

ADF

Control of Actin Dynamics in Cell Motility, **269**, 459–467.

affinity
Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4, **266**, 927–938.
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.
Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects, **272**, 312–326.

affinity blotting
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY, **273**, 623–634.

affinity co-electrophoresis
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

affinity selection
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.

agarose gel electrophoresis
Polymorphism of Bacteriophage T7, **273**, 658–667.
See also gel electrophoresis.

2D agarose gel-electrophoresis
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.

2D agarose gel-electrophoresis
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.
See p.95.

aggregation
Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.

aggregation inhibition
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.

aggregation state
Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering, **273**, 1002–1017.

aging
Possible Mechanisms for the Regulation of Telomere Length, **273**, 814–825.

Agrobacterium
The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import, **271**, 718–727.

AIDS
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.
Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA, **270**, 36–49.
See also HIV.

alanine scan
Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase, **274**, 1–7.

alanine-scanning mutagenesis
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.

albumin
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC, **269**, 881–891.

albumin-binding
Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain, **266**, 859–865.

alcohol dehydrogenase
Structure of Human χ! Alcohol Dehydrogenase: A Glutathione-dependent Formaldehyde Dehydrogenase, **265**, 330–343.

alignment
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.
See also sequence alignment.

alkaline phosphatase
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.

allosteric interactions
Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins, **272**, 613–632.

allosteric protein
Escherichia coli lac Repressor-*lac* Operator Interaction and the Influence of Allosteric Effectors, **265**, 1–7.

allosteric regulation
Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase, **267**, 476–480.
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

allostery
Conformation-invariant Structures of the $\alpha_1\beta_1$ Human Hemoglobin Dimer, **270**, 598–615.

alpha subunit
Repression and Activation of Promoter-bound RNA Polymerase Activity by Gal Repressor, **272**, 293–300.

alphoid DNA
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.

altered recognition specificity
Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.

alternating AT/IC *B*-DNA
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

alternating helical twist
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.

alternating octamer
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.

alternative RNA splicing
Fine Tuning a Molecular Motor: The Location of Alternative Domains in the *Drosophila* Myosin Head, **271**, 1–6.

alternative splicing
Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs, **270**, 688–695.

Alzheimer's disease
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer, **269**, 214–224.

amide hydrogen exchange
Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex, **270**, 751–762.

amide hydrogen/deuterium exchange
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.

amide proton exchange
The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism, **268**, 482–495.
Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR, **271**, 803–818.

amiloride
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.

amino acid and aminoglycoside antibiotic ligands
Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

amino acid composition
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.

amino acid usage
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.

aminoacyl transfer
. Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.

aminoacylation
Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.

aminoacyl-tRNA synthetase
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.

aminoglycoside antibiotics
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.
Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

α-aminoisobutyric acid
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.

aminopeptidase
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

amphipathicity
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.

amplification
Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.
See also gene amplification.

AMP–RNA aptamer complex
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.

amylase
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

amyloid
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer, **269**, 214–224.
Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction, **273**, 729–739.
The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion, **274**, 381–393.

amyloidosis
Crystal Structure of a Decameric Complex of Human Serum Amyloid P Component with Bound dAMP, **269**, 570–579.
NMR Structural Studies of Human Cystatin C Dimers and Monomers, **271**, 266–277.

Anabaena
The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease, **268**, 589–598.

Anacystic nidulans
Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

anaerobic respiration
Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.

analytical ultracentrifugation
Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution, **268**, 655–665.

anchoring drugs to their DNA targets
Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.

angular reconstitution
Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution, **271**, 417–437.

anisotropy
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.

annexin V
Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor, **274**, 16–20.

annexin VII
Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.

(annexinII-p11)$_2$
Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy, **272**, 42–45.

anomalous scattering
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

anthranilate intercalation
Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.

antibiotic
Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA, **274**, 8–15.

antibiotics
Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.

antibody
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.
The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire, **268**, 69–77.
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.
Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage, **269**, 704–708.
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

antibody C_H3 domains
Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library, **270**, 26–35.

antibody cross-reactivity
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.

antibody engineering
Stabilization of a Recombinat Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.

antibody Fab fragment *See* Fab fragment

antibody flexibility
Bivalent Binding of a Neutralising Antibody to a Calicivirus Involves the Torsional Flexibility of the Antibody Hinge, **270**, 238–246.

antibody light chain
The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire, **268**, 69–77.
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

antibody structure
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.
The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes, **274**, 622–634.

anticoagulant
Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.

anticodon
Rules Governing the Orientation of the 2′-Hydroxyl Group in RNA, **274**, 54–63.

anticodon loop
Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

anticodon-codon *See* codon-anticodon interaction

antigen
Molecular Structure of the Lipoamide Dehydrogenase Domain of a Surface Antigen from *Neisseria meningitidis*, **269**, 129–141.

antigen binding
The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artifical F_{ab} Fragment, **268**, 934–951.

antigen processing
The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing, **272**, 484–492.

antigen-antibody complexes
Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex, **270**, 751–762.

antigenic epitopes
Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage, **271**, 333–341.

antigenic peptide conformation
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.

anti-peptide antibodies
Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solution, **273**, 52–60.

anti-phosphotyrosine mAbs
Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides, **269**, 694–703.

anti-RecA activity of UmuD′C
Quantitation of the Inhibition of Hfr x F^- Recombination by the Mutagenesis Complex UmuD′C, **270**, 201–211.

antisense RNA
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.

Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.

anti-Tac
Stabilization of a Recombinat Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.

antitermination
Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein, **274**, 160–173.

antithrombin
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.

API
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.

apomyoglobin
Probing The Conformational State of Apomyoglobin by Limited Proteolysis, **266**, 223–230.

apoprotein
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.

apoptosis
Three-dimensional Structures of Proteins Involved in Programmed Cell Death, **274**, 291–302.

Aquifex pyrophilus
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability, **270**, 259–274.

Arabidopsis
DNA-binding Specificity of the Homeodomain-leucine Zipper Domain, **274**, 303–309.

arabinose
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with d-Fucose, **273**, 226–237.

AraC
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with d-Fucose, **273**, 226–237.

archaea
Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion, **266**, 637–641.
The Thermosome: Alternating α-and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum*, **267**, 142–149.
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein, **267**, 841–848.
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

aromatic/charged residue interactions
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.

aSFP
Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family, **274**, 650–660.

aspartic proteinase
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.
Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.

Aspergillus nidulans
Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC, **274**, 466–480.

assembly
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.
A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation, **266**, 317–330.
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.

atomic contact energies
Determination of Atomic Desolvation Energies from the Structures of Crystallized Proteins, **267**, 707–726.

atomic resolution
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.

ATP hydrolysis
Mutations in the Res Subunit of the *Eco*PI Restriction Enzyme that Affect ATP-dependent Reactions, **269**, 342–354.

ATPase
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*parC* Complex, **269**, 505–513.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.

A-tract DNA
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.

***att* sites**
Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

attachment site
Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.

autoantigens
Identification of a Novel Type 1 Diabetes-specific Epitope by Screening Phage Libraries with Sera from Pre-diabetic Patients, **268**, 599–606.

autocatalytic folding
Catalysis of Protein Folding by Parvulin, **273**, 752–762.

autogenous control
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.

automated assignment
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

automated assignments
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.

auto-regulation
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.

azurin
Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin, **266**, 357–366.

$(\beta/\alpha)_8$ barrel
Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri*, **267**, 661–672.

α-β-α sandwich
NMR Solution Structure of the Pathogenesis-related Protein P14a, **266**, 576–593.

***B*-DNA**
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.
Kinetics of DNA Hydration, **268**, 118–136.

Bacillus subtilis
Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli*, **268**, 235–242.
Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex, **269**, 102–112.

***Bacillus subtilis* phages**
Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.

backbone dynamics
Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain, **267**, 953–962.
Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI, **269**, 154–164.
Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

backbone-dependent rotamer library
Prediction of Protein Side-chain Rotamers from a Backbone-dependent Rotamer Library: A New Homology Modeling Tool, **267**, 1268–1282.

bacteria
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

bacterial cell-wall biosynthesis
Characterization of $NADP^+$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift changes, **267**, 1223–1246.

bacterial conjugation
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation, **270**, 188–200.
Quantitation of the Inhibition of Hfr x F^- Recombination by the Mutagenesis Complex UmuD'C, **270**, 201–211.

bacterial display
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.

bacterial flagellum *See* **flagella**

bacterial surface proteins
Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain, **266**, 859–865.
NMR Analysis of the Interaction between Protein L and Ig Light Chains, **270**, 8–13.

Bacteriochlorophyll
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.

bacteriophage
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.
Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.
See also filamentous bacteriophage, **266**, 76–92.

bacteriophage 434
Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.

bacteriophage Φ6
Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.

bacteriophage biology
The Replisome Organizer (G38P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.

bacteriophage coat protein
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.
The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions, **270**, 724–738.

bacteriophage evolution
Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.
Polymorphism of Bacteriophage T7, **273**, 658–667.

bacteriophage GA
The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses, **271**, 759–773.

bacteriophage HK022
The Antiterminator RNA of Phage HK022, **272**, 677–687.

bacteriophage lambda
The Activation Defect of a λ*cI* Positive Control Mutant, **265**, 261–265.
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes, **267**, 75–87.
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.

Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

bacteriophage library

The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes, **274**, 622–634.

bacteriophage MS2

Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.

The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions, **270**, 724–738.

The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses, **271**, 759–773.

bacteriophage Mu

Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.

Solution Structure of the Iγ Subdomain of the Mu End DNA Binding Domain of Phage Mu Transposase, **273**, 19–25.

Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter, **273**, 765–774.

bacteriophage ø29

The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends, **266**, 901–914.

Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex, **269**, 102–112.

ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.

An Invariant Lysine Residue is Involved in Catalysis at the 3′-5′ Exonuclease Active Site of Eukaryotic-type DNA Polymerases, **270**, 65–78.

bacteriophage P2

Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase, **274**, 1–7.

Bacteriophage P22

Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.

Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.

Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution, **268**, 655–665.

bacteriophage Qβ

Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor, **267**, 1089–1103.

Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another, **271**, 299–310.

The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses, **271**, 759–773.

Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

bacteriophage repressor

Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.

A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.

bacteriophage RNA polymerase

Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.

bacteriophage SPP1

Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.

The Replisome Organizer (G38P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.

bacteriophage structure

Polymorphism of Bacteriophage T7, **273**, 658–667.

bacteriophage T4

RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.

Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4, **266**, 927–938.

Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.

Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects, **272**, 312–326.

bacteriophage T7

Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.

Polymorphism of Bacteriophage T7, **273**, 658–667.

See also T7 *entries.*

bacteriophage Φ6

Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.

bacterioplage lambda

A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.

bacteriorhodopsin

Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane, **267**, 172–183.

Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein, **271**, 405–416.

Helix Packing in Membrane Proteins, **272**, 780–789.

Transient Channel-opening in Bacteriorhodopsin: an EPR study, **273**, 949–955.

Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering, **273**, 1002–1017.

barnase
Importance of Electrostatic Interactions in the Rapid Binding of Polypeptides to GroEL, **269**, 892–901.
Folding of Barnase in the Presence of the Molecular Chaperone SecB, **274**, 268–275.

barnase-barstar
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.

base bulges
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA, **273**, 84–92.

base morphology
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.

base protonation
Solution Structure as a Function of pH of Two Central Mismatches, C·T and C·C, in the 29 to 39 K-*ras* Gene Sequence, by Nuclear Magnetic Resonance and Molecular Dynamics, **268**, 331–347.

base-flipping
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.

basement membranes
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

base-pair dissociation constants
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.

base-pair opening
Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids, **271**, 438–455.

base-pair parameters
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP), **273**, 668–680.

base-pairing probability distribution
Assessing the Reliability of RNA Folding using Statistical Mechanics, **267**, 1104–1112.

base-stacking
DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures, **265**, 603–619.
The Crystal Structure of a Parallel-Stranded Guanine Tetraplex at 0.95 Å Resolution, **273**, 171–182.
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP), **273**, 668–680.

Bayesian statistics
A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

bead model simulation
The Cyclic AMP Receptor Promoter DNA Complex: A COmparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

Bel-2
Three-dimensional Structures of Proteins Involved in Programmed Cell Death, **274**, 291–302.

bendability
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites, **267**, 103–117.

bending
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites, **267**, 103–117.

β-pleated sheet
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.

β-turns
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein, **274**, 588–596.

β-sheet
In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53, **273**, 873–881.

binary decision
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules, **267**, 1258–1267.

binding
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex, **269**, 780–795.

binding constants
Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding, **273**, 467–478.

binding energetics
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

binding energy
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.
Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.

binding free energy
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

binding kinetics
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.

binding loop
Solution Structure of R-elafin, a Specific Inhibitor of Elastase, **268**, 666–677.

binding polynomial
Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.

binding site
Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site, **269**, 623–630.

Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

biocomputing
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.

biogenesis
A Thioreduction Pathway Tethered to the Membrane for Periplasmic Cytochromes *c* Biogenesis; *in Vitro* and *in Vivo* Studies, **271**, 679–692.

bioinformatics
Do Aligned Sequences Share the Same Fold?, **273**, 355–368.

biological macromolecules
$Ta_6Br^{2+}_{12}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography, **270**, 1–7.

biosensor
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

biosynthesis
Bioincorporation of Telluromethionine into Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins, **270**, 616–623.

biotin
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

bispecific antibody
Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library, **270**, 26–35.

blood coagulation
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

Bmi1
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.

bound water
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.

bovine seminal plasma protein
Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family, **274**, 650–660.

BPTI
Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI, **269**, 154–164.

BPV-1 E2
Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.

branch migration
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.
Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.
NMR Study of the Exchange Rate Between Two Stacked Conformers of a Model Holliday Junction, **273**, 519–524.

C protein–DNA interaction
Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter, **273**, 765–774.

C terminus motor
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.

C1054 mutations
Phenotypic Heterogeneity of Mutational Changes at a Conserved Nucleotide in 16 S Ribosomal RNA, **267**, 1113–1123.

C_8E_5
The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization, **272**, 266–275.

Caenorhabditis elegans
An Abnormal Ketamine Response in Mutants Defective in the Ryanodine Receptor Gene *ryr-1 (unc-68)* of *Caenorhabditis elegans*, **267**, 849–864.
Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues, **268**, 619–630.
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.
A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans*, **272**, 523–535.

calcium activation
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

calcium binding proteins
Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study, **266**, 1050–1062.
Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution, **273**, 238–255.

calcium-binding
Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri*, **267**, 661–672.
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

calculation of electrooptical parameters
The Cyclic AMP Receptor Promoter DNA Complex: A Comparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

caldesmon
Visualization of Caldesmon on Smooth Muscle Thin Filaments, **274**, 310–317.

calf spleen
Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution, **265**, 202–216.

Calicheamicin γ_1^I-DNA Complex
Solution Structure of the Calicheamicin γ_1^I-DNA Complex, **265**, 187–201.

calmodulin
Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study, **266**, 1050–1062.
Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis, **269**, 548–557.

calorimetry
Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study, **266**, 1050–1062.
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
Specific Binding of Hoechst 33258 to the $d(CGCAAATTTGCG)_2$ Duplex: Calorimetric and Spectroscopic Studies, **271**, 244–257.
The Structural Stability of the Co-chaperonin GroES, **272**, 770–779.

calpactin I
Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy, **272**, 42–45.

calponin homology (CH)-domain
3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin, **273**, 150–159.

cancer therapy
Stabilization of a Recombinant Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.

capping proteins
Control of Actin Dynamics in Cell Motility, **269**, 459–467.

capsid
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex, **269**, 780–795.

capsid assembly
Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.

capsid stability
Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles, **272**, 541–552.

***N*-carbobenzoxy-Pro-α-azaLys *p*-nitrophenyl ester**
Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study†, **269**, 558–569.

carbohydrate recognition
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with D-Fucose, **273**, 226–237.

carbohydrate structure
Three-dimensional Structure of Diferric Bovine Lactoferrin at 2.8 Å Resolution, **274**, 222–236.

carbohydrate-binding protein
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.

carbon catabolite repression
Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals, **266**, 665–676.

carbonyl chemistry
Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.

carboxylate ligands
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.

carboxyl-carboxylate pairs
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses, **269**, 769–779.

caspase
Three-dimensional Structures of Proteins Involved in Programmed Cell Death, **274**, 291–302.

catabolite repression
Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals, **266**, 665–676.

catalysis
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.
Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.

catalytic analysis
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

catalytic antibody
Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization, **267**, 1247–1257.
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

catalytic DNA
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides, **269**, 188–202.

catalytic mechanism
The Structure of the Complex Between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate, **265**, 432–444.

catalytic RNA
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.
Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.

Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.
Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.
See also ribozyme.

γ catalytic subunit
Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation, **265**, 319–329.

cauliflower mosaic virus
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.

Caulobacter
Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype, **272**, 665–676.

cavity
Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability, **274**, 132–142.

CCE1
A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.

cDNAs
cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts, **271**, 222–234.

cell elasticity
Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil, **273**, 740–751.

cell-cycle
The X-ray Structure of the DNA-binding Domain from the *Saccharomyces cerevisiae* Cell-cycle Transcription Factor Mbp1 at 2.1 Å Resolution, **272**, 1–8.

cellulase
The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.

cellulose
The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.

cellulosome
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution, **273**, 701–713.

centromere
Identification and Characterization of Genomic Nucleosome-positioning Sequences, **267**, 807–817.
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.

chaperone
Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*, **265**, 541–552.
Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction, **266**, 656–664.
The Thermosome: Alternating α-and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum*, **267**, 142–149.
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex, **269**, 780–795.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.
Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR, **271**, 803–818.
Modular Structure of the Trigger Factor Required for High Activity in Protein Folding, **271**, 827–837.
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.
The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control, **274**, 27–38.
Folding of Barnase in the Presence of the Molecular Chaperone SecB, **274**, 268–275.

chaperone-linked protease
Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.

chaperonin
Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction, **266**, 656–664.
GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases, **268**, 512–525.
Importance of Electrostatic Interactions in the Rapid Binding of Polypeptides to GroEL, **269**, 892–901.
The Structural Stability of the Co-chaperonin GroES, **272**, 770–779.
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

charge complementarity
Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.

charged residues
Charged Residues of the Rotor Protein FliG Essential for Torque Generation in the Flagellar Motor of *Escherichia coli*, **266**, 733–744.
Voltage Sensing in the PhoE and OmpF Outer Membrane Porins of *Escherichia coli*: Role of Charged Residues, **269**, 468–472.

Che Y Mutants
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.

chemical cross-linking
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.
See also cross linking.

chemical exchange
Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI, **269**, 154–164.

chemical footprinting
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.

chemical probing
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides, **269**, 188–202.
Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA, **273**, 586–599.

chemical protection and interference analysis
Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter, **273**, 765–774.

chemical shifts
Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^{1}H and ^{13}C Chemical Shifts, **267**, 933–952.
Characterization of $NADP^{+}$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift changes, **267**, 1223–1246.
Pressure-induced Changes in the Folded Structure of Lysozyme, **271**, 671–678.

chemokines
The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence, **266**, 367–380.

chemotaxis
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY, **273**, 623–634.

chimeric fusion proteins
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

chimeric reconstitution
Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome, **266**, 40–50.

chiral phosphate
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.

chloride pump
Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein, **271**, 405–416.

cholinesterase
Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.

chorismate
Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog, **271**, 838–845.

chromatin
A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.
Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.
Measurement of the Linking Number Change in Transcribing Chromatin, **267**, 794–806.
Identification and Characterization of Genomic Nucleosome-positioning Sequences, **267**, 807–817.
DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation, **271**, 124–138.
Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria, **272**, 301–311.
Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solution, **273**, 52–60.
Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.
Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome, **274**, 708–721.

chromatin domain
Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions, **274**, 181–196.

chromosomal localization
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.

chromosome analysis
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.

chymotrypsin inhibitor
The Rate of Isomerisation of Peptidyl-proline Bonds as a Probe for Interactions in the Physiological Denatured State of Chymotrypsin Inhibitor 2, **269**, 611–622.

chymotrypsin inhibitor 2
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis, **270**, 99–110.
Complementation of Peptide Fragments of the Single Domain Protein Chymotrypsin Inhibitor 2, **273**, 317–329.
Glutamine, Alanine or Glycine Repeats Inserted into the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, **273**, 330–337.

α-chymotrypsinogen A
The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies, **274**, 237–252.

circular dichroism
The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure, **269**, 479–487.
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues, **270**, 426–435.
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.
The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.
C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.

***cis*-acting proteins**
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot, **267**, 548–560.

***cis* peptide bond**
Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

cisplatin
HMG1 Protein Inhibits the Translesion Synthesis of the Major DNA Cisplatin Adduct by Cell Extracts, **270**, 539–543.

cis-trans
The Rate of Isomerisation of Peptidyl-proline Bonds as a Probe for Interactions in the Physiological Denatured State of Chymotrypsin Inhibitor 2, **269**, 611–622.

citrate fermentation
In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae*, **269**, 719–731.

cleavage-religation equilibrium
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.

clonal divergence
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats, **271**, 386–404.

Clostridium thermocellum
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution, **273**, 701–713.

clostripain
The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.

ClpXP protease
Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.

clustering
Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures, **268**, 539–556.

C–N···O bonds
Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.

CoA
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

co-adaptation
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.

coagulation
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

coding end
Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes, **267**, 1–9.

coding sequence
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

codon-anticodon interaction
Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation, **266**, 877–890.
Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *in vivo* aa-tRNA Selection in a tRNA-dependent Manner, **271**, 209–221.

codon context effect
Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation, **266**, 877–890.

codon usage
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.
Growth Rate-optimised tRNA Abundance and Codon Usage, **270**, 544–550.

codon-tRNA association rates
Growth Rate-optimised tRNA Abundance and Codon Usage, **270**, 544–550.

cofactor
Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

coiled-coil
Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs, **267**, 1038–1051.
Kinetic evidence for low chemical processivity in ncd and Eg5, **273**, 160–170.

cold denaturation
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.

coliphage Qβ RNA ***See*** **bacteriophage Qβ**

collagen
Stability of Type I Collagen CNBr Peptide Trimers, **269**, 488–493.
Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain, **270**, 275–284.

combinatorial libraries
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.
See also phage display library.

combinatorial mutagenesis
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein, **274**, 588–596.

compensation
An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line, **265**, 394–408.

complement
NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation, **272**, 253–265.

complex formation
The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase, **266**, 642–648.

Complex I
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

compressor binding
Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals, **266**, 665–676.

computer graphics
Structural Rules and Conformational Compensations in the tRNA L-Form, **266**, 269–282.

computer modelling
Structural Rules and Conformational Compensations in the tRNA L-Form, **266**, 269–282.
The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artifical F_{ab} Fragment, **268**, 934–951.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å, **271**, 524–544.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data, **271**, 545–565.
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.

computer simulation
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.
Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis, **274**, 114–131.

concatamer junction
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.

conditional mutants
Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.

conductivity
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

conformational change
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.
Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution, **273**, 238–255.
Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis, **274**, 114–131.

conformational dynamics
The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: a Dynamic Molecule with Multiple Regulatory Interactions, **274**, 757–775.

conformational entropy
Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation, **272**, 790–804.

conformational equilibria
Limits of NMR Structure Determination using Variable Target Function Calculations: Ribonuclease T_1, a Case Study, **266**, 400–423.
Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study, **267**, 963–974.

conformational flexibility
Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein, **274**, 816–825.

conformational fluctuations
Modeling of Protein Conformational Fluctuations in PK_a Predictions, **267**, 1001–1010.

conformational rearrangement
A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform, **273**, 614–622.

conformational substates
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.

conformational transition
Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics, **270**, 436–450.

conical tilt reconstruction
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

conjugative mobilization
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.

connectin
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.
See also Titin.

consensus sequence
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site, **267**, 1186–1206.
Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains, **274**, 530–545.

conserved motifs
Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion, **267**, 749–761.

conserved structural domains
Conformation-invariant Structures of the $\alpha_1\beta_1$ Human Hemoglobin Dimer, **270**, 598–615.

constitutive mutant forms of NtrC
Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface, **273**, 299–316.

constraint satisfaction
Automated Analysis of Protein NMR Assignments Using Methods from Artifical Intelligence, **269**, 592–610.

continuum electrostatics model
Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.

contractile mechanism
Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.

contrast variation
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.

convergent evolution
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with D-Fucose, **273**, 226–237.

cooperative assembly
Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes, **273**, 646–657.

cooperative folding
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.

cooperative ligand binding
Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein, **267**, 10–16.

cooperative melting
Stability of Type I Collagen CNBr Peptide Trimers, **269**, 488–493.

cooperativity
Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure, **265**, 469–474.
Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study, **266**, 776–796.
Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase, **267**, 476–480.
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides, **269**, 188–202.
Effects of Mg^{2+}, K^{+}, and H^{+} on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.
Tension in Haemoglobin Revealed by Fe-His(F8) Bond Rupture in the Fully Liganded T-State, **271**, 161–167.

copper
Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin, **266**, 357–366.

copper enzymes
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.

CopR
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.

coronavirus
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.

correlated mutations
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.

cosmotropic solutes
Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme, **274**, 748–756.

coupling constant
NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein, **274**, 152–159.

covalent dimer
A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.

covariations
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

cowpea chlorotic mottle virus
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.

cowpea severe mosaic virus
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.

cratic entropy
The Entropy Cost of Protein Association, **273**, 1046–1058.

Cro protein
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes, **267**, 75–87.
A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.

crossed helix packing
Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction, **269**, 827–841.

crossing over
Saccharomyces cerevisiae MSH2, a Mispaired Base Recognition Protein, Also Recognizes Holliday Junctions in DNA, **265**, 289–301.

cross-linking
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.
The Entropy Cost of Protein Association, **273**, 1046–1058.

cryo-electron microscopy
The Thermosome: Alternating α-and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum*, **267**, 142–149.
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism, **270**, 222–237.
Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution, **271**, 417–437.

cryo-electron microscopy
Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA, **266**, 711–721.

Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy, **266**, 1002–1015.

Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis, **269**, 548–557.

Bivalent Binding of a Neutralising Antibody to a Calicivirus Involves the Torsional Flexibility of the Antibody Hinge, **270**, 238–246.

Cryptococcus

The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes, **274**, 622–634.

2D crystal *See* two-dimensional crystals

crystal contacts

Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.

crystal structure

Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus*, **266**, 1016–1031.

Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri*, **267**, 661–672.

Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution, **267**, 916–932.

Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.

The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution, **268**, 147–157.

Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.

Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.

The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution, **268**, 869–885.

Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction, **269**, 827–841.

$Ta_6Br^{2+}_{12}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography, **270**, 1–7.

Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.

Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.

The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions, **270**, 724–738.

Crystal Structure of Cytoplasmic *Escherichia coli* Peptidyl-prolyl Isomerase: Evidence for Decreased Mobility of Loops upon Complexation, **271**, 258–265.

Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing, **271**, 629–644.

Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen, **271**, 774–788.

Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes*, **273**, 269–282.

The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor, **274**, 16–20.

Three-dimensional Structure of Diferric Bovine Lactoferrin at 2.8 Å Resolution, **274**, 222–236.

Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA, **274**, 421–434.

The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: a Dynamic Molecule with Multiple Regulatory Interactions, **274**, 757–775.

βe-crystallin superfamily

Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution, **271**, 645–655.

crystallins

The Domains in γB-crystallin: Identical Fold–Different Stabilities, **269**, 260–269.

crystallization

Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution, **265**, 202–216.

See also two-dimensional crystallizaton.

2D crystallization *See* two-dimensional crystallization

crystallography

Structure of Human χl Alcohol Dehydrogenase: A Glutathione-dependent Formaldehyde Dehydrogenase, **265**, 330–343.

Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin, **266**, 357–366.

The Structures and Relative Stabilities of d(G·G) Reverse Hoogsteen, d(G·T) Reverse Wobble, and d(G·C) Reverse Watson-Crick Base-pairs in DNA Crystals, **269**, 796–810.

Bioincorporation of Telluromethionine inro Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins, **270**, 616–623.

Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

Crystal Structure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism, **274**, 446–453.

Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides, **274**, 577–587.

See also X-ray crystallography.

CUB domain
Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family, **274**, 650–660.

Cu,Zn superoxide dismutase
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.

cyanide
Tension in Haemoglobin Revealed by Fe-His(F8) Bond Rupture in the Fully Liganded T-State, **271**, 161–167.

cyanobacteria
The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease, **268**, 589–598.

cyclic AMP (c. AMP)
In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae*, **269**, 719–731.
The Cyclic AMP Receptor Promoter DNA Complex: A Comparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

cyclobutane pyrimidine dimers
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site, **271**, 31–46.

cyclophilin
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex, **269**, 780–795.
Crystal Structure of Cytoplasmic *Escherichia coli* Peptidyl-prolyl Isomerase: Evidence for Decreased Mobility of Loops upon Complexation, **271**, 258–265.

cyclophilin A
Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR, **271**, 803–818.
The NMR Solution Conformation of Unligated Human Cyclophilin A, **272**, 64–81.

cyclosporin A
The NMR Solution Conformation of Unligated Human Cyclophilin A, **272**, 64–81.

cystatin C
NMR Structural Studies of Human Cystatin C Dimers and Monomers, **271**, 266–277.

cysteine
Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.
Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

cysteine protease
Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen, **271**, 774–788.
Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

cytochrome b_2
A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2, **273**, 1–6.

cytochrome *c*
Modeling of Protein Conformational Fluctuations in pK_a Predictions, **267**, 1001–1010.
A Thioreduction Pathway Tethered to the Membrane for Periplasmic Cytochromes *c* Biogenesis; *in Vitro* and *in Vivo* Studies, **271**, 679–692.

cytochrome-c_{552}
Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing, **271**, 629–644.

cytochrome *c* oxidase
Helix Packing in Membrane Proteins, **272**, 780–789.

cytochrome cd_1
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

cytokine
Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.
Solution Structure of Recombinant Human Interleukin-6, **268**, 468–481.
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1\text{-}108}$ Complex, **273**, 882–897.
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution, **274**, 661–675.

cytoplasmic actin gene
A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.

cytosine methylation
Control of Methylation Spreading in Synthetic DNA Sequences by the Murine DNA Methyltransferase, **269**, 494–504.
Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.

cytosine-5-methyltransferases
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

D1.3-E5.2
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.

database searching
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.
Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures, **268**, 539–556.
A Novel Method to Develop Highly Specific Models for Regulatory Units Detect a New LTR in GenBank which Contains a Functional Promoter, **270**, 674–686.

DEAD box motif
Mutations in the Res Subunit of the *Eco*PI Restriction Enzyme that Affect ATP-dependent Reactions, **269**, 342–354.

Dead-End Elimination
De Novo Protein Design: Towards Fully Automated Sequence Selection, **273**, 789–796.

decamer
Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction, **269**, 827–841.

decoding region
Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA, **273**, 586–599.

***def* gene**
A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage, **266**, 939–949.

deformylase
A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage, **266**, 939–949.
Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion, **267**, 749–761.

dehydrogenase
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

deletion constructs
Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles, **272**, 541–552.

deletions
Sequence Elements Downstream of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat are Required for Efficient Viral Gene Transcription, **272**, 167–177.

denaturation
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.
Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks, **268**, 198–208.
Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.

denatured state
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.
A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State, **268**, 816–821.

denitrification
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

detoxification
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.
The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution, **274**, 84–100.

development
Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.

DHFR *See* dihydrofolate reductase

DHPS
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.

diabetes mellitus
Identification of a Novel Type 1 Diabetes-specific Epitope by Screening Phage Libraries with Sera from Pre-diabetic Patients, **268**, 599–606.

Dictyostelium
Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.

Dictyostelium discoideum
X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2′(3′)-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain, **274**, 394–407.

dielectric constant
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

diet
A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

dif
Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.
Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*, **266**, 525–537.

differential activity
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.

diflurostatone inhibitor
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.

dihydrodipicolinate synthase
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

dihydrofolate reductase
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.
Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study, **266**, 776–796.
GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases, **268**, 512–525.
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate, **271**, 656–668.

dihydropteroate synthase
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.

dimer
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.

dimerization
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.
A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.
The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control, **274**, 27–38.
Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.

dinucleotide repeats
(GT)*n* Repetitive Tracts Affect Several Stages of RecA-promoted Recombination, **273**, 105–113.

dinucleotide step
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.

directed evolution
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.

discriminator base
Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{Tyr}$, **265**, 95–99.

distamycin in *B*-DNA minor groove
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

distance geometry
Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability, **268**, 922–933.

disulfide bond
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.

disulfide bridges
Solution Structure of R-elafin, a Specific Inhibitor of Elastase, **268**, 666–677.

disulfide connectivities
Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding, **268**, 886–902.
Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

divalent ion
Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.

diversity
The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire, **268**, 69–77.

D-loops
The DNA Replication Protein PriA and the Recombination Protein RecG Bond D-loops, **270**, 212–221.

DNA
RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins, **265**, 519–540.
DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures, **265**, 603–619.
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.
DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.
Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.
See also SS DNA.

***A*-DNA**
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of $d(Gm^5CGm^5CGCGCGC)$, **270**, 247–258.

DNA affinity
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.
See also Affinity.

DNA alkylation
High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA, **272**, 237–252.

DNA annealing
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein, **267**, 841–848.

***B*-DNA**
Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction, **269**, 827–841.

DNA bending
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), $d(CCGGGCCm^5CGG)$, $d(Cm^5CGGGCCm^5CGG)$ and $d(CCGGGCC(Br)^5CGG)$ in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.
The Cyclic AMP Receptor Promoter DNA Complex: A COmparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.
Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA, **274**, 421–434.

DNA binding
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.
Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site, **265**, 494–506.
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.
In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae*, **269**, 719–731.
The X-ray Structure of the DNA-binding Domain from the *Saccharomyces cerevisiae* Cell-cycle Transcription Factor Mbp1 at 2.1 Å Resolution, **272**, 1–8.
(GT)*n* Repetitive Tracts Affect Several Stages of RecA-promoted Recombination, **273**, 105–113.
Affinity and Specificity of *trp* Repressor-DNA Interactions Studied with Fluorescent Oligonucleotides, **273**, 572–585.
Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter, **273**, 775–781.
Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein, **274**, 365–380.
Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC, **274**, 466–480.
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.

DNA binding domain
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR, **270**, 496–510.

DNA binding prediction
Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome, **266**, 231–245.

DNA-binding protein
Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1, **266**, 479–492.
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein, **267**, 841–848.
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.
Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors, **269**, 301–312.
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation, **270**, 188–200.
A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.
Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers, **273**, 525–532.
Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.
Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex, **274**, 439–445.

DNA binding specificity
Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*, **266**, 525–537.
Tn*5* Transposase Mutants that Alter DNA Binding Specificity, **271**, 362–373.

DNA-binding surface
An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing, **274**, 213–221.

DNA bulges
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.

DNA chaperones
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.

DNA cleavage
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.

DNA condensation
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^{5}CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.
Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.

DNA conformation
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP), **273**, 668–680.
Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA, **274**, 421–434.

DNA curvature
DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome, **266**, 507–524.

DNA (cytosine-5)-methyltransferases
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

DNA damage
Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.

DNA damage tolerance
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

DNA drug interaction
Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.

DNA drug interactions
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

DNA duplex stability
Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions, **274**, 181–196.

DNA dynamics
Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.

DNA flexibility
Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA, **266**, 711–721.

DNA gyrase
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

DNA hydration
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.
Kinetics of DNA Hydration, **268**, 118–136.
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.

DNA looping
Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy, **270**, 125–138.
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.

DNA maturation
The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends, **266**, 901–914.

DNA melting
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near -10 and Expands Unidirectionally, **267**, 47–59.

DNA methyltransferase
Differential Binding of *S*-Adenosylmethionine *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I, **265**, 56–67.

DNA methyltransferases
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

DNA minor groove binding
High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA, **272**, 237–252.

DNA minor groove width
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.

DNA model building
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.

DNA modification
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity, **269**, 113–128.
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.

DNA modifying enzymes
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.

DNA nicking
Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA, **266**, 711–721.

DNA packaging
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes, **267**, 75–87.

DNA packaging proteins
The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends, **266**, 901–914.

DNA persistence length
Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA, **266**, 711–721.

DNA polymerase
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.
ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.
A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium, **272**, 178–189.

DNA polymerisation
DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome, **266**, 507–524.

DNA polymorph
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.

DNA repair
Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes, **267**, 1–9.
The DNA Replication Protein PriA and the Recombination Protein RecG Bond D-loops, **270**, 212–221.
Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.
Biochemical Properties of RuvB^{D113N}: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.
Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.
See also repair.

DNA replication
Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel, **268**, 15–20.
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.

Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex, **269**, 102–112.
ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.
The Replisome Organizer (G*38*P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.
HMG1 Protein Inhibits the Translesion Synthesis of the Major DNA Cisplatin Adduct by Cell Extracts, **270**, 539–543.
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.
A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium, **272**, 178–189.
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.
Possible Mechanisms for the Regulation of Telomere Length, **273**, 814–825.
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.
See also replication.

DNA replication control
The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control, **274**, 27–38.

DNA replication origin
RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.
Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein, **274**, 365–380.

DNA-RNA hybrid *see* RNA-DNA hybrid

DNA secondary structure mutagenesis
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.

DNA sequence
Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex, **266**, 703–710.
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.
DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.

DNA shuffling
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.

DNA structure
The Resolving Enzyme CCE1 of Yeast Opens the Structure of the Four-way DNA Junction, **266**, 122–134.
Opposite Effect of Counterions on the Persistence Length of Nicked and Non-nicked DNA, **266**, 711–721.
A DNA Decamer with a Sticky End: The Crystal Structure of d-CGACGATCGT, **267**, 881–898.
Solution Structure as a Function of pH of Two Central Mismatches, C·T and C·C, in the 29 to 39 K-*ras* Gene Sequence, by Nuclear Magnetic Resonance and Molecular Dynamics, **268**, 331–347.
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity, **269**, 113–128.
Recognition and Manipulation of Branched DNA Structure by Junction-resolving Enzymes, **269**, 647–664.
The Structures and Relative Stabilities of d(G·G) Reverse Hoogsteen, d(G·T) Reverse Wobble, and d(G·C) Reverse Watson-Crick Base-pairs in DNA Crystals, **269**, 796–810.
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.

DNA supercoiling
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.
The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends, **266**, 901–914.
Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro*, **270**, 346–359.
Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro*, **271**, 499–510.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.
Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival, **273**, 93–104.
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

DNA superhelicity
Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions, **274**, 181–196.

DNA topology
The Bacteriophage ø29 Packaging Proteins Supercoil the DNA Ends, **266**, 901–914.
Measurement of the Linking Number Change in Transcribing Chromatin, **267**, 794–806.
Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.
Random Walk Models for DNA Synapsis by Resolvase, **270**, 413–425.
Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.

DNA tracking
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.

DNA transposition
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.

DNA unwinding
RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.

DNA virus
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.

Z-DNA
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of $d(Gm^5CGm^5CGCGCGC)$, **270**, 247–258.

DnaA protein
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.

DNA-drug interaction
Specific Binding of Hoechst 33258 to the $d(CGCAAATTTGCG)_2$ Duplex: Calorimetric and Spectroscopic Studies, **271**, 244–257.

DnaJ family
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.

DnaK
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.

DNA-protein interaction
Escherichia coli lac Repressor-*lac* Operator Interaction and the Influence of Allosteric Effectors, **265**, 1–7.
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.
Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.
Recognition and Manipulation of Branched DNA Structure by Junction-resolving Enzymes, **269**, 647–664.
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.
Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy, **270**, 125–138.
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli*, **270**, 152–168.
The Junction-resolving Enzyme T7 Endonuclease I: Quaternary Structure and Interaction with DNA, **270**, 169–178.
Dynamic Interplay of TFIIA, TBP and TATA DNA, **271**, 61–75.
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.
Tn*5* Transposase Mutants that Alter DNA Binding Specificity, **271**, 362–373.
Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro*, **271**, 499–510.
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.
Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA, **274**, 421–434.
See also protein-DNA recognition.

DNA-protein interactions
Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1, **266**, 479–492.

DNA-protein specificity
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.

DNase I footprinting
Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals, **266**, 665–676.
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli*, **270**, 152–168.

dnaX
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50%, **271**, 47–60.

dNTP binding site
ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.

dNTPs
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.

DOCK
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.

docking
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.
Development and Validation of a Genetic Algorithm for Flexible Docking, **267**, 727–748.
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.
Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog, **271**, 838–845.
See also protein-protein docking.

domain association
The Domains in γB-crystallin: Identical Fold–Different Stabilities, **269**, 260–269.

domain interactions
The Domains in γB-crystallin: Identical Fold–Different Stabilities, **269**, 260–269.

domain interface engineering
Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library, **270**, 26–35.

domain motions
Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study, **266**, 776–796.

domain movements
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.

domain organization
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism, **270**, 222–237.

domain structure
HIV/SIV Glycoproteins: Structure-function Relationships, **273**, 122–149.

donor cleavage
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.

double mutant cycles
The Role of Glu73 of Barnase in Catalysis and the Binding of Barstar, **270**, 111–122.

double-zinc metalloproteinase
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

downstream promoters
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.

DRA
Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.

Drosophila
Myosin Rod Protein: A Novel Thick Filament Component of *Drosophila* Muscle, **265**, 40–55.
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.

DRP2
Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse, **270**, 551–558.

drug design
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.
Crystal Structure of a Decameric Complex of Human Serum Amyloid P Component with Bound dAMP, **269**, 570–579.

drug resistance
Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer, **268**, 648–654.
Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions, **274**, 738–747.

DsbA
Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae*, **268**, 137–146.

dsFv
Stabilization of a Recombinant Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.

duocarmycin
High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA, **272**, 237–252.

duplications
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.

dynamin
The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration, **266**, 173–194.

dystrophin
Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse, **270**, 551–558.

***Eco*RV endonuclease**
Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC, **269**, 82–101.

EF-G
An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function, **272**, 327–335.

EF-Tu
An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function, **272**, 327–335.

elastase
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

elastase inhibitor
Solution Structure of R-elafin, a Specific Inhibitor of Elastase, **268**, 666–677.

elasticity
Direct Visualization of Extensibility in Isolated Titin Molecules, **265**, 100–106.
Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil, **273**, 740–751.

electric dichroism
The Cyclic AMP Receptor Promoter DNA Complex: A COmparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

electron cryo-microscopy ***See*** **cryo-electron microscopy**

electron microscopic reconstruction
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å, **271**, 524–544.

A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data, **271**, 545–565.

electron microscopy

Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core, **265**, 87–94.

Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure, **265**, 469–474.

Steric-model for Activation of Muscle Thin Filaments, **266**, 8–14.

Structure and Subunit Composition of the RuvAB-Holliday Junction Complex, **266**, 217–222.

Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis, **266**, 331–342.

Three-dimensional Image Reconstruction of Large Nuclear RNP (lnRNP) Particles by Automated Electron Tomography, **267**, 570–583.

Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.

Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel, **268**, 15–20.

Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft, **271**, 235–243.

The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.

Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.

Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7, **272**, 362–368.

Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes, **273**, 646–657.

Visualization of Caldesmon on Smooth Muscle Thin Filaments, **274**, 310–317.

Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid, **274**, 687–692.

electron paramagnetic resonance

The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.

Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.

Transient Channel-opening in Bacteriorhodopsin: an EPR study, **273**, 949–955.

electrooptics

The Cyclic AMP Receptor Promoter DNA Complex: A Comparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

electrostatic complementarity

Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.

electrostatic interaction

Modeling of Protein Conformational Fluctuations in PK_a Predictions, **267**, 1001–1010.

Protein Thermal Stability, Hydrogen Bonds, and Ion Pairs, **269**, 631–643.

Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.

electrostatic potential

Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.

electrostatics

Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.

Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.

endogenous expression

Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

endoglucanase

The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.

endoglycosidase

Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.

endonuclease

Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.

A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.

Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.

See also restrictio-endonuclease.

Endonuclease VII

Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY, **267**, 150–162.

endonucleolytic cleavages

Analysis of the *in Vivo* Decay of the *Escherichia coli* Dicistronic *pyrF-orfF* Transcript: Evidence for Multiple Degradation Pathways, **268**, 261–272.

endorhamnosidase

Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.

endoribonuclease

Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli*, **268**, 235–242.

enediyne alignment in minor groove

Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.

Solution Structure of the Calicheamicin γ_1^1-DNA Complex, **265**, 187–201.

energy calculation

DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures, **265**, 603–619.

Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.

energy function
Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds, **266**, 831–846.
Protein Folding Simulation with Genetic Algorithms and a Detailed Molecular Description, **269**, 240–259.

energy landscape
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.

energy minimization
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.
Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis, **274**, 114–131.

energy transduction
Charged Residues of the Rotor Protein FliG Essential for Torque Generation in the Flagellar Motor of *Escherichia coli*, **266**, 733–744.
Residues of the Cytoplasmic Domain of MotA Essential for Torque Generation in the Bacterial Flagellar Motor, **273**, 428–439.

energy transfer
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.

enhancer-binding protein
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.
Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.

ensemble
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.

enthalpy
Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks, **268**, 198–208.

entropy
Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks, **268**, 198–208.
Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation, **272**, 790–804.
The Entropy Cost of Protein Association, **273**, 1046–1058.

3D-1D environment scoring
Protein Secondary Structure Prediction Using Local Alignments, **268**, 31–36.

enzyme activation
Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation, **265**, 319–329.
Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen, **271**, 774–788.

enzyme evolution
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.

enzyme inhibition
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.

enzyme inhibitors
Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.
Analysis of Protein-Protein Interaction Sites using Surface Patches, **272**, 132–143.

enzyme mechanism
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.
The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution, **274**, 84–100.

enzyme regulation
Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes, **273**, 646–657.

enzyme structure-function
Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site, **265**, 494–506.

enzyme-substrate interactions
Characterization of $NADP^+$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift changes, **267**, 1223–1246.

epitope
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage, **269**, 704–708.
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

3G5 epitope
Molecular Characterization of the hdm2–p53 Interaction, **269**, 744–756.

epitope mapping
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.
Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solútion, **273**, 52–60.

EPR *See* electron paramagnetic resonance

Epstein-Barr Virus (EBV)
Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.

Escherichia coli
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.
Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination, **266**, 297–305.
Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus*, **266**, 1016–1031.

Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.
Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli*, **267**, 778–793.
Protein Evolution: Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of Structural Segment of Homology, the Module, **268**, 857–868.
Voltage Sensing in the PhoE and OmpF Outer Membrane Porins of *Escherichia coli*: Role of Charged Residues, **269**, 468–472.
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.
Growth Rate-optimised tRNA Abundance and Codon Usage, **270**, 544–550.
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site, **271**, 31–46.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.
Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

***Escherichia coli* RNA polymerase assembly**
Determinants for *Escherichia coli* RNA Polymerase Assembly within the β Subunit, **270**, 648–662.

***Escherichia coli rrnB* operon**
Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23S rRNA Synthesis *in Vivo*, **265**, 385–393.

Escherichia coli
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.

esperamicin A_1-DNA complex
Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.

ester hydrolysis
Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization, **267**, 1247–1257.

esterolytic catalytic antibody
Crystal Structures of the Free and Liganded Form of an Esterolytic Catalytic Antibody, **268**, 390–400.

***N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-nitrophenyl ester**
Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study†, **269**, 558–569.

evolution
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.
Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain, **266**, 859–865.
A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage, **266**, 939–949.
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.
Protein Evolution: Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of Structural Segment of Homology, the Module, **268**, 857–868.
Species-specific tRNA Recognition in Relation to tRNA Synthetase Contact Residues, **269**, 1–9.
In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with D-Fucose, **273**, 226–237.
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.
See also bacteriophage evolution; protein evolution.

Ewald summation
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.

exocytosis
Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy, **272**, 42–45.

exon prediction
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

5′-3′ exonuclease
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.
An Invariant Lysine Residue is Involved in Catalysis at the 3′-5′ Exonuclease Active Site of Eukaryotic-type DNA Polymerases, **270**, 65–78.

expert system
Automated Analysis of Protein NMR Assignments Using Methods from Artifical Intelligence, **269**, 592–610.

expression *See* gene expression

expression patterns
Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues, **268**, 619–630.

extra-cellular secretion
Module Swaps between Related Translocator Proteins pIV^{f1}, pIV^{IKe} and PulD: Identification of a Specificity Domain, **266**, 978–992.

F pilus
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.

Fab fragment
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1\text{-}108}$ Complex, **273**, 882–897.

facilitated diffusion
Channel Specificity: Structural Basis for Sugar Discrimination and Differential Flux Rates in Maltoporin, **272**, 56–63.

α-factor receptor
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.

factor Xa
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

fast Fourier transform
Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information, **272**, 106–120.

FASTA
Intermediate Sequences Increase the Detection of Homology Between Sequences, **273**, 349–354.

fd coat protein
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.

feedback inhibition
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

ferritin
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

ferrodoxin
Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability, **268**, 922–933.
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

ferredoxin reductase
The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution, **268**, 147–157.

fertilization
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.

***ffs* gene**
Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype, **272**, 665–676.

fibre diffraction
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses, **269**, 769–779.

fibrils
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer, **269**, 214–224.
Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction, **273**, 729–739.

fibrinogen
A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

fibroblast cell line
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.

fibronectin
Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity, **265**, 565–579.

fibronectin type III
A Comparison of the Folding Kinetics and Thermodynamics of Two Homologous Fibronectin Type III Modules, **270**, 763–770.
Folding and Stability of a Fibronectin Type III Domain of Human Tenascin, **270**, 771–778.

fibulin-1
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

fidelity
RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide, **271**, 168–177.

filament
RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins, **265**, 519–540.

filament structure
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism, **270**, 222–237.

filamentous bacteriophage
Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements, **266**, 51–65.
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel *in vivo* Selection for Protein-ligand Interactions, **268**, 607–618.

filamentous phage assembly
Module Swaps between Related Translocator Proteins pIV^{f1}, pIV^{IKe} and PulD: Identification of a Specificity Domain, **266**, 978–992.

fimbrin
3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin, **273**, 150–159.

Fis protein
Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro*, **270**, 346–359.
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site, **271**, 31–46.

flagella
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.
Charged Residues of the Rotor Protein FliG Essential for Torque Generation in the Flagellar Motor of *Escherichia coli*, **266**, 733–744.
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism, **270**, 222–237.
Residues of the Cytoplasmic Domain of MotA Essential for Torque Generation in the Bacterial Flagellar Motor, **273**, 428–439.
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY, **273**, 623–634.

flavin
The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution, **268**, 147–157.

flavodoxin
Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

flavodoxin reductase
The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution, **268**, 147–157.

flavoprotein
Molecular Structure of the Lipoamide Dehydrogenase Domain of a Surface Antigen from *Neisseria meningitidis*, **269**, 129–141.

flight muscle
Myosin Rod Protein: A Novel Thick Filament Component of *Drosophila* Muscle, **265**, 40–55.

Flp recombinase
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

fluorescence
Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity, **265**, 565–579.
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.
Affinity and Specificity of *trp* Repressor-DNA Interactions Studied with Fluorescent Oligonucleotides, **273**, 572–585.
Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter, **273**, 775–781.
X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2′(3′)-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain, **274**, 394–407.

fluorescence energy transfer
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer, **269**, 214–224.

fluorescence lifetime
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

5-Fluoro 2′-deoxycytidine
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

fluorometry
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

fold recognition
Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds, **266**, 831–846.
Novel Knowledge-based Mean Force Potential at Atomic Level, **267**, 207–222.
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.
Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation, **269**, 423–439.
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.
Do Aligned Sequences Share the Same Fold?, **273**, 355–368.

folding
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.
Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks, **268**, 198–208.
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.
The Rate of Isomerisation of Peptidyl-proline Bonds as a Probe for Interactions in the Physiological Denatured State of Chymotrypsin Inhibitor 2, **269**, 611–622.
Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.
Folding of Barnase in the Presence of the Molecular Chaperone SecB, **274**, 268–275.
See also protein foldup.

folding enzyme
Catalysis of Protein Folding by Parvulin, **273**, 752–762.

folding free energies
Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence, **272**, 276–290.

folding intermediate
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. II. Distance Restraints from Paramagnetic Relaxation and Calculation of an Ensemble of Structures, **268**, 170–184.
Three-state Model for Lysozyme Folding: Triangular Folding Mechanism With an Energetically Trapped Intermediate, **270**, 294–304.
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.

folding kinetics
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein, **274**, 588–596.

folding pathway
Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module, **268**, 185–197.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Denaturants and Temperature, **270**, 89–98.

foldon
The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units, **272**, 95–105.

footprinting
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.
Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding, **266**, 144–159.
Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC, **269**, 82–101.
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.

$KMnO_4$-footprinting
Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein, **274**, 365–380.

footprinting techniques
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.

force field
De Novo Protein Design: Towards Fully Automated Sequence Selection, **273**, 789–796.

formaldehyde dehydrogenase
Structure of Human χl Alcohol Dehydrogenase: A Glutathione-dependent Formaldehyde Dehydrogenase, **265**, 330–343.

four-helix bundle
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution, **274**, 661–675.

four-way DNA junction
NMR Study of the Exchange Rate Between Two Stacked Conformers of a Model Holliday Junction, **273**, 519–524.

F plasmid
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

fragment complementation
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.

frameshift
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.

frameshifting
Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation, **266**, 877–890.
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50%, **271**, 47–60.
Reported Translational Bypass in a *trpR′-lacZ′* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.
Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

free energy
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.
Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence, **272**, 276–290.
Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps, **272**, 456–464.
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

frozen-hydrated specimens
Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy, **266**, 1002–1015.

***fru* repressor**
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^1H and ^{15}N NMR, **270**, 496–510.

fructose-1, 6-bisphospatase
Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site, **269**, 623–630.

fructose-1,6-bisphosphatase
Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site, **269**, 623–630.

fucose
The 1.6 Å Crystal Structure of the AraC Sugar-binding and Dimerization Domain Complexed with d-Fucose, **273**, 226–237.

fucose isomerase
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.

functional classification
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.

functional epitope
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

functional sites
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.

fusion protein
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

Fyn kinase
Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides, **269**, 694–703.

G protein-coupled receptor
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.
The Steric Trigger in Rhodopsin Activation, **269**, 373–384.

G·A base-pair
The Detailed Structure of Tandem G·A Mismatched Base-pair Motifs in RNA Duplexes is Context Dependent, **271**, 147–158.

gain of function
Tn*5* Transposase Mutants that Alter DNA Binding Specificity, **271**, 362–373.

gamma-delta
Tn*3* Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends, **266**, 108–121.

gap penalty
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.

GAPDH
Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.

gel electrophoresis
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.
See also agarose gel electrophoresis.

gel retardation
Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC, **269**, 82–101.

gene activation
The Cyclic AMP Receptor Promoter DNA Complex: A COmparison of Crystal and Solution Structure by Quantitative Molecular Electrooptics, **269**, 842–850.

gene amplification
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.

gene circuits
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.

gene expression
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.
In Vivo Analyses of Upstream Promoter Sequence Elements in the 5 S rRNA Gene from *Saccharomyces cerevisiae*, **269**, 676–683.
Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse, **270**, 551–558.
A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

gene identification
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

gene mapping
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation, **271**, 124–138.

gene regulation
The Activation Defect of a λ*cI* Positive Control Mutant, **265**, 261–265.
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.
Analysis of the *in Vivo* Decay of the *Escherichia coli* Dicistronic *pyrF-orfF* Transcript: Evidence for Multiple Degradation Pathways, **268**, 261–272.
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.
Regulation of the "*tetCD*" Genes of Transposon Tn*10*, **270**, 14–25.
Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome, **274**, 708–721.

gene structure
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

gene targeting
An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line, **265**, 394–408.

gene therapy
Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers, **273**, 525–532.

geneIII
Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel *in vivo* Selection for Protein-ligand Interactions, **268**, 607–618.

general base catalysis
The Role of Glu73 of Barnase in Catalysis and the Binding of Barstar, **270**, 111–122.

genetic algorithm
Development and Validation of a Genetic Algorithm for Flexible Docking, **267**, 727–748.
Protein Folding Simulation with Genetic Algorithms and a Detailed Molecular Description, **269**, 240–259.

genetic code
Species-specific tRNA Recognition in Relation to tRNA Synthetase Contact Residues, **269**, 1–9.

genetic recombination *See* recombination

genetic selection
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.

genetic variation
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.

genome analysis
Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome, **266**, 231–245.
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats, **271**, 386–404.

geometric recognition
Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus, **266**, 135–143.

GGG
Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

Gibbs function
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.

GIY-YIG motif
Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site, **265**, 494–506.

global energy function
Protein Folding Simulation with Genetic Algorithms and a Detailed Molecular Description, **269**, 240–259.

global helical parameters
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP), **273**, 668–680.

global regulator
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.
Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.

global topology
Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy, **271**, 819–826.

globular protein structures
Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation, **266**, 195–215.

gluconate kinase
Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli*, **267**, 778–793.

gluconate permease
Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli*, **267**, 778–793.

glucose control gene regulation
Cooperative and Non-cooperative DNA Binding Modes of Catabolite Control Protein CcpA from *Bacillus megaterium* Result from Sensing Two Different Signals, **266**, 665–676.

oligo-1,6-glucosidase
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.

glutamate dehydrogenase
Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution, **267**, 916–932.

glutamate receptor
Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

glutamate synthase
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli*, **270**, 152–168.

glutathione peroxidase
The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution, **268**, 869–885.

glutathione s-transferase
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.
The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution, **274**, 84–100.
Crystal Structure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism, **274**, 446–453.
Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides, **274**, 577–587.

glutathione-dependent formaldehyde dehydrogenase
Structure of Human χI Alcohol Dehydrogenase: A Glutathione-dependent Formaldehyde Dehydrogenase, **265**, 330–343.

glutathione-s-transferase
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.

glyceraldehyde-3-phosphate dehydrogenase
Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.

glycoconjugate
Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic, **266**, 797–813.

glycohydrolase
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.

glycophorin A
The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization, **272**, 266–275.
Helix-helix Packing in a Membrane-like Environment, **272**, 633–641.

glycoprotein
Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei*, **269**, 529–547.
HIV/SIV Glycoproteins: Structure-function Relationships, **273**, 122–149.

glycosyl hydrolases
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.

glycosylation
Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.

glycosylphosphatidylinositol
Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic, **266**, 797–813.
Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei*, **269**, 529–547.

GNRA loops
Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction, **266**, 493–506.
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns, **267**, 520–536.

GnRH (gonadotrophin releasing hormone)
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.

***gntRKU* operon**
Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli*, **267**, 778–793.

Golgi apparatus
Traffic Control of Completely Assembled MHC Class I Molecules Beyond the Endoplasmic Reticulum, **266**, 993–1001.

gp120
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.

gp41
Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy, **271**, 819–826.

gp59
Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects, **272**, 312–326.

G-protein-coupled receptor
An Alpha-carbon Template for the Transmembrane Helices in the Rhodopsin Family of G-protein-coupled Receptors, **272**, 144–164.

G-quadruplex
Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes, **272**, 688–698.

Gramicidin/Potassium Thiocyanate Complex
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.

Grb2
Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^{1}H and ^{13}C Chemical Shifts, **267**, 933–952.

green bacteria
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.

GroEL
Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR, **271**, 803–818.

GroES
The Structural Stability of the Co-chaperonin GroES, **272**, 770–779.

group I intron
Folding of RNA Involves Parallel Pathways, **273**, 7–13.

group II intron
Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction, **266**, 493–506.
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns, **267**, 520–536.
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.
A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation, **274**, 353–364.

growth optimisation
Growth Rate-optimised tRNA Abundance and Codon Usage, **270**, 544–550.

growth regulation
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.

Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival, **273**, 93–104.

GrpE
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.

***gryA* mutation**
Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination, **266**, 297–305.

GTP hydrolysis
The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}, **266**, 847–856.
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.

GTPase
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.
Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.

G·U wobble pairs
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.

guanidine hydrochloride
A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State, **268**, 816–821.

guanidinobenzoic acid
Guanidinobenzoic Acid Inhibitors of Influenza Virus Neuraminidase, **267**, 584–594.

guanine tetraplex
The Crystal Structure of a Parallel-Stranded Guanine Tetraplex at 0.95 Å Resolution, **273**, 171–182.

haem
A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State, **268**, 816–821.
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

haem proteins
Structural Characterization of the Myoglobin Active Site Using Infrared Crystallography, **274**, 21–26.

haemoglobin
Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein, **267**, 10–16.
Conformation-invariant Structures of the $\alpha_1\beta_1$ Human Hemoglobin Dimer, **270**, 598–615.
Tension in Haemoglobin Revealed by Fe-His(F8) Bond Rupture in the Fully Liganded T-State, **271**, 161–167.
Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins, **272**, 613–632.

haemoglobin S
The High Resolution Crystal Structure of Deoxyhemoglobin S, **272**, 398–407.

haemolytic anemias
Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil, **273**, 740–751.

hairpin
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

hairpin i-motif
Cystosine-rich Strands of the Insulin Minisatellite Adopt Hairpins with Intercalated $Cytosine^{+}$·Cytosine Pairs, **272**, 369–382.

hairpin loops and bulges
Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins, **274**, 72–83.

hairpin ribozyme
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

β-hairpin
Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.

hdm2
Molecular Characterization of the hdm2–p53 Interaction, **269**, 744–756.

HD-Zip domain
DNA-binding Specificity of the Homeodomain-leucine Zipper Domain, **274**, 303–309.

heat capacity
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation, **272**, 790–804.

heat shock
The Thermosome: Alternating α-and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum*, **267**, 142–149.
Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype, **272**, 665–676.

heat shock protein
Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.
See also HSP60; HSP70.

D1.3-HEL
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.

hela cell line
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.

helical assembly
Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus, **266**, 135–143.

helical image analysis
Locations of Terminal Segments of Flagellin in the Filament Structure and Their Roles in Polymerization and Polymorphism, **270**, 222–237.

helical peptide
Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study, **267**, 963–974.

helicase
Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel, **268**, 15–20.
The DNA Replication Protein PriA and the Recombination Protein RecG Bond D-loops, **270**, 212–221.
Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.

3_{10}-helix
Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study, **267**, 963–974.

helix 34
Phenotypic Heterogeneity of Mutational Changes at a Conserved Nucleotide in 16 S Ribosomal RNA, **267**, 1113–1123.

α-helix
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.
Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study, **267**, 963–974.
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.
The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure, **269**, 479–487.
An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability, **270**, 640–647.
Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides, **272**, 465–473.
The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.
C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.
The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion, **274**, 381–393.

helix caps
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.
C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.

helix packing
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.
Helix-helix Packing in a Membrane-like Environment, **272**, 633–641.
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.
Helix Packing in Membrane Proteins, **272**, 780–789.

β-helix
Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.

4-α-helix-bundle
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

helix-coil
An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability, **270**, 640–647.
Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides, **272**, 465–473.
C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.

helix-turn-helix motif
Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR, **270**, 496–510.
Solution Structure of the Iγ Subdomain of the Mu End DNA Binding Domain of Phage Mu Transposase, **273**, 19–25.

hemagglutinin
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.

heme *See* haem

hemocyanin
Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy, **266**, 1002–1015.

hemoglobin *See* haemoglobin

hemoglobins
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.

hen lysozyme
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.
Three-state Model for Lysozyme Folding: Triangular Folding Mechanism With an Energetically Trapped Intermediate, **270**, 294–304.
See also D1.3 HEL.

heparin
Inhibitory Mechanism of Serpins. Indentification of Steps Involving the Active-site Serine of the Protease, **265**, 344–362.
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.

heparin-pentasaccharide binding
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.

herbicide detoxification
Crystal Structure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism, **274**, 446–453.
Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides, **274**, 577–587.

herpes simplex virus
The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing, **272**, 484–492.

HERV-H LTRs
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.

hetero-complex
Analysis of Protein-Protein Interaction Sites using Surface Patches, **272**, 132–143.

heterodimer
Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library, **270**, 26–35.
Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival, **273**, 93–104.

heterologous protein-protein interactions
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.

heteronuclear NMR
Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil, **273**, 740–751.

heteronuclear NMR spectroscopy
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR, **270**, 496–510.

heteronuclear relaxation
Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.

heteronuclear triple-resonance experiments
Automated Analysis of Protein NMR Assignments Using Methods from Artifical Intelligence, **269**, 592–610.

hexameric ATPase
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.

hexameric helicases
Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.

hidden Markov chains
A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

high contrast embedding
Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution, **271**, 417–437.

high mobility group proteins
Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.

high pressure
Pressure-induced Changes in the Folded Structure of Lysozyme, **271**, 671–678.

high resolution structures
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

high-temperature structure
X-ray Fibre Diffraction Study of an Elevated Temperature Structure of Poly(dA)·Poly(dT), **274**, 64–71.

Hill coefficient
Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein, **267**, 10–16.

him–14
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.

hinge region
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

HINT
Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins, **272**, 613–632.

Histidine
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.

histone
An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line, **265**, 394–408.
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation, **271**, 124–138.
Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria, **272**, 301–311.
The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.

histone H1
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation, **271**, 124–138.

histone mRNA
The Mouse Histone H1 Genes: Gene Organization and Differential Regulation, **271**, 124–138.

histone N termini
The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.

histone structure
Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solution, **273**, 52–60.

histone-like protein
Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival, **273**, 93–104.

HIV
Molecular Recognition in the HIV-1 Capsid/Cyclophilin A Complex, **269**, 780–795.
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.
Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy, **271**, 819–826.
HIV/SIV Glycoproteins: Structure-function Relationships, **273**, 122–149.
Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β, **274**, 693–707.

HIV infection
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.

HIV reverse transcriptase
DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome, **266**, 507–524.
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.
Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions, **274**, 738–747.

HIV-1
Effects of Mutations in $Pr160^{gag\text{-}pol}$ upon $tRNA^{Lys3}$ and $Pr160^{gag\text{-}pol}$ Incorporation into HIV-1, **265**, 419–431.
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.
A Dynamic *in Vivo* View of the HIV-1 Rev-RRE-Interaction, **266**, 950–962.
Possible Roles of HIV-1 Nucleocapsid Protein in the Specificity of Proviral DNA Synthesis and in Its Variability, **268**, 250–260.
Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer, **268**, 648–654.
Sequence Elements Downstream of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat are Required for Efficient Viral Gene Transcription, **272**, 167–177.
Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions, **274**, 738–747.

HIV-1 protease
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.

HIV-1 regulatory regions
A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

HIV-2
Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer, **268**, 648–654.

HM6 proteins
Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.

HMG proteins
HMG1 Protein Inhibits the Translesion Synthesis of the Major DNA Cisplatin Adduct by Cell Extracts, **270**, 539–543.

HMG-D
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.

HNF1
Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome, **266**, 231–245.

H-NS
Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.

Hoechst 33258
Specific Binding of Hoechst 33258 to the $d(CGCAAATTTGCG)_2$ Duplex: Calorimetric and Spectroscopic Studies, **271**, 244–257.

hok
Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

Holliday junction
The Resolving Enzyme CCE1 of Yeast Opens the Structure of the Four-way DNA Junction, **266**, 122–134.
Structure and Subunit Composition of the RuvAB-Holliday Junction Complex, **266**, 217–222.
Sequence-dependent Crossed Helix Packing in the Crystal Structure of a *B*-DNA Decamer Yields a Detailed Model for the Holliday Junction, **269**, 827–841.
The Junction-resolving Enzyme T7 Endonuclease I: Quaternary Structure and Interaction with DNA, **270**, 169–178.
Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.
Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.
A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.
NMR Study of the Exchange Rate Between Two Stacked Conformers of a Model Holliday Junction, **273**, 519–524.

holoenzyme
A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium, **272**, 178–189.

holopeptidase
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

homeodomain
The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor, **267**, 673–683.
DNA-binding Specificity of the Homeodomain-leucine Zipper Domain, **274**, 303–309.

homing endonuclease
Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site, **265**, 494–506.

homo-dimer
Analysis of Protein-Protein Interaction Sites using Surface Patches, **272**, 132–143.

homogeneous interactions
Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation, **266**, 195–215.

homologous pairing
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein, **267**, 841–848.

homologous recombination
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.

homology modelling
An Automated Classification of the Structure of Protein Loops, **266**, 814–830.
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.
Prediction of Protein Side-chain Rotamers from a Backbone-dependent Rotamer Library: A New Homology Modeling Tool, **267**, 1268–1282.
Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models, **268**, 678–685.
Visible Volume: A Robust Measure for Protein Structure Characterization, **273**, 338–348.
Do Aligned Sequences Share the Same Fold?, **273**, 355–368.

homotrimer
Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain, **270**, 275–284.

Hordeum vulgare
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.

host factor
Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor, **267**, 1089–1103.

"hot start" PCR
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.

Hsc70
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.

hsc73
Maturation of Mammalian 20 S Proteasome: Purification and Characterization of 13 S and 16 S Proteasome Precursor Complexes, **268**, 95–106.

HSP60
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

Hsp70
Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*, **265**, 541–552.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.
A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2, **273**, 1–6.

HTH
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

HU initiation complex
Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein, **274**, 365–380.

human centromere
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.

human immunodeficiency virus ***See*** **HIV**

human immunodeficiency virus type 1 ***See*** **HIV-1**

human LINE-1 (L1Hs)
Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.

human plasma
The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution, **268**, 869–885.

human topoisomerase I
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.

HupR
Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid, **274**, 687–692.

hybrid antibodies
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

hydration
The Structure of the Complex Between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate, **265**, 432–444.
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.

Rules Governing the Orientation of the 2′-Hydroxyl Group in RNA, **274**, 54–63.

hydration structure
The Crystal Structure of a Parallel-Stranded Guanine Tetraplex at 0.95 Å Resolution, **273**, 171–182.

hydrogen bonds
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.
Protein Thermal Stability, Hydrogen Bonds, and Ion Pairs, **269**, 631–643.
Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides, **272**, 465–473.
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

hydrogen exchange
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Denaturants and Temperature, **270**, 89–98.
Amide Hydrogen Exchange and Internal Dynamics the Chemotactic Protein CheY from *Escherichia coli*, **271**, 472–487.

hydrogen exchange protection
Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme, **268**, 903–921.

hydrolysis/alcoholysis
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

hydrophilic interactions
Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation, **266**, 195–215.

hydrophobic collapse
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.

hydrophobic interactions
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.
Fluorescence Properties of a Tryptophan Residue in an Aromatic Core of the Protein Subunit of Ribonuclease P from *Escherichia coli*, **267**, 765–769.
Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution, **267**, 916–932.
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. II. Distance Restraints from Paramagnetic Relaxation and Calculation of an Ensemble of Structures, **268**, 170–184.
Importance of Electrostatic Interactions in the Rapid Binding of Polypeptides to GroEL, **269**, 892–901.

hydrophobic moment
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.

hydrophobicity
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.
Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins, **272**, 613–632.
Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability, **274**, 132–142.

d-2-hydroxyisocaproate dehydrogenase
Crystal Structure of a Ternary Complex of d-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution, **267**, 640–660.

HyHEL-10 antibody
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.

hyperthermophile
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability, **270**, 259–274.
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

hyperthermus
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

hypervariable regions
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

hypoxanthine
Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution, **265**, 202–216.

Iγ subdomain
Solution Structure of the Iγ Subdomain of the Mu End DNA Binding Domain of Phage Mu Transposase, **273**, 19–25.

identity determinants
Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs, **274**, 505–518.

IHF
Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.

IKe
Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements, **266**, 51–65.

IL-6
Solution Structure of Recombinant Human Interleukin-6, **268**, 468–481.

illegitimate recombination
Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination, **266**, 297–305.

image analysis
Structure and Subunit Composition of the RuvAB-Holliday Junction Complex, **266**, 217–222.
Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft, **271**, 235–243.

image processing
Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum*, **265**, 107–111.
Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7, **272**, 362–368.

imino proton exchange
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.
Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids, **271**, 438–455.

immunoelectron microscopy
Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation, **265**, 319–329.

immunofluorescence
Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.

immunogenicity
Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic, **266**, 797–813.

immunoglobulin
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.
The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire, **268**, 69–77.
Stabilization of a Recombinant Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.
Stabilization of a Recombinat Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.
The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artifical F_{ab} Fragment, **268**, 934–951.
NMR Analysis of the Interaction between Protein L and Ig Light Chains, **270**, 8–13.
Folding and Stability of a Fibronectin Type III Domain of Human Tenascin, **270**, 771–778.
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.
Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains, **274**, 530–545.
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.
See also antibody.

immunoglobulin G binding protein
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.

immunoglobulin-like
Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains, **274**, 530–545.

immunoglobulins
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

immunological properties
Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles, **272**, 541–552.

immunophilins
The NMR Solution Conformation of Unligated Human Cyclophilin A, **272**, 64–81.

immunoprecipitation
Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.

i-motif
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.

importins
Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import, **266**, 722–732.
Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β, **274**, 693–707.

***in vitro* assembly**
Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.

***in vitro* selection**
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides, **269**, 188–202.
Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding, **273**, 467–478.

***in vitro* translation**
Release Factor RF3 Abolishes Competition Between Release Factor RF1 and Ribosome Recycling Factor (RRF) for a Ribosome Binding Site, **273**, 389–401.

***in vivo* probing**
A Dynamic *in Vivo* View of the HIV-1 Rev-RRE-Interaction, **266**, 950–962.

IncW plasmid R388
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation, **270**, 188–200.

induced fit
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1\text{-}108}$ Complex, **273**, 882–897.
Crystal Structure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism, **274**, 446–453.

infection *See* specific infections

influenza vines
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.

influenza virus
Guanidinobenzoic Acid Inhibitors of Influenza Virus Neuraminidase, **267**, 584–594.

information content
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.

information theory
Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains, **274**, 530–545.

infrared crystallography
Structural Characterization of the Myoglobin Active Site Using Infrared Crystallography, **274**, 21–26.

infrared spectroscopy
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

inhibition
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate, **271**, 656–668.

inhibition of protein synthesis
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.

inhibitor
Structure-based Identification of a Ricin Inhibitor, **266**, 1043–1049.

inhibitor complexes
The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution, **274**, 84–100.

inhibitor of ion channel activity
Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor, **274**, 16–20.

inhibitory mechanism
Inhibitory Mechanism of Serpins. Indentification of Steps Involving the Active-site Serine of the Protease, **265**, 344–362.

inhibitory peptides
Molecular Characterization of the hdm2–p53 Interaction, **269**, 744–756.

initiation
Reported Translational Bypass in a *trpR'-lacZ'* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.
See also transcription initiation; translation initiation, **272**, 21–30.

initiation complex
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.

initiation of replication
RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.

initiator protein
The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control, **274**, 27–38.

initiator-RNA
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs, **267**, 505–519.

inositol-1,4,5-triphosphate
The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1), **269**, 579–591.

Inr
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.

insertion mutagenesis
Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.

insolubility
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.

instant evolution
In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.

insulin dependent diabetes mellitus
Identification of a Novel Type 1 Diabetes-specific Epitope by Screening Phage Libraries with Sera from Pre-diabetic Patients, **268**, 599–606.

insulin minisatellite
Cystosine-rich Strands of the Insulin Minisatellite Adopt Hairpins with Intercalated Cytosine$^+$·Cytosine Pairs, **272**, 369–382.

integral n^{th}-order reactions
Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein, **267**, 10–16.

integrase
Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

integration
Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.

intercalation
Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.

interdomain linker
Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain, **267**, 953–962.

interfacial activation
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

interferon α
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution, **274**, 661–675.

interferon γ
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1-108}$ Complex, **273**, 882–897.

interleukins
Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.
Solution Structure of Recombinant Human Interleukin-6, **268**, 468–481.

intermolecular drug iodine-guanine amino protein interactions
Solution Structure of the Calicheamicin γ_1^I-DNA Complex, **265**, 187–201.

intermolecular recognition
Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers, **273**, 525–532.

intermolecular strand switch
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.

internal rotation
Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps, **272**, 456–464.

inter-residue contacts
Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme, **268**, 903–921.

intersubunit conformational equilibrium
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

intragenic suppressor
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.

intra-RNA cross-linking
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å, **271**, 524–544.

introns
Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues, **268**, 619–630.

invertase
Tn*3* Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends, **266**, 108–121.

ion binding
Effects of Mg^{2+}, K^+, and H^+ on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.

ion channel
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.
Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.
Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor, **274**, 16–20.

ion pairs
Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution, **267**, 916–932.
Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs, **267**, 1038–1051.
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability, **270**, 259–274.
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.

ion transport
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.

iron
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

iron binding
Three-dimensional Structure of Diferric Bovine Lactoferrin at 2.8 Å Resolution, **274**, 222–236.

iron regulation
Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins, **274**, 72–83.

iron release
Tertiary Structural Changes and Iron Release From Human Serum Transferrin, **270**, 739–750.

iron-sulfur proteins
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

IRP
Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins, **274**, 72–83.

IS*1*
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot, **267**, 548–560.

isoforms
Expression Patterns and Transcript Processing of *ftt-1* and *ftt-2*, two *C. elegans* 14-3-3 Homologues, **268**, 619–630.

isomerization
A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.

3-isopropylmalate dehydrogenase
Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus*, **266**, 1016–1031.

isothermal titration calorimetry
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

isotope enrichment
Automated Analysis of Protein NMR Assignments Using Methods from Artifical Intelligence, **269**, 592–610.

iterative annealing
Folding of RNA Involves Parallel Pathways, **273**, 7–13.

I-tract
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.

K-201
Crystal Structure of Annexin V with its Ligand K-201 as a Calcium Channel Activity Inhibitor, **274**, 16–20.

ketamine
An Abnormal Ketamine Response in Mutants Defective in the Ryanodine Receptor Gene *ryr-1 (unc-68)* of *Caenorhabditis elegans*, **267**, 849–864.

3-Ketoacyl-CoA Thiolase
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

ketol isomerase
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.

keyhole limpet hemocyanin
Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution, **271**, 417–437.

kinase
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

kinesin
Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry, **265**, 553–564.
Kinetic evidence for low chemical processivity in ncd and Eg5, **273**, 160–170.

kinetic analysis
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

kinetic partitioning mechanism
Folding of RNA Involves Parallel Pathways, **273**, 7–13.

kinetic thermal stability
Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.

kinetic traps
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.

kinetics
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.
Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding, **266**, 144–159.
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.
GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases, **268**, 512–525.
Effects of Mg^{2+}, K^+, and H^+ on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.
Dynamic Interplay of TFIIA, TBP and TATA DNA, **271**, 61–75.
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.

kinked DNA
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.

kissing hairpin complex
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.

Klebsiella pneumoniae
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.

Klebsiella pneumoniae
The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase, **266**, 642–648.
In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae*, **269**, 719–731.

***klp-3::lacZ* gene expression**
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.

knowledge-based data structure
Automated Analysis of Protein NMR Assignments Using Methods from Artifical Intelligence, **269**, 592–610.

knowledge-based mean force potentials
Novel Knowledge-based Mean Force Potential at Atomic Level, **267**, 207–222.

knowledge-based scoring functions
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.

KorA
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.

Kunitz-type protease inhibitor
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

L11 protein
The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA, **274**, 101–113.

L9 protein
The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism, **268**, 482–495.
An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability, **270**, 640–647.

***lac* operator**
Escherichia coli lac Repressor-*lac* Operator Interaction and the Influence of Allosteric Effectors, **265**, 1–7.

***lac* repressor**
Escherichia coli lac Repressor-*lac* Operator Interaction and the Influence of Allosteric Effectors, **265**, 1–7.
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site, **267**, 1186–1206.

lactoferrin
Three-dimensional Structure of Diferric Bovine Lactoferrin at 2.8 Å Resolution, **274**, 222–236.

β-lactoglobulin
The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure, **269**, 479–487.

Lactose Permease
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.

lambda chain
The Creation of Diversity in the Human Immunoglobulin V_λ Repertoire, **268**, 69–77.

large nuclear RNP (InRNP) particles
Three-dimensional Image Reconstruction of Large Nuclear RNP (InRNP) Particles by Automated Electron Tomography, **267**, 570–583.

large T antigen
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.

lattice models
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.

LCR
A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

leader and spacer BoxA mutations
Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23S rRNA Synthesis *in Vivo*, **265**, 385–393.

lens fibre cells
Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics, **265**, 590–602.

leucine zipper
DNA-binding Specificity of the Homeodomain-leucine Zipper Domain, **274**, 303–309.

Leukemia
Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

LFB1/HNF1 transcription factor
The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor, **267**, 673–683.

ligand binding
Characterization of Recombinant Soybean Leghemoglobin *a* and Apolar Distal Histidine Mutants, **266**, 1032–1042.
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.

Ca^{2+}-ligands
Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution, **273**, 238–255.

ligation
Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

light chain *See* antibody light chain

light-harvesting core antenna
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.

light-harvesting systems
Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum*, **265**, 107–111.
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.

limited proteolysis
Two-domain Structure of the *td* Intron-encoded Endonuclease I-*Tev*I Correlates with the Two-domain Configuration of the Homing Site, **265**, 494–506.
Probing The Conformational State of Apomyoglobin by Limited Proteolysis, **266**, 223–230.
Determinants for *Escherichia coli* RNA Polymerase Assembly within the β Subunit, **270**, 648–662.

Limulus polyphemus
Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy, **266**, 1002–1015.

linear peptides
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.

linking number
Measurement of the Linking Number Change in Transcribing Chromatin, **267**, 794–806.

lipid-layer crystallization
Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis, **266**, 331–342.

lipoamide dehydrogenase
Molecular Structure of the Lipoamide Dehydrogenase Domain of a Surface Antigen from *Neisseria meningitidis*, **269**, 129–141.

liposome
Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy, **272**, 42–45.

A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform, **273**, 614–622.

Listeria monocytogenes
Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes*, **273**, 269–282.

LMPCR
A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.

LnRNP particles
Three-dimensional Image Reconstruction of Large Nuclear RNP (lnRNP) Particles by Automated Electron Tomography, **267**, 570–583.

local alignments
Protein Secondary Structure Prediction Using Local Alignments, **268**, 31–36.

local folding transitions
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.

local interactions
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.

local stability
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.

locally enhanced sampling
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.

long range interaction
Stabilization Centers in Proteins: Identification, Characterization and Predictions, **272**, 597–612.

790 loop
In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.

loop closure
The Structure of the Complex Between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate, **265**, 432–444.

loop modeling
Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models, **268**, 678–685.

LTR
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.
A Novel Method to Develop Highly Specific Models for Regulatory Units Detect a New LTR in GenBank which Contains a Functional Promoter, **270**, 674–686.

lysine biosynthesis
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

lysozyme
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.
Pressure-induced Changes in the Folded Structure of Lysozyme, **271**, 671–678.
Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability, **274**, 132–142.

lysyl-tRNA
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.

M5a1
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.

macromolecular assembly
Mechanistic Insights into p53-promoted RNA-RNA Annealing, **266**, 677–687.
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution, **273**, 701–713.

macromolecular recognition
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor, **273**, 692–700.

MAD
Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing, **271**, 629–644.
The X-ray Structure of the DNA-binding Domain from the *Saccharomyces cerevisiae* Cell-cycle Transcription Factor Mbp1 at 2.1 Å Resolution, **272**, 1–8.

maize
Crystal Structure of Herbicide-detoxifying Maize Glutathione S-transferase-I in Complex with Lactoylglutathione: Evidence for an Induced-fit Mechanism, **274**, 446–453.
Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides, **274**, 577–587.

major intrinsic protein
Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics, **265**, 590–602.

major mRNAs
Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements, **266**, 51–65.

malaria parasite
Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations, **267**, 1011–1024.
Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.
See also plasmodium palciparum.

malate dehydrogenase
Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction, **266**, 656–664.

maltoporin
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.

maltotetraose complexed α-amylase
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

maltotetraose-forming exo-amylase
Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri*, **267**, 661–672.
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

mammalian development
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

mammalian fertilization
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.

manganese
The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}, **266**, 847–856.

mapping DNA-protein interactions
Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1, **266**, 479–492.

marginal cells
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.

mass spectrometry
Probing The Conformational State of Apomyoglobin by Limited Proteolysis, **266**, 223–230.

mating pheromone
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.

matrix protein
Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein, **274**, 816–825.

maturase
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.

maturation/lysis protein
Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another, **271**, 299–310.

maximum velocity
Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase, **267**, 476–480.

MD simulation
Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations, **267**, 1011–1024.

MDV
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

mean force potentials
Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence, **272**, 276–290.

mechanism of action
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.

mechanism-based inhibitors
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.

membrane aggregation
Structural Analysis of Junctions Formed between Lipid Membranes and Several Annexins by Cryo-electron Microscopy, **272**, 42–45.

membrane assembly
Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane, **267**, 172–183.

membrane binding
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

membrane channel
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.

membrane fusion
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.
The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion, **274**, 381–393.

membrane insertion
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.

membrane protein
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.
The Steric Trigger in Rhodopsin Activation, **269**, 373–384.
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.
The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization, **272**, 266–275.

The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing, **272**, 484–492.
Helix-helix Packing in a Membrane-like Environment, **272**, 633–641.
Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering, **273**, 1002–1017.

membrane skeleton
Solution Structure of the Spectrin Repeat: a Left-handed Antiparallel Triple-helical Coiled-coil, **273**, 740–751.

membrane-associated proteins
Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex, **269**, 102–112.

metal cluster
$Ta_6Br^{2+}_{12}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography, **270**, 1–7.

metal coordination
The Crystal Structure of a Parallel-Stranded Guanine Tetraplex at 0.95 Å Resolution, **273**, 171–182.

metal ion
The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}, **266**, 847–856.

metal ion binding site
Characterization and Divalent Metal-ion Dependence of *in Vitro* Selected Deoxyribozymes which Cleave DNA/RNA Chimeric Oligonucleotides, **269**, 188–202.

metal ligand mutation
Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin, **266**, 357–366.

metallopeptidase
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

metallo-protein
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

metalloproteinase
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

methionine
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs, **267**, 505–519.

methotrexate
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate, **271**, 656–668.

methylated *A*-DNA
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^{5}CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.

methylation
Control of Methylation Spreading in Synthetic DNA Sequences by the Murine DNA Methyltransferase, **269**, 494–504.
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of d(Gm^{5}CGm^{5}CGCGCGC), **270**, 247–258.
Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.

methylation spreading
Control of Methylation Spreading in Synthetic DNA Sequences by the Murine DNA Methyltransferase, **269**, 494–504.

5-methylcytosine
DNA (cytosine-5)-methyltransferases in Mouse Cells and Tissues. Studies with a Mechanism-based Probe, **270**, 385–395.
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.

methylguanine
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.

1-methylguanosine
Salmonella typhimurium, **266**, 283–296.
Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

methylphosphonate
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity, **269**, 113–128.

α-methylproline stabilised type I β-turn
Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations, **267**, 1011–1024.

methyltransferase
Control of Methylation Spreading in Synthetic DNA Sequences by the Murine DNA Methyltransferase, **269**, 494–504.

Mge1
Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*, **265**, 541–552.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.
A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2, **273**, 1–6.

MHC
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.

MHC; +
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules, **267**, 1258–1267.

MHC class 1 molecules
Traffic Control of Completely Assembled MHC Class I Molecules Beyond the Endoplasmic Reticulum, **266**, 993–1001.

MHC class II
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity, **269**, 270–280.

Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.

MHC class II
Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.

microsatellite
(GT)*n* Repetitive Tracts Affect Several Stages of RecA-promoted Recombination, **273**, 105–113.

microsomal glutathione transferase
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.

Microtubule
Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry, **265**, 553–564.
Kinetic evidence for low chemical processivity in ncd and Eg5, **273**, 160–170.

mini-F plasmid
The Central Region of RepE Initiator Protein of Mini-F Plasmid Plays a Crucial Role in Dimerization Required for Negative Replication Control, **274**, 27–38.

minigene translation
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.

minimal frustration
The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units, **272**, 95–105.

MIP
Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics, **265**, 590–602.

mismatch
Solution Structure as a Function of pH of Two Central Mismatches, C·T and C·C, in the 29 to 39 K-*ras* Gene Sequence, by Nuclear Magnetic Resonance and Molecular Dynamics, **268**, 331–347.
RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide, **271**, 168–177.

mismatch pair opening
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.

mismatch repair
Saccharomyces cerevisiae MSH2, a Mispaired Base Recognition Protein, Also Recognizes Holliday Junctions in DNA, **265**, 289–301.

misreading
Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation, **266**, 877–890.

mitochondria
Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{Tyr}$, **265**, 95–99.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.
A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2, **273**, 1–6.
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.

mitochondrial biogenesis
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.

mitochondrial Hsp70
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.

mitochondrial import
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

mitochondrial plasmid
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.

mitochondrial splicing
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.

mitochondrial tRNA
A Novel Pathway in tRNA Biosynthesis, **265**, 365–371.
Structural Rules and Conformational Compensations in the tRNA L-Form, **266**, 269–282.

mitrochondria
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

Mnt protein
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.

mobilization protein
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.

model
Three-dimensional Image Reconstruction of Large Nuclear RNP (InRNP) Particles by Automated Electron Tomography, **267**, 570–583.

model-free analysis
Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain, **267**, 953–962.

modeling by homology *See* homology modelling

modelling
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.
Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog, **271**, 838–845.
See also computer modelling; molecular modelling.

modification
Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs, **274**, 505–518.
See also DNA modification; restriction modification.

modification interference
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.

modification methylase
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.

modified nucleosides
Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.
Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *in vivo* aa-tRNA Selection in a tRNA-dependent Manner, **271**, 209–221.

modular proteins
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.

module shuffling
Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain, **266**, 859–865.

molecular combing
Direct Visualization of Extensibility in Isolated Titin Molecules, **265**, 100–106.

molecular conformation
The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase, **266**, 642–648.

molecular disease
The High Resolution Crystal Structure of Deoxyhemoglobin S, **272**, 398–407.

molecular dynamics
Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study, **266**, 776–796.
Random Walk Models for DNA Synapsis by Resolvase, **270**, 413–425.
Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics, **270**, 436–450.
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.
Torsion Angle Dynamics for NMR Structure Calculation with the New Program Dyana, **273**, 283–298.
Rules Governing the Orientation of the 2′-Hydroxyl Group in RNA, **274**, 54–63.

molecular dynamics simulation
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.
Molecular Dynamics Simulation Study of DNA Dodecamer d(CGCGAATTCGCG) in Solution: Conformation and Hydration, **272**, 553–572.

molecular evolution
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.

molecular modelling
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.
Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization, **267**, 1247–1257.
Pentameric and Decameric Structures in Solution of Serum Amyloid P Component by X-ray and Neutron Scattering and Molecular Modelling Analyses, **272**, 408–422.

molecular motor
Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis, **266**, 331–342.
Kinetic evidence for low chemical processivity in ncd and Eg5, **273**, 160–170.
See also motor.

molecular recognition
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.
Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study, **266**, 1050–1062.
Development and Validation of a Genetic Algorithm for Flexible Docking, **267**, 727–748.
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site, **267**, 1186–1206.
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A, **268**, 494–511.
Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information, **272**, 106–120.
Prediction of Protein-Protein Interaction Sites using Patch Analysis, **272**, 121–131.
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–$IFN\gamma R^{1\text{-}108}$ Complex, **273**, 882–897.
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.

molecular repertoires
Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides, **269**, 694–703.

molecular surface complementarity
Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus, **266**, 135–143.

molten globule
Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme, **268**, 903–921.
The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies, **274**, 237–252.

monoclonal antibodies
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.
Bivalent Binding of a Neutralising Antibody to a Calicivirus Involves the Torsional Flexibility of the Antibody Hinge, **270**, 238–246.

Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage, **271**, 333–341.

monomer-dimer equilibration
The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration, **266**, 173–194.

monomer–dimer equilibrium
A Folded Monomeric Intermediate in the Formation of Lambda Cro Dimer–DNA Complexes, **273**, 402–416.

monomeric chromosomes
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes, **267**, 75–87.

monomeric superoxide dismutase
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.

MONSSTER
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.

Monte Carlo
Protein Folding Simulation with Genetic Algorithms and a Detailed Molecular Description, **269**, 240–259.
Random Walk Models for DNA Synapsis by Resolvase, **270**, 413–425.

motility
Charged Residues of the Rotor Protein FliG Essential for Torque Generation in the Flagellar Motor of *Escherichia coli*, **266**, 733–744.
Residues of the Cytoplasmic Domain of MotA Essential for Torque Generation in the Bacterial Flagellar Motor, **273**, 428–439.

motor
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.
Residues of the Cytoplasmic Domain of MotA Essential for Torque Generation in the Bacterial Flagellar Motor, **273**, 428–439.
See also molecular motor.

motor proteins
Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry, **265**, 553–564.

mRNA
Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse, **270**, 551–558.
Sequence Elements Downstream of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat are Required for Efficient Viral Gene Transcription, **272**, 167–177.
A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

mRNA decay
Analysis of the *in Vivo* Decay of the *Escherichia coli* Dicistronic *pyrF-orfF* Transcript: Evidence for Multiple Degradation Pathways, **268**, 261–272.

mRNA processing
Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli*, **268**, 235–242.

mRNA secondary structure
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.

MS2 *See* bacteriophage MS2

MTCP1 oncogene
Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

mtDNA stability
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

Mu transposase
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.

multidimensional NMR
Characterization of $NADP^+$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift changes, **267**, 1223–1246.

multi-domain protein
Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.
Modular Structure of the Trigger Factor Required for High Activity in Protein Folding, **271**, 827–837.

multimodular proteins
Protein Evolution: Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of Structural Segment of Homology, the Module, **268**, 857–868.

multiple sequence alignment
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.

multi-protein complex
The Active Domain of the Herpes Simplex Virus Protein ICP47: A Potent Inhibitor of the Transporter Associated with Antigen Processing, **272**, 484–492.

muscle
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.
Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure, **265**, 469–474.
Fine Tuning a Molecular Motor: The Location of Alternative Domains in the *Drosophila* Myosin Head, **271**, 1–6.
Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.

muscle contraction
Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution, **273**, 238–255.

muscle regulation
Steric-model for Activation of Muscle Thin Filaments, **266**, 8–14.
Mapping of a Second Actin–Tropomyosin and a Second Troponin C Binding Site within the C Terminus of Troponin I, and their Importance in the Ca^{2+}-dependent Regulation of Muscle Contraction, **271**, 728–750.

muscle-specific transcription
The Transcriptional Activity of a Muscle-specific Promoter Depends Critically on the Structure of the TATA Element and its Binding Protein, **265**, 480–493.

mutagenesis
Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase, **267**, 476–480.
Solution Structure of Recombinant Human Interleukin-6, **268**, 468–481.
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.
Quantitation of the Inhibition of Hfr x F Recombination by the Mutagenesis Complex UmuD'C, **270**, 201–211.
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.
Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter, **273**, 765–774.
Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.
See also random mutagenesis.

mutase
Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog, **271**, 838–845.

mutation
Analysis of Protein-Protein Interactions and the Effects of Amino Acid Mutations on Their Energetics. The Importance of Water Molecules in the Binding Epitope, **269**, 281–297.
In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.

mutation frequency
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2'-deoxyguanosine in *Escherichia coli*, **265**, 302–309.

mycobacteria
Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.

mycobacteriophage
Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.

Mycobacterium tuberculosis
Species-specific tRNA Recognition in Relation to tRNA Synthetase Contact Residues, **269**, 1–9.

myoglobin
Structural Characterization of the Myoglobin Active Site Using Infrared Crystallography, **274**, 21–26.

myosin
Cooperative Rigor Binding of Myosin to Actin is a Function of F-actin Structure, **265**, 469–474.
Steric-model for Activation of Muscle Thin Filaments, **266**, 8–14.
A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation, **266**, 317–330.
A Novel Class of Unconventional Myosins from *Toxoplasma gondii*, **271**, 139–146.
A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans*, **272**, 523–535.
Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.
Visualization of Caldesmon on Smooth Muscle Thin Filaments, **274**, 310–317.
X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2'(3')-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain, **274**, 394–407.

myosin heavy chain
Myosin Rod Protein: A Novel Thick Filament Component of *Drosophila* Muscle, **265**, 40–55.
The Transcriptional Activity of a Muscle-specific Promoter Depends Critically on the Structure of the TATA Element and its Binding Protein, **265**, 480–493.
Fine Tuning a Molecular Motor: The Location of Alternative Domains in the *Drosophila* Myosin Head, **271**, 1–6.

myosin rod protein
Myosin Rod Protein: A Novel Thick Filament Component of *Drosophila* Muscle, **265**, 40–55.

myosin-I
Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis, **266**, 331–342.
Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis, **269**, 548–557.

NAD^+-dependent d-2-hydroxycarboxylate dehydrogenases
Crystal Structure of a Ternary Complex of d-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution, **267**, 640–660.

NADH
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

NAP-2
The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence, **266**, 367–380.

nascent DNA
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.

nascent polypeptide
Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module, **268**, 185–197.
Complementation of Peptide Fragments of the Single Domain Protein Chymotrypsin Inhibitor 2, **273**, 317–329.

nearest-neighbor
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.

negative supercoiling
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.

Neisseria meningitidis
Molecular Structure of the Lipoamide Dehydrogenase Domain of a Surface Antigen from *Neisseria meningitidis*, **269**, 129–141.

neomycin
Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA, **273**, 586–599.

neopterin
Structure-based Identification of a Ricin Inhibitor, **266**, 1043–1049.

netropsin
Kinetics of DNA Hydration, **268**, 118–136.

neural network
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules, **267**, 1258–1267.
Stabilization Centers in Proteins: Identification, Characterization and Predictions, **272**, 597–612.

neuraminidase
Guanidinobenzoic Acid Inhibitors of Influenza Virus Neuraminidase, **267**, 584–594.

Neurospora crassa
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.

neurotoxin
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.
Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding, **268**, 886–902.

neutron scattering
Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation), **266**, 343–356.
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data, **271**, 545–565.
Pentameric and Decameric Structures in Solution of Serum Amyloid P Component by X-ray and Neutron Scattering and Molecular Modelling Analyses, **272**, 408–422.

nickel-lipid monolayer
Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid, **274**, 687–692.

nicking–closing
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.

Nicotiana sylvestris
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

nidogen
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

nitric oxide synthesis
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

nitrite reductase
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

nitrogenase
The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase, **266**, 642–648.

5-nitroindole
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues, **270**, 426–435.

Nitrophenyl-maltotrioside
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.

NMDA receptor
Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

NMR
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and, the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.
Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity, **265**, 565–579.
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.
NMR Solution Structure of the Pathogenesis-related Protein P14a, **266**, 576–593.
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
Solution Structure of the Albumin-binding GA Module: A Versatile Bacterial Protein Domain, **266**, 859–865.
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs, **267**, 505–519.

The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor, **267**, 673–683.

Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^{1}H and ^{13}C Chemical Shifts, **267**, 933–952.

Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain, **267**, 953–962.

Estimating the Relative Populations of 3_{10}-Helix and α-Helix in Ala-rich Peptides: A Hydrogen Exchange and High Field NMR Study, **267**, 963–974.

Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module, **268**, 185–197.

Solution Structure as a Function of pH of Two Central Mismatches, C·T and C·C, in the 29 to 39 K-*ras* Gene Sequence, by Nuclear Magnetic Resonance and Molecular Dynamics, **268**, 331–347.

Solution Structure of the Conserved 16 S-like Ribosomal RNA UGAA Tetraloop, **268**, 348–358.

Solution Structure of R-elafin, a Specific Inhibitor of Elastase, **268**, 666–677.

Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding, **268**, 886–902.

Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability, **268**, 922–933.

The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1), **269**, 579–591.

In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.

NMR Analysis of the Interaction between Protein L and Ig Light Chains, **270**, 8–13.

Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.

Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis, **270**, 99–110.

Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.

Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR, **270**, 496–510.

Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex, **270**, 751–762.

The Detailed Structure of Tandem G·A Mismatched Base-pair Motifs in RNA Duplexes is Context Dependent, **271**, 147–158.

Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids, **271**, 438–455.

Amide Hydrogen Exchange and Internal Dynamics the Chemotactic Protein CheY from *Escherichia coli*, **271**, 472–487.

Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution, **271**, 645–655.

Pressure-induced Changes in the Folded Structure of Lysozyme, **271**, 671–678.

Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy, **271**, 819–826.

A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal, **272**, 82–94.

High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA, **272**, 237–252.

NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation, **272**, 253–265.

Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding, **273**, 467–478.

De Novo Protein Design: Towards Fully Automated Sequence Selection, **273**, 789–796.

Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.

NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein, **274**, 152–159.

An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing, **274**, 213–221.

C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.

Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

See also NMR spectroscopy.

NMR based solution structures

Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

NMR chemical shift analysis

Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface, **273**, 299–316.

NMR relaxation

Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.

The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration, **266**, 173–194.

Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.

NMR solution structure

Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis, **269**, 225–239.

Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.

NMR spectroscopy
Solution Structure of the HIV-2 TAR-Argininamide Complex, **267**, 624–639.
Kinetics of DNA Hydration, **268**, 118–136.
Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme, **268**, 903–921.
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.
NMR Structural Studies of Human Cystatin C Dimers and Monomers, **271**, 266–277.
Cystosine-rich Strands of the Insulin Minisatellite Adopt Hairpins with Intercalated $Cytosine^{+}$·Cytosine Pairs, **272**, 369–382.
NMR Study of the Exchange Rate Between Two Stacked Conformers of a Model Holliday Junction, **273**, 519–524.
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution, **274**, 661–675.
See also NMR.

NMR spin relaxation
Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation, **272**, 790–804.

NMR structure
Limits of NMR Structure Determination using Variable Target Function Calculations: Ribonuclease T_1, a Case Study, **266**, 400–423.
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.
Solution Structure of Recombinant Human Interleukin-6, **268**, 468–481.
The NMR Solution Conformation of Unligated Human Cyclophilin A, **272**, 64–81.
Torsion Angle Dynamics for NMR Structure Calculation with the New Program $Dyana$, **273**, 283–298.
Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins, **274**, 72–83.

NMR structure refinement
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.

NOE patterns
Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

non-claret disjunctional (ncd)
Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry, **265**, 553–564.

non-crystallographic symmetry
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.

non-denaturing gel electrophoresis
A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation, **274**, 353–364.

non-LTR retrotransposon
Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.

non-nucleoside inhibitors
Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions, **274**, 738–747.

non-proline *cis*-peptide
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.

normal mode analysis
Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis, **274**, 114–131.

novel alleles
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.

NTF2 *See* **nuclear transport factor 2**

NtrC
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

NucA
The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease, **268**, 589–598.

nuclear distribution
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.

nuclear import
The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import, **271**, 718–727.
Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.

nuclear magnetic resonance *See* **NMR**

nuclear Overhauser effect
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

nuclear pores
Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.

nuclear scaffold
Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions, **274**, 181–196.

nuclear transport
Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import, **266**, 722–732.
Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β, **274**, 693–707.

nuclear transport factor 2
Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import, **266**, 722–732.

Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.

nuclease

Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.

Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.

The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease, **268**, 589–598.

Recognition and Manipulation of Branched DNA Structure by Junction-resolving Enzymes, **269**, 647–664.

Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

nuclease inhibitor

The *nuiA* Gene from *Anabaena* sp. Encoding an Inhibitor of the NucA Sugar-non-specific Nuclease, **268**, 589–598.

nucleation

The Structural Link Between Polymerization and Sickle Cell Disease, **265**, 475–479.

Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis, **270**, 99–110.

nucleic acid stability

The Structures and Relative Stabilities of d(G·G) Reverse Hoogsteen, d(G·T) Reverse Wobble, and d(G·C) Reverse Watson-Crick Base-pairs in DNA Crystals, **269**, 796–810.

nucleic acid structure

Torsion Angle Dynamics for NMR Structure Calculation with the New Program Dyana, **273**, 283–298.

nucleic acids

Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics, **270**, 436–450.

nucleocapsid protein

Possible Roles of HIV-1 Nucleocapsid Protein in the Specificity of Proviral DNA Synthesis and in Its Variability, **268**, 250–260.

nucleocytoplasmic transport

Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.

nucleoid protein

Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.

nucleolus

Interdependence in the Processing of Ribosomal RNAs in *Schizosaccharomyces pombe*, **273**, 782–788.

Structural Features in the 3′ External Transcribed Spacer Affecting Intragenic Processing of Yeast rRNA, **274**, 481–490.

nucleoporin p62

Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import, **266**, 722–732.

nucleoside analogs

Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer, **268**, 648–654.

Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.

nucleosome

Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.

Identification and Characterization of Genomic Nucleosome-positioning Sequences, **267**, 807–817.

DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.

Mapping of Linear Histone Regions Exposed at the Surface of the Nucleosome in Solution, **273**, 52–60.

The N Tails of Histones H3 and H4 Adopt a Highly Structured Conformation in the Nucleosome, **273**, 503–508.

Clusters of Nucleosomes Containing Chromosomal Protein HMG-17 in Chromatin, **274**, 454–465.

nucleosome core particle

Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria, **272**, 301–311.

nucleosome dynamics

Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome, **274**, 708–721.

nucleosome mobility

Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome, **274**, 708–721.

nucleotide excision repair

Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex, **266**, 703–710.

nucleotide release

Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*, **265**, 541–552.

nucleotides

X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2′(3′)-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain, **274**, 394–407.

o591

The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

Ogr protein

Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase, **274**, 1–7.

oligo-1,6-glucosidase

The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.

oligomer mutants
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.

oligomeric structure
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.

oligomerization
A Dynamic *in Vivo* View of the HIV-1 Rev-RRE-Interaction, **266**, 950–962.

oligonucleotide
A DNA Decamer with a Sticky End: The Crystal Structure of d-CGACGATCGT, **267**, 881–898.
Effect of Cytosine Methylation on DNA–DNA Recognition at CpG Steps, **270**, 328–335.
Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes, **272**, 688–698.

oligonucleotide library
Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1, **266**, 479–492.

open complex
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near -10 and Expands Unidirectionally, **267**, 47–59.
Role of Open Complex Instability in Kinetic Promoter Selection by Bacteriophage T7 RNA Polymerase, **273**, 956–975.

order parameters
Contributions to Protein Entropy and Heat Capacity from Bond Vector Motions Measured by NMR Spin Relaxation, **272**, 790–804.

oriC
Complexes at the Replication Origin of *Bacillus subtilis* with Homologous and Heterologous DnaA Protein, **274**, 365–380.

origin *see* DNA replication origin

origin of life
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

origin of transfer
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation, **270**, 188–200.

osmolytes
Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme, **274**, 748–756.

osmoregulation
Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors, **269**, 301–312.
Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro*, **270**, 346–359.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.

osteogenesis imperfecta
Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain, **270**, 275–284.

outer membrane protein
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.
Channel Specificity: Structural Basis for Sugar Discrimination and Differential Flux Rates in Maltoporin, **272**, 56–63.

ovalbumin
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

Overhauser effect
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

ovomucoid
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

OWL database
Intermediate Sequences Increase the Detection of Homology Between Sequences, **273**, 349–354.

ba_3-oxidase
Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing, **271**, 629–644.

β-oxidation
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

oxidized *Anacystis nidulans* flavodoxin
Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

oxidoreductase
Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae*, **268**, 137–146.

8-oxodG
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli*, **265**, 302–309.

oxygen-17 relaxation dispersion
Kinetics of DNA Hydration, **268**, 118–136.

oxygenic photosynthesis
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.

p*K*
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.

pK_a
Modeling of Protein Conformational Fluctuations in PK_a Predictions, **267**, 1001–1010.
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate, **271**, 656–668.
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

p15A replicon
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.

p53 protein
Mechanistic Insights into p53-promoted RNA-RNA Annealing, **266**, 677–687.
Molecular Characterization of the hdm2–p53 Interaction, **269**, 744–756.
In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53, **273**, 873–881.

packaging
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.
See also DNA packaging.

pactamycin
Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA, **274**, 8–15.

papillomavirus
Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.

parA
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*par*C Complex, **269**, 505–513.

paralogous proteins
Protein Evolution: Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of Structural Segment of Homology, the Module, **268**, 857–868.

para-nitrobenzyl esterase
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.

pararetrovirus
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.

parasite
Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic, **266**, 797–813.

parM protein
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*par*C Complex, **269**, 505–513.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.

PARP
Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei*, **269**, 529–547.

partial adiabatic compressibility
The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies, **274**, 237–252.

partial volume
The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies, **274**, 237–252.

partially folded states
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.

particle mesh Ewald
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.

particle structure
Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.

partitioning
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*par*C Complex, **269**, 505–513.

parvulin
Catalysis of Protein Folding by Parvulin, **273**, 752–762.

pathophysiology
The Structural Link Between Polymerization and Sickle Cell Disease, **265**, 475–479.

Patterson search
The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution, **268**, 869–885.

pausing and termination
Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme, **269**, 10–27.

P_{BAD} promoter mediated gene expression
Quantitation of the Inhibition of Hfr x F^- Recombination by the Mutagenesis Complex UmuD'C, **270**, 201–211.

PCR *see* polymerase chain reaction

pea
Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site, **269**, 623–630.

peach latent mosaic viroid
Peach Latent Mosaic Viroid is Locked by a 2',5'-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.

pentraxin
Crystal Structure of a Decameric Complex of Human Serum Amyloid P Component with Bound dAMP, **269**, 570–579.

peptide
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
Phenotypic Heterogeneity of Mutational Changes at a Conserved Nucleotide in 16 S Ribosomal RNA, **267**, 1113–1123.
Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.
Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.
Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.
The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes, **274**, 622–634.
See also polypeptides; synthetic peptides.

peptide binding
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

peptide nucleic acids
Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids, **271**, 438–455.

peptidyl transferase
Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome, **266**, 40–50.

peptidyl-prolyl *cis/trans* isomerase (PPIase)
Modular Structure of the Trigger Factor Required for High Activity in Protein Folding, **271**, 827–837.

peptidyl-prolyl isomerase
Crystal Structure of Cytoplasmic *Escherichia coli* Peptidyl-prolyl Isomerase: Evidence for Decreased Mobility of Loops upon Complexation, **271**, 258–265.

peptidyl-tRNA hydrolase
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.

perdeuteration
Characterization of $NADP^+$ Binding to Perdeuterated MurB: Backbone Atom NMR Assignments and Chemical-shift changes, **267**, 1223–1246.

PEVK
Direct Visualization of Extensibility in Isolated Titin Molecules, **265**, 100–106.

pH
Consideration of the pH-dependent Inhibition of Dihydrofolate Reductase by Methotrexate, **271**, 656–668.
Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC, **274**, 466–480.
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

PH domain
The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1), **269**, 579–591.

phage *see* Bacteriophage

phage display
Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel *in vivo* Selection for Protein-ligand Interactions, **268**, 607–618.
Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides, **269**, 694–703.
Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage, **269**, 704–708.
Stable Heterodimers from Remodeling the Domain Interface of a Homodimer using a Phage Display Library, **270**, 26–35.
Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers, **273**, 525–532.
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein, **274**, 588–596.

phage display library
Mapping the Protein Surface of Human Immunodeficiency Virus Type 1 gp120 using Human Monoclonal Antibodies from Phage Display Libraries, **267**, 684–695.
Identification of a Novel Type 1 Diabetes-specific Epitope by Screening Phage Libraries with Sera from Pre-diabetic Patients, **268**, 599–606.
Molecular Characterization of the hdm2–p53 Interaction, **269**, 744–756.
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.
Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage, **271**, 333–341.

phage evolution *see* bacteriophage evolution

phage Mu *see* bacteriophage Mu

phage ø29 *see* bacteriophage ø29

phase determination
$Ta_6Br^{2+}_{12}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography, **270**, 1–7.

phase extension
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.

phased hypersensitivity
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli*, **270**, 152–168.

phenamil
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.

phenotype
HIV/SIV Glycoproteins: Structure-function Relationships, **273**, 122–149.

phenylalanine
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.

pheromone
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.
Charges, Hydrogen Bonds, and Correlated Motions in the 1 Å Resolution Refined Structure of the Mating Pheromone Er-1 from *Euplotes raikovi*, **273**, 479–500.

phi-value
Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module, **268**, 185–197.

PhoE protein
Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.

phosphatidylinositol
Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes*, **273**, 269–282.

6-Phospho-β-galactosidase
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.

phosphofructokinase
Allosteric Activation Increases the Maximum Velocity of *E. coli* Phosphofructokinase, **267**, 476–480.

Phospholipase A_2
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

phospholipase A_2 inhibitor
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.

phospholipase C
Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes*, **273**, 269–282.

phospholipid vesicles
Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering, **273**, 1002–1017.

phosphorelay
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.

phosphorylase kinase
Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation, **265**, 319–329.

phosphorylation
Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.
Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface, **273**, 299–316.

phosphotyrosine binding domains
Modified Phage Peptide Libraries as a Tool to Study Specificity of Phosphorylation and Recognition of Tyrosine Containing Peptides, **269**, 694–703.

photocrosslinking
Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes, **272**, 688–698.

photocycle
Transient Channel-opening in Bacteriorhodopsin: an EPR study, **273**, 949–955.

photosynthesis
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.

photosynthetic reaction centre
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.
Helix Packing in Membrane Proteins, **272**, 780–789.

phylogenetic analysis
A Novel Class of Unconventional Myosins from *Toxoplasma gondii*, **271**, 139–146.
A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans*, **272**, 523–535.

phylogenetic comparison
Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements, **266**, 51–65.

physalis mottle tymovirus assembly
Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles, **272**, 541–552.

Physarum polycephalum
Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution, **271**, 645–655.

physical map
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats, **271**, 386–404.

physical mapping
A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans*, **272**, 523–535.

picornavirus
Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

pigment
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.

pilin
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.

plant DNA repair
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

plant pathogenesis-related proteins
NMR Solution Structure of the Pathogenesis-related Protein P14a, **266**, 576–593.

plasmid accommodation proteins
Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements, **271**, 13–30.

plasmid genome organization
Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements, **271**, 13–30.

plasmid pIP501
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.

plasmid pMV158
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.

plasmid R1
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*par*C Complex, **269**, 505–513.
Role of Mitochondrial GrpE and Phosphate in the ATPase Cycle of Matrix Hsp70, **270**, 321–327.

Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

plasmid replication
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.

plasmid RK2
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.

plasmid stability
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*parC* Complex, **269**, 505–513.

plasmid transfer
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.

plasminogen activator inhibitor-2
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

Plasmodium
A Novel Class of Unconventional Myosins from *Toxoplasma gondii*, **271**, 139–146.

Plasmodium falciparum
Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations, **267**, 1011–1024.
See also malaria parasite.

plastid
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.

platelet proteins
The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence, **266**, 367–380.

β-pleated sheet
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.

pleckstrin homology domain
The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration, **266**, 173–194.
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

P-loop
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.

PNA-DNA hybrids
Unique Base-pair Breathing Dynamics in PNA-DNA Hybrids, **271**, 438–455.

point mutation
Ligand-induced Conformational Changes in *ras* p21: A Normal Mode and Energy Minimization Analysis, **274**, 114–131.

Poisson–Boltzmann equation
Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.
Electrostatic and Non-electrostatic Contributions to the Binding Free Energies of Anthracycline Antibiotics to DNA, **274**, 253–267.

poliovirus
Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

poly(A)
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein, **269**, 67–81.

Poly(A)-binding protein
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein, **269**, 67–81.

polyadenylation
Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{Tyr}$, **265**, 95–99.

polycistronic mRNA
Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another, **271**, 299–310.

polycomb
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.

poly(dA)·poly(dT)
X-ray Fibre Diffraction Study of an Elevated Temperature Structure of Poly(dA)·Poly(dT), **274**, 64–71.

polymer physics
Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.

polymerase active site
ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.

polymerase chain reaction
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli*, **265**, 302–309.
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues, **270**, 426–435.
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.
Differential DNA Replication Origin Activities in Human Normal Skin Fibroblast and HeLa Cell Lines, **273**, 509–518.

A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

polymerase kinetics
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.

polymerases
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.
See also DNA polymerase; RNA polymerase.

polymerization
The Structural Link Between Polymerization and Sickle Cell Disease, **265**, 475–479.
Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein, **274**, 816–825.

polymers
Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft, **271**, 235–243.

polymorphic crystals
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^{5}CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.

polymorphism
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.

polynomial method
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules, **267**, 1258–1267.

polyomavirus
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.

polypeptide/ion interactions
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.

polypeptides
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
See also peptide.

poly-proline type II
Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^{1}H and ^{13}C Chemical Shifts, **267**, 933–952.

polypurine primer
Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis, **269**, 225–239.

polysaccharide
The Three-dimensional Structures of a Polysaccharide Binding Antibody to *Cryptococcus neoformans* and its Complex with a Peptide from a Phage Display Library: Implications for the Identification of Peptide Mimotopes, **274**, 622–634.

porcine seminal plasma PSP-I/PSP-II
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.

pore
Crystal Structure of the Gramicidin/Potassium Thiocyanate Complex, **266**, 963–977.

porin
Voltage Sensing in the PhoE and OmpF Outer Membrane Porins of *Escherichia coli*: Role of Charged Residues, **269**, 468–472.

portal protein
Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.

positioning
Identification and Characterization of Genomic Nucleosome-positioning Sequences, **267**, 807–817.

positive control
The Activation Defect of a λ*cI* Positive Control Mutant, **265**, 261–265.
Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase, **274**, 1–7.

positive control mutants
The Activation Defect of a λ*cI* Positive Control Mutant, **265**, 261–265.

post-segregational killing
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

post-transcriptional regulation
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.

potassium permanganate
RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.

potential of mean force
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.
Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation, **266**, 195–215.

Pr160$^{gag\ pol}$
Effects of Mutations in Pr160$^{gag\text{-}pol}$ upon tRNA^{Lys3} and Pr160$^{gag\text{-}pol}$ Incorporation into HIV-1, **265**, 419–431.

precursor tRNA 3′ endonuclease
A Novel Pathway in tRNA Biosynthesis, **265**, 365–371.

prediction
Prediction of Protein-Protein Interaction Sites using Patch Analysis, **272**, 121–131.
Stabilization Centers in Proteins: Identification, Characterization and Predictions, **272**, 597–612.

predictive docking algorithm
Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information, **272**, 106–120.

preferential repair
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site, **271**, 31–46.

pre-incision complex
Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex, **266**, 703–710.

pre-mRNA splicing
Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core, **265**, 87–94.
Three-dimensional Image Reconstruction of Large Nuclear RNP (lnRNP) Particles by Automated Electron Tomography, **267**, 570–583.

pre-rRNA processing
An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-rRNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA, **273**, 552–571.

presequence
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.

pressure
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.
See also high pressure.

primer extension analysis
Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23S rRNA Synthesis *in Vivo*, **265**, 385–393.

prion diseases
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform, **273**, 614–622.

prion protein
The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion, **274**, 381–393.

prion protein synthetic peptide
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.

probabilistic model
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

probing
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50%, **271**, 47–60.
See also chemical probing.

procathepsin B
Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen, **271**, 774–788.

processing
Filamentous Phage IKe mRNAs Conserve Form and Function Despite Divergence in Regulatory Elements, **266**, 51–65.
Functional Cooperation of the Mitochondrial Processing Peptidase Subunits, **272**, 213–225.

processivity
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.
Kinetic evidence for low chemical processivity in ncd and Eg5, **273**, 160–170.

procyclic forms
Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei*, **269**, 529–547.

profilin
Control of Actin Dynamics in Cell Motility, **269**, 459–467.

prolactin secretion
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.

proline isomerization
A Comparison of the Folding Kinetics and Thermodynamics of Two Homologous Fibronectin Type III Modules, **270**, 763–770.

proline residue
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.

proline substitution
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.

proline tRNA synthetase
Salmonella typhimurium, **266**, 283–296.

prolyl isomerase
Catalysis of Protein Folding by Parvulin, **273**, 752–762.

prolyl isomerization
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.

promiscuous plasmids
Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements, **271**, 13–30.

promoter
Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome, **266**, 231–245.
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near -10 and Expands Unidirectionally, **267**, 47–59.
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot, **267**, 548–560.
In Vivo Analyses of Upstream Promoter Sequence Elements in the 5 S rRNA Gene from *Saccharomyces cerevisiae*, **269**, 676–683.
Role of Open Complex Instability in Kinetic Promoter Selection by Bacteriophage T7 RNA Polymerase, **273**, 956–975.

promoter activity
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.

promoter analysis
A Novel Method to Develop Highly Specific Models for Regulatory Units Detect a New LTR in GenBank which Contains a Functional Promoter, **270**, 674–686.

promoter assembly
Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.

promoter competition
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.

promoter strength
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.

promoter structure
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.

β-propeller structures
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.

proprotein processing
Maturation of Mammalian 20 S Proteasome: Purification and Characterization of 13 S and 16 S Proteasome Precursor Complexes, **268**, 95–106.

protease
Inhibitory Mechanism of Serpins. Indentification of Steps Involving the Active-site Serine of the Protease, **265**, 344–362.
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.
Three-dimensional Structure of an Fab-Peptide Complex: Structural Basis of HIV-1 Protease Inhibition by a Monoclonal Antibody, **267**, 1207–1222.
Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

proteasome
Maturation of Mammalian 20 S Proteasome: Purification and Characterization of 13 S and 16 S Proteasome Precursor Complexes, **268**, 95–106.
Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes, **273**, 646–657.

protein
The Rate of Isomerisation of Peptidyl-proline Bonds as a Probe for Interactions in the Physiological Denatured State of Chymotrypsin Inhibitor 2, **269**, 611–622.
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

protein A
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.

protein aggregation
Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction, **266**, 656–664.

protein analogs
Bioincorporation of Telluromethionine inro Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins, **270**, 616–623.

protein analysis
An Automated Classification of the Structure of Protein Loops, **266**, 814–830.

protein assembly
The Replisome Organizer (G38P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.

protein association
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
The Entropy Cost of Protein Association, **273**, 1046–1058.

protein backbone dynamics
Amide Hydrogen Exchange and Internal Dynamics the Chemotactic Protein CheY from *Escherichia coli*, **271**, 472–487.

protein biosynthesis *see* protein synthesis

protein C
Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.

protein classification
Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures, **268**, 539–556.

protein conformation
Conformation-invariant Structures of the $\alpha_1\beta_1$ Human Hemoglobin Dimer, **270**, 598–615.
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor, **273**, 692–700.

protein contacts
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.

protein crystallization
Crystal Structure of the Bacteriochlorophyll *a* Protein from *Chlorobium tepidium*, **271**, 456–471.
Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme, **274**, 748–756.

protein crystallography
Validation of Protein Models from C^α Coordinates Alone, **273**, 371–376.

protein data base
NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein, **274**, 152–159.

protein design
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.
Visible Volume: A Robust Measure for Protein Structure Characterization, **273**, 338–348.
De Novo Protein Design: Towards Fully Automated Sequence Selection, **273**, 789–796.

protein dynamics
The Main-chain Dynamics of the Dynamin Pleckstrin Homology (PH) Domain in Solution: Analysis of ^{15}N Relaxation with Monomer/Dimer Equilibration, **266**, 173–194.
Probing The Conformational State of Apomyoglobin by Limited Proteolysis, **266**, 223–230.
NMR Solution Structure of the Pathogenesis-related Protein P14a, **266**, 576–593.
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A, **268**, 494–511.
fd Coat Protein Structure in Membrane Environments: Structural Dynamics of the Loop Between the Hydrophobic Trans-Membrane Helix and the Amphipathic In-Plane Helix, **270**, 481–495.
Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex, **270**, 751–762.
The NMR Solution Conformation of Unligated Human Cyclophilin A, **272**, 64–81.

protein engineering
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artifical F_{ab} Fragment, **268**, 934–951.
The Role of Glu73 of Barnase in Catalysis and the Binding of Barstar, **270**, 111–122.
Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.
Complementation of Peptide Fragments of the Single Domain Protein Chymotrypsin Inhibitor 2, **273**, 317–329.
Glutamine, Alanine or Glycine Repeats Inserted into the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, **273**, 330–337.

protein evolution
Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation, **269**, 423–439.
Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution, **271**, 645–655.
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.

protein export
Module Swaps between Related Translocator Proteins pIV^{f1}, pIV^{IKe} and PulD: Identification of a Specificity Domain, **266**, 978–992.

protein expression
Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria, **272**, 301–311.

protein families
Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion, **267**, 749–761.
Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures, **268**, 539–556.
Protein Evolution: Viewed through *Escherichia coli* Protein Sequences: Introducing the Notion of Structural Segment of Homology, the Module, **268**, 857–868.

protein filament
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.

protein flexibility
Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.

protein fold recognition *see* fold recognition

protein folding
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.
Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity, **265**, 565–579.
Probing The Conformational State of Apomyoglobin by Limited Proteolysis, **266**, 223–230.
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.
Binding, Encapsulation and Ejection: Substrate Dynamics During a Chaperonin-assisted Folding Reaction, **266**, 656–664.
Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds, **266**, 831–846.
Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.
Novel Knowledge-based Mean Force Potential at Atomic Level, **267**, 207–222.
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. II. Distance Restraints from Paramagnetic Relaxation and Calculation of an Ensemble of Structures, **268**, 170–184.
Following Co-operative Formation of Secondary and Tertiary Structure in a Single Protein Module, **268**, 185–197.
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.
GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases, **268**, 512–525.
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.
A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State, **268**, 816–821.
Structural Characterisation and Comparison of the Native and A-States of Equine Lysozyme, **268**, 903–921.
Protein Folding Simulation with Genetic Algorithms and a Detailed Molecular Description, **269**, 240–259.
The Domains in γB-crystallin: Identical Fold–Different Stabilities, **269**, 260–269.

Role of the Carboxy-terminal Phenylalanine in the Biogenesis of Outer Membrane Protein PhoE of *Escherichia coli* K-12, **269**, 473–478.
The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure, **269**, 479–487.
Protein Thermal Stability, Hydrogen Bonds, and Ion Pairs, **269**, 631–643.
Importance of Electrostatic Interactions in the Rapid Binding of Polypeptides to GroEL, **269**, 892–901.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Denaturants and Temperature, **270**, 89–98.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis, **270**, 99–110.
Three-state Model for Lysozyme Folding: Triangular Folding Mechanism With an Energetically Trapped Intermediate, **270**, 294–304.
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.
An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability, **270**, 640–647.
A Comparison of the Folding Kinetics and Thermodynamics of Two Homologous Fibronectin Type III Modules, **270**, 763–770.
Folding and Stability of a Fibronectin Type III Domain of Human Tenascin, **270**, 771–778.
NMR Structural Studies of Human Cystatin C Dimers and Monomers, **271**, 266–277.
Multiple Cycles of Global Unfolding of GroEL-bound Cyclophilin A Evidenced by NMR, **271**, 803–818.
Modular Structure of the Trigger Factor Required for High Activity in Protein Folding, **271**, 827–837.
Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides, **272**, 465–473.
The Structural Stability of the Co-chaperonin GroES, **272**, 770–779.
Complementation of Peptide Fragments of the Single Domain Protein Chymotrypsin Inhibitor 2, **273**, 317–329.
Glutamine, Alanine or Glycine Repeats Inserted into the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, **273**, 330–337.
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor, **273**, 692–700.
Catalysis of Protein Folding by Parvulin, **273**, 752–762.
Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.
The Entropy Cost of Protein Association, **273**, 1046–1058.
Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein, **274**, 160–173.
The Native and the Heat-induced Denatured States of α-Chymotrypsinogen A: Thermodynamic and Spectroscopic Studies, **274**, 237–252.
See also folding.

protein folding kinetics ***see*** **folding kinetics**

protein foot-printing
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data, **271**, 545–565.

protein fragment
An Exceptionally Stable Helix from the Ribosomal Protein L9: Implications for Protein Folding and Stability, **270**, 640–647.
The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units, **272**, 95–105.

protein function
Fine Tuning a Molecular Motor: The Location of Alternative Domains in the *Drosophila* Myosin Head, **271**, 1–6.

protein import into mitochondria
Mdj2p, a Novel DnaJ Homolog in the Mitochondrial Inner Membrane of the Yeast *Saccharomyces cerevisiae*, **272**, 477–483.

protein interactions
Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY, **273**, 623–634.

protein interface
Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.
In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53, **273**, 873–881.

protein L
Contrasting Roles for Symmetrically Disposed β-Turns in the Folding of a Small Protein, **274**, 588–596.

protein ligand docking
Development and Validation of a Genetic Algorithm for Flexible Docking, **267**, 727–748.

protein lipid interaction
Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane, **267**, 172–183.

protein location
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.

protein loops
An Automated Classification of the Structure of Protein Loops, **266**, 814–830.
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.

protein model quality
Validation of Protein Models from C^{α} Coordinates Alone, **273**, 371–376.

protein model validation
Validation of Protein Models from C^{α} Coordinates Alone, **273**, 371–376.

protein modeling
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.

protein modules
NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation, **272**, 253–265.

protein mutagenesis
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein, **269**, 67–81.

protein NMR
Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

protein oligomerization
Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution, **268**, 655–665.

protein packing
Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane, **267**, 172–183.

protein patterns
An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line, **265**, 394–408.

protein polymerization
The High Resolution Crystal Structure of Deoxyhemoglobin S, **272**, 398–407.

protein prediction
An Automated Classification of the Structure of Protein Loops, **266**, 814–830.
Protein Secondary Structure Prediction Using Local Alignments, **268**, 31–36.
See also protein structure prediction.

protein prediction algorithms
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.

protein processing
Effects of Mutations in $Pr160^{gag\text{-}pol}$ upon $tRNA^{Lys3}$ and $Pr160^{gag\text{-}pol}$ Incorporation into HIV-1, **265**, 419–431.

protein recognition
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.

protein RNA interaction
An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-rRNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA, **273**, 552–571.

protein S1
Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor, **267**, 1089–1103.

protein secondary structure prediction
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.
Protein Secondary Structure Prediction Using Local Alignments, **268**, 31–36.
See also protein structure prediction.

protein secretion
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.

protein self-association
NMR Structural Studies of Human Cystatin C Dimers and Monomers, **271**, 266–277.

protein sequence analysis
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.

protein sorting
A Mutant Form of Mitochondrial GrpE Suppresses the Sorting Defect Caused by an Alteration in the Presequence of Cytochrome b_2, **273**, 1–6.

protein stability
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.
Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs, **267**, 1038–1051.
The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism, **268**, 482–495.
A Histidine Variant of Yeast Iso-1-cytochrome *c* that Strongly Affects the Energetics of the Denatured State, **268**, 816–821.
The Domains in γB-crystallin: Identical Fold–Different Stabilities, **269**, 260–269.
Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence, **272**, 276–290.
Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps, **272**, 456–464.
Stabilization Centers in Proteins: Identification, Characterization and Predictions, **272**, 597–612.
Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability, **274**, 132–142.
C-capping and Helix Stability: The Pro C-capping Motif, **274**, 276–288.
Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.
See also protein thermostability.

protein structural alignment
Visible Volume: A Robust Measure for Protein Structure Characterization, **273**, 338–348.

protein structure
The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence, **266**, 367–380.
Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.
NMR Solution Structure of the Pathogenesis-related Protein P14a, **266**, 576–593.
The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor, **267**, 673–683.
Prediction of Protein Side-chain Rotamers from a Backbone-dependent Rotamer Library: A New Homology Modeling Tool, **267**, 1268–1282.
Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae*, **268**, 137–146.
Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding, **268**, 886–902.
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.
Three-dimensional Structure of the DNA-binding Domain of the Fructose Repressor from *Escherichia coli* by ^{1}H and ^{15}N NMR, **270**, 496–510.

The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.
The High Resolution Crystal Structure of Deoxyhemoglobin S, **272**, 398–407.
Helix Packing in Membrane Proteins, **272**, 780–789.
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.
Torsion Angle Dynamics for NMR Structure Calculation with the New Program Dyana, **273**, 283–298.
Validation of Protein Models from C^{α} Coordinates Alone, **273**, 371–376.
Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.
The Three-dimensional High Resolution Structure of Human Interferon α-2a Determined by Heteronuclear NMR Spectroscopy in Solution, **274**, 661–675.
Solution Structure of Human p8*MTCP1*, a Cysteine-rich Protein Encoded by the *MTCP1* Oncogene, Reveals a New α-Helical Assembly Motif, **274**, 801–815.

protein structure prediction
Novel Knowledge-based Mean Force Potential at Atomic Level, **267**, 207–222.
Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models, **268**, 678–685.
Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation, **269**, 423–439.
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.
Do Aligned Sequences Share the Same Fold?, **273**, 355–368.
See also protein secondary structure prediction.

protein subdomains
Amide Hydrogen Exchange and Internal Dynamics the Chemotactic Protein CheY from *Escherichia coli*, **271**, 472–487.

protein synthesis
Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation), **266**, 343–356.
A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage, **266**, 939–949.
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.

protein targeting
Traffic Control of Completely Assembled MHC Class I Molecules Beyond the Endoplasmic Reticulum, **266**, 993–1001.

protein thermostability
Protein Thermal Stability, Hydrogen Bonds, and Ion Pairs, **269**, 631–643.

protein tyrosine phosphatase
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.
The Power Stroke of the DnaK/DnaJ/GrpE Molecular Chaperone System, **269**, 757–768.

protein unfolding
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

proteinase
Refined X-ray Crystallographic Structure of the Poliovirus 3C Gene Product, **273**, 1030–1045.

proteinase A
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.

proteinase inhibitor
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC, **269**, 881–891.

protein-carbohydrate recognition
Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.

protein–DNA complexes
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.
DNA-binding Specificity of the Homeodomain-leucine Zipper Domain, **274**, 303–309.

protein-DNA interaction *see* DNA-protein interaction

protein-DNA recognition
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity, **269**, 113–128.

protein-nucleic acid recognition
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.

protein–protein complex
Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information, **272**, 106–120.

protein-protein docking
Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus, **266**, 135–143.
Modelling Protein Docking using Shape Complementarity, Electrostatics and Biochemical Information, **272**, 106–120.

protein-protein footprinting
Determinants for *Escherichia coli* RNA Polymerase Assembly within the β Subunit, **270**, 648–662.

protein-protein interaction
Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core, **265**, 87–94.
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.
Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY, **267**, 150–162.

Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
Empirical Free Energy Calculations: A Blind Test and Further Improvements to the Method, **268**, 401–411.
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A, **268**, 494–511.
Electrostatic Complementarity at Protein/Protein Interfaces, **268**, 570–584.
Partitioning of Plasmid R1. The ParM Protein Exhibits ATPase Activity and Interacts with the Centromere-like ParR-*parC* Complex, **269**, 505–513.
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.
NMR Analysis of the Interaction between Protein L and Ig Light Chains, **270**, 8–13.
Correlated Mutations Contain Information About Protein–protein Interaction, **271**, 511–523.
Prediction of Protein-Protein Interaction Sites using Patch Analysis, **272**, 121–131.
Analysis of Protein-Protein Interaction Sites using Surface Patches, **272**, 132–143.
Hydropathic Analysis of the Non-covalent Interactions between Molecular Subunits of Structurally Characterized Hemoglobins, **272**, 613–632.
Nuclear Protein Import is Decreased by Engineered Mutants of Nuclear Transport Factor 2 (NTF2) that do not Bind GDP-Ran, **272**, 716–730.
In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53, **273**, 873–881.

protein-RNA interactions
Salmonella typhimurium, **266**, 283–296.
Mechanistic Insights into p53-promoted RNA-RNA Annealing, **266**, 677–687.
Solution Structure of the HIV-2 TAR-Argininamide Complex, **267**, 624–639.
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein, **269**, 67–81.
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.
The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA, **274**, 101–113.
Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein, **274**, 160–173.
See also RNA-protein recognition.

proteolysis control
Structural and Functional Effects of PA700 and Modulator Protein on Proteasomes, **273**, 646–657.
See also limited proteolysis.

proteolytic antibody
Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

protofilament
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction, **273**, 729–739.

proton linkage
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

proton pump
Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein, **271**, 405–416.

proviral DNA synthesis
Possible Roles of HIV-1 Nucleocapsid Protein in the Specificity of Proviral DNA Synthesis and in Its Variability, **268**, 250–260.

PROXYL
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.

pSC101
Novel Alleles of the *Escherichia coli dnaA* Gene, **271**, 693–703.
The *Escherichia coli dnaA* Gene: Four Functional Domains, **274**, 546–561.

pseudoknot
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.
See also RNA pseudoknot.

Pseudomonas aeruginosa
Crystal Structures of Modified Apo-His117Gly and Apo-His46Gly Mutants of *Pseudomonas aeruginosa* Azurin, **266**, 357–366.
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats, **271**, 386–404.

Pseudomonas stutzeri
Crystal Structure of a Maltotetraose-forming Exo-amylase from *Pseudomonas stutzeri*, **267**, 661–672.
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

pseudouridine
Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.
Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs, **274**, 505–518.

pterin-4a-carbinolamine dehydratase
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.

pteroic acid
Structure-based Identification of a Ricin Inhibitor, **266**, 1043–1049.

PTPase
Energetics of Nucleophile Activation in a Protein Tyrosine Phosphatase, **265**, 118–127.

pullulalanase secretion
Module Swaps between Related Translocator Proteins pIV^{f1}, pIV^{IKe} and PulD: Identification of a Specificity Domain, **266**, 978–992.

pulsed-field gel electrophoresis
Large Genome Rearrangements Discovered by the Detailed Analysis of 21 *Pseudomonas aeruginosa* Clone C Isolates Found in Environment and Disease Habitats, **271**, 386–404.

purification
Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics, **265**, 590–602.

purine nucleoside phosphorylase
Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution, **265**, 202–216.

purine-purine pairing
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.

purine tracts
DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome, **266**, 507–524.

pyrrole-carboxamide dipoles
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

pyrrole-imidazole polyamide
Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex, **274**, 439–445.

Qβ *see* bacteriophage Qβ

Q base
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.

quantitative DNA sequencing
Quantitative Specificity of the Mnt Repressor, **271**, 178–194.

quantitative PCR
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli*, **265**, 302–309.

quantitative RT PCR
A Novel Highly Reproducible Quantitative Competitive RT PCR System, **274**, 338–352.

quasi-chemical approximation
Determination of Atomic Desolvation Energies from the Structures of Crystallized Proteins, **267**, 707–726.

quasi-equivalence
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.

quasiharmonic modes
Domain Motions in Dihydrofolate Reductase: A Molecular Dynamics Study, **266**, 776–796.

quasipalindrome
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.

quaternary geometry
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.

quaternary structure
Structure of Dihydrodipicolinate Synthase of *Nicotiana sylvestris* Reveals Novel Quaternary Structure, **274**, 608–621.

quinolone
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

radial distribution functions
Inter-residue Potentials in Globular Proteins and the Dominance of Highly Specific Hydrophilic Interactions at Close Separation, **266**, 195–215.

Ran
Molecular Interactions Between the Importin α/β Heterodimer and Proteins Involved in Vertebrate Nuclear Protein Import, **266**, 722–732.

random coil
NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein, **274**, 152–159.

random crystal state
Determination of Atomic Desolvation Energies from the Structures of Crystallized Proteins, **267**, 707–726.

random mutagenesis
Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage, **269**, 704–708.
Strategies for the *in vitro* Evolution of Protein Function: Enzyme Evolution by Random Recombination of Improved Sequences, **272**, 336–347.

rapid-reaction kinetics
Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.
Random Walk Models for DNA Synapsis by Resolvase, **270**, 413–425.

Ras-p21
The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}, **266**, 847–856.

rate enhancement
Acceleration of the Folding of Hen Lysozyme by Trifluoroethanol, **265**, 112–117.

reaction centre
Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum*, **265**, 107–111.

reaction kinetics
Three-state Model for Lysozyme Folding: Triangular Folding Mechanism With an Energetically Trapped Intermediate, **270**, 294–304.

reaction mechanism
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

real-time detection
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

Reb1p
RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals, **268**, 229–234.

RecA protein
RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins, **265**, 519–540.
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.
RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide, **271**, 168–177.
(GT)*n* Repetitive Tracts Affect Several Stages of RecA-promoted Recombination, **273**, 105–113.

RecBCD enzyme
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.

receptor binding
Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.

receptor flexibility
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.

receptor–ligand interactions
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.

recoding
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50%, **271**, 47–60.

recognition
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site, **267**, 1186–1206.
See also molecular recognition.

recombinant antibody
A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform, **273**, 614–622.

recombinant nucleosome
Characterization of Nucleosome Core Particles Containing Histone Proteins Made in Bacteria, **272**, 301–311.

recombinant proteins
Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

recombinant virus
Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.

recombinase
Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

recombination
Saccharomyces cerevisiae MSH2, a Mispaired Base Recognition Protein, Also Recognizes Holliday Junctions in DNA, **265**, 289–301.
RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins, **265**, 519–540.
The Resolving Enzyme CCE1 of Yeast Opens the Structure of the Four-way DNA Junction, **266**, 122–134.
Mutant RecA Proteins Which Form Hexamer-sized Oligomers, **266**, 306–316.
Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4, **266**, 927–938.
Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY, **267**, 150–162.
Recognition and Manipulation of Branched DNA Structure by Junction-resolving Enzymes, **269**, 647–664.
The Junction-resolving Enzyme T7 Endonuclease I: Quaternary Structure and Interaction with DNA, **270**, 169–178.
The DNA Replication Protein PriA and the Recombination Protein RecG Bond D-loops, **270**, 212–221.
Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.
Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.
RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide, **271**, 168–177.
Biochemical Properties of $RuvB^{D113N}$: A Mutation in Helicase Motif II of the RuvB Hexamer Affects DNA Binding and ATPase Activities, **271**, 704–717.
A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.
The RecBCD Enzyme Initiation Complex for DNA Unwinding: Enzyme Positioning and DNA Opening, **272**, 699–715.
(GT)*n* Repetitive Tracts Affect Several Stages of RecA-promoted Recombination, **273**, 105–113.
An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing, **274**, 213–221.
See also site-specific recombination.

recombination activating gene
Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes, **267**, 1–9.

recombination hotspot
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot, **267**, 548–560.

reconstitution
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.

reduced protein models
MONSSTER: A Method for Folding Globular Proteins with a Small Number of Distance Restraints, **265**, 217–241.

reduced representation
Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds, **266**, 831–846.

reduced spectral density mapping
Unusual Lack of Internal Mobility And Fast Overall Tumbling in Oxidized Flavodoxin from *Anacystis nidulans*, **272**, 443–455.

refinement
The Three-dimensional Structure of Flavodoxin Reductase from *Escherichia coli* at 1.7 Å Resolution, **268**, 147–157.

region 1
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.

regulator proteins
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.

regulatory repetitive sequences
Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements, **271**, 13–30.

regulatory RNA
The Antiterminator RNA of Phage HK022, **272**, 677–687.

β regulatory subunit
Proximal Regions of the Catalytic γ and Regulatory β Subunits on the Interior Lobe Face of Phosphorylase Kinase are Structurally Coupled to Each Other and with Enzyme Activation, **265**, 319–329.

regulon
Organization of the Leading Region of IncN Plasmid pKM101 (R46): A Regulon Controlled by CUP Sequence Elements, **271**, 13–30.

relaxation
Module–Module Interactions in the Cell Binding Region of Fibronectin: Stability, Flexibility and Specificity, **265**, 565–579.

^{15}N relaxation
Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI, **269**, 154–164.

relaxed muscle
Myosin Head Configuration in Relaxed Fish Muscle: Resting State Myosin Heads Must Swing Axially by up to 150 Å or Turn Upside Down to Reach Rigor, **273**, 440–455.

release factors
Release Factor RF3 Abolishes Competition Between Release Factor RF1 and Ribosome Recycling Factor (RRF) for a Ribosome Binding Site, **273**, 389–401.

remote homology detection
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.

repair
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli*, **265**, 302–309.
RecA Protein Filaments: End-dependent Dissociation from ssDNA and Stabilization by RecO and RecR Proteins, **265**, 519–540.
See also DNA repair.

replicase
Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor, **267**, 1089–1103.

replication
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.
Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects, **272**, 312–326.
See also DNA replication.

replication asymmetry
Leading *versus* Lagging Strand Mutagenesis Induced by 7,8-Dihydro-8-oxo-2′-deoxyguanosine in *Escherichia coli*, **265**, 302–309.

replication initiation protein
The Replisome Organizer (G*38*P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.

replication intermediates
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.

replication origin
The Replisome Organizer (G*38*P) of *Bacillus subtilis* Bacteriophage SPP1 Forms Specialized Nucleoprotein Complexes with Two Discrete Distant Regions of the SPP1 Genome, **270**, 50–64.
See also DNA replication origin.

repression
A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.
Repression and Activation of Promoter-bound RNA Polymerase Activity by Gal Repressor, **272**, 293–300.

repressors *see lac* repressor; transcriptional repressor; *trp* repressor

resolvase
Tn3 Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends, **266**, 108–121.
Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.

resonant mirror
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.

response regulator
Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors, **269**, 301–312.
In Vitro Binding of the Response Regulator CitB and of its Carboxy-terminal Domain to A + T-rich DNA Target Sequences in the Control Region of the Divergent *citC* and *citS* Operons of *Klebsiella pneumoniae*, **269**, 719–731.

Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid, **274**, 687–692.

restriction endonuclease
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.
Conformational Transitions and Structural Deformability of *Eco*RV Endonuclease Revealed by Crystallographic Analysis, **273**, 207–225.
See also endonuclease.

restriction enzyme
Mutations in the Res Subunit of the *Eco*PI Restriction Enzyme that Affect ATP-dependent Reactions, **269**, 342–354.

restriction enzymes
Mutations in the Res Subunit of the *Eco*PI Restriction Enzyme that Affect ATP-dependent Reactions, **269**, 342–354.
Characterization of the Interaction Between the Restriction Endonuclease McrBC from *E. coli* and its Cofactor GTP, **272**, 190–199.

restriction site mutation
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.

restriction-modification
Selection of Non-specific DNA Cleavage Sites by the Type IC Restriction Endonuclease *Eco*R124I, **271**, 112–123.
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.
Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.

retina
The Steric Trigger in Rhodopsin Activation, **269**, 373–384.

retinal proteins
Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein, **271**, 405–416.
Transient Channel-opening in Bacteriorhodopsin: an EPR study, **273**, 949–955.

retroposon
cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts, **271**, 222–234.

retrotransposon
Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.

retroviral proteases
The 80's loop (residues 78 to 85) is Important for the Differential Activity of Retroviral Proteases, **267**, 467–475.

retrovirus
Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA, **270**, 36–49.
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.
See also HIV.

Rev
A Dynamic *in Vivo* View of the HIV-1 Rev-RRE-Interaction, **266**, 950–962.
Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β, **274**, 693–707.

reverse base-pairs
The Structures and Relative Stabilities of d(G·G) Reverse Hoogsteen, d(G·T) Reverse Wobble, and d(G·C) Reverse Watson-Crick Base-pairs in DNA Crystals, **269**, 796–810.

reverse transcriptase
HIV Genetic Variation is Directed and Restricted by DNA Precursor Availability, **270**, 139–151.
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.
Resistance to Nevirapine of HIV-1 Reverse Transcriptase Mutants: Loss of Stabilizing Interactions and Thermodynamic or Steric Barriers are Induced by Different Single Amino Acid Substitutions, **274**, 738–747.

reverse transcription
Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis, **269**, 225–239.

RFX
Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.

rhizomucor miehei
Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.

rho factor
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.

rhodamine
Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter, **273**, 775–781.

rhodopsin
The Steric Trigger in Rhodopsin Activation, **269**, 373–384.
An Alpha-carbon Template for the Transmembrane Helices in the Rhodopsin Family of G-protein-coupled Receptors, **272**, 144–164.

Rhodospirillum rubrum
Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum*, **265**, 107–111.

ribgrass mosaic virus
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses, **269**, 769–779.

ribonuclease *see* RNase

ribonucleoprotein complex

Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.

ribose zipper

Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

ribosomal genes

RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals, **268**, 229–234.

ribosomal protein

The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism, **268**, 482–495.

Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.

The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA, **274**, 101–113.

ribosomal P-site

Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

ribosomal RNA

Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23S rRNA Synthesis *in Vivo*, **265**, 385–393.

Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.

Assessing the Reliability of RNA Folding using Statistical Mechanics, **267**, 1104–1112.

Phenotypic Heterogeneity of Mutational Changes at a Conserved Nucleotide in 16 S Ribosomal RNA, **267**, 1113–1123.

Solution Structure of the Conserved 16 S-like Ribosomal RNA UGAA Tetraloop, **268**, 348–358.

Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.

In Vivo Analyses of Upstream Promoter Sequence Elements in the 5 S rRNA Gene from *Saccharomyces cerevisiae*, **269**, 676–683.

In Vivo Determination of RNA Structure–Function Relationships: Analysis of the 790 Loop in Ribosomal RNA, **269**, 732–743.

Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.

An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function, **272**, 327–335.

Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA, **273**, 586–599.

Interdependence in the Processing of Ribosomal RNAs in *Schizosaccharomyces pombe*, **273**, 782–788.

Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.

Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA, **274**, 8–15.

The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA, **274**, 101–113.

Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex, **274**, 439–445.

Structural Features in the 3′ External Transcribed Spacer Affecting Intragenic Processing of Yeast rRNA, **274**, 481–490.

ribosomal RNA antitermination

Role of the Spacer BoxA of *Escherichia coli* Ribosomal RNA Operons in Efficient 23S rRNA Synthesis *in Vivo*, **265**, 385–393.

ribosomal RNA mutants

Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome, **266**, 40–50.

ribosomal RNA secondary structure

A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å, **271**, 524–544.

ribosome

Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.

Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome, **266**, 40–50.

Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.

Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation), **266**, 343–356.

Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.

Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA, **274**, 8–15.

The RNA Binding Domain of Ribosomal Protein L11: Three-dimensional Structure of the RNA-bound Form of the Protein and its Interaction with 23 S rRNA, **274**, 101–113.

ribosome kinetics

An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function, **272**, 327–335.

ribosome maturation

Interdependence in the Processing of Ribosomal RNAs in *Schizosaccharomyces pombe*, **273**, 782–788.

Structural Features in the 3′ External Transcribed Spacer Affecting Intragenic Processing of Yeast rRNA, **274**, 481–490.

ribosome models

Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.

ribosome recycling
Release Factor RF3 Abolishes Competition Between Release Factor RF1 and Ribosome Recycling Factor (RRF) for a Ribosome Binding Site, **273**, 389–401.

ribosome structure
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.

ribothymidine
Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs, **274**, 505–518.

ribozyme
Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction, **266**, 493–506.
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns, **267**, 520–536.
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.
Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.
Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.
The Detailed Structure of Tandem G·A Mismatched Base-pair Motifs in RNA Duplexes is Context Dependent, **271**, 147–158.
Folding of RNA Involves Parallel Pathways, **273**, 7–13.
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.
A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation, **274**, 353–364.

ribozyme genetics
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.

ribulose 1,5-biphosphate
The Structure of the Complex Between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate, **265**, 432–444.

ricin
Structure-based Identification of a Ricin Inhibitor, **266**, 1043–1049.

RIP/Rab
Interactions between HIV Rev and Nuclear Import and Export Factors: The Rev Nuclear Localisation Signal Mediates Specific Binding to Human Importin-β, **274**, 693–707.

RNA
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.
Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics, **270**, 436–450.
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.
Molecular Cloning and Expression of the *Caenorhabditis elegans klp-3*, an Ortholog of C Terminus Motor Kinesins Kar3 and *ncd*, **270**, 627–639.
Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype, **272**, 665–676.
The Antiterminator RNA of Phage HK022, **272**, 677–687.
Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA, **273**, 84–92.
Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.
See also catalytic RNA.

10Sa RNA
In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA, **268**, 803–808.

RNA aptamer complex
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.

RNA aptamer complexes
Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

RNA binding
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.
A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.
The Stability and Dynamics of Ribosomal Protein L9: Investigations of a Molecular Strut by Amide Proton Exchange and Circular Dichroism, **268**, 482–495.
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.
Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding, **270**, 696–710.

RNA binding domain
A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal, **272**, 82–94.

RNA binding protein
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.
A *Xenopus* Zinc Finger Protein that Specifically Binds dsRNA and RNA-DNA Hybrids, **271**, 195–208.

RNA catalysis
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.

RNA coliphage
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.

RNA conformation
Structural Rules and Conformational Compensations in the tRNA L-Form, **266**, 269–282.
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns, **267**, 520–536.
A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation, **274**, 353–364.

RNA editing
Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{Tyr}$, **265**, 95–99.

RNA encapsidation
Assembly of Physalis Mottle Virus Capsid Protein in *Escherichia coli* and the Role of Amino and Carboxy Termini in the Formation of the Icosahedral Particles, **272**, 541–552.

RNA folding
Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding, **266**, 144–159.
Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction, **266**, 493–506.
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.
Assessing the Reliability of RNA Folding using Statistical Mechanics, **267**, 1104–1112.
Effects of Mg^{2+}, K^{+}, and H^{+} on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.
Folding of RNA Involves Parallel Pathways, **273**, 7–13.
Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding, **273**, 467–478.
Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

RNA folding pathway
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

RNA melting curve
A Group II Self-splicing Intron from the Brown Alga *Pylaiella littoralis* is Active at Unusually Low Magnesium Concentrations and Forms Populations of Molecules with a Uniform Conformation, **274**, 353–364.

RNA modelling
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

RNA-P53 interaction
Mechanistic Insights into p53-promoted RNA-RNA Annealing, **266**, 677–687.

RNA phage
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
Analysis of Phage MS2 Coat Protein Mutants Expressed from a Reconstituted Phagemid Reveals that Proline 78 is Essential for Viral Infectivity, **266**, 1–7.

RNA polymerase
Design of CytR Regulated, cAMP-CRP Dependent Class II Promoters in *Escherichia coli*: RNA Polymerase-Promoter Interactions Modulate the Efficiency of CytR Repression, **266**, 866–876.
Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near -10 and Expands Unidirectionally, **267**, 47–59.
Flexible Linker in the RNA Polymerase Alpha Subunit Facilitates the Independent Motion of the C-terminal Activator Contact Domain, **267**, 953–962.
Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase, **268**, 37–53.
Multiple Interactions Stabilize a Single Paused Transcription Intermediate in which Hairpin to 3′ End Spacing Distinguishes Pause and Termination Pathways, **268**, 54–68.
Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors, **269**, 301–312.
Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy, **270**, 125–138.
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.
Repression and Activation of Promoter-bound RNA Polymerase Activity by Gal Repressor, **272**, 293–300.
The Antiterminator RNA of Phage HK022, **272**, 677–687.
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.
Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ, **273**, 797–813.
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

RNA polymerase α subunit
Activation of P2 Late Transcription by P2 Ogr Protein Requires a Discrete Contact Site on the C Terminus of the α Subunit of *Escherichia coli* RNA Polymerase, **274**, 1–7.

RNA polymerase I
RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals, **268**, 229–234.

RNA polymerase II
Measurement of the Linking Number Change in Transcribing Chromatin, **267**, 794–806.

RNA polymerase III
A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators, **268**, 243–249.
cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts, **271**, 222–234.

RNA processing
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA, **273**, 84–92.
Interdependence in the Processing of Ribosomal RNAs in *Schizosaccharomyces pombe*, **273**, 782–788.
Structural Features in the 3′ External Transcribed Spacer Affecting Intragenic Processing of Yeast rRNA, **274**, 481–490.

RNA pseudoknot
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.
Effects of Mg^{2+}, K^{+}, and H^{+} on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.
Base-pairings within the RNA Pseudoknot Associated with the Simian Retrovirus-1 *gag-pro* Frameshift Site, **270**, 464–470.

RNA rearrangements
Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

RNA recognition motif
Differential Effects of Aromatic and Charged Residue Substitutions in the RNA Binding Domains of the Yeast Poly(A)-binding Protein, **269**, 67–81.

RNA secondary structure
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.
Assessing the Reliability of RNA Folding using Statistical Mechanics, **267**, 1104–1112.
Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase, **268**, 37–53.
Multiple Interactions Stabilize a Single Paused Transcription Intermediate in which Hairpin to 3′ End Spacing Distinguishes Pause and Termination Pathways, **268**, 54–68.
An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-rRNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA, **273**, 552–571.

RNA stability
Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.

RNA stem-loop
The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions, **270**, 724–738.

RNA structure
Multiple Tertiary Interactions Involving Domain II of Group II Self-splicing Introns, **267**, 520–536.
Suppressors of *cis*-Acting Splicing-deficient Mutations that Affect the Ribozyme Core of a Group II Intron, **267**, 537–547.
Solution Structure of the HIV-2 TAR-Argininamide Complex, **267**, 624–639.
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.
Solution Structure of the Conserved 16 S-like Ribosomal RNA UGAA Tetraloop, **268**, 348–358.
Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.
The Detailed Structure of Tandem G·A Mismatched Base-pair Motifs in RNA Duplexes is Context Dependent, **271**, 147–158.
Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another, **271**, 299–310.
Mutant ATP-binding RNA Aptamers Reveal the Structural Basis for Ligand Binding, **273**, 467–478.
Structure and Dynamics of the Iron Responsive Element RNA: Implications for Binding of the RNA by Iron Regulatory Binding Proteins, **274**, 72–83.

RNA tertiary interaction
Remarkable Morphological Variability of a Common RNA Folding Motif: The GNRA Tetraloop-Receptor Interaction, **266**, 493–506.

RNA tertiary structure
Effects of Mg^{2+}, K^{+}, and H^{+} on an Equilibrium between Alternative Conformations of an RNA Pseudoknot, **270**, 451–463.

RNA virus
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.

RNA-dependent RNA polymerase
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

RNA-DNA hybrid
RNA-DNA Hybrid Formation at a Bacteriophage T4 Replication Origin, **266**, 915–926.
Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis, **269**, 225–239.

RNA-protein cross-linking
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. II. The RNA-Protein Interaction Data, **271**, 545–565.

RNA-protein interaction
Probing RNA-Protein Interactions Using Pyrene-labeled Oligonucleotides: Qβ Replicase Efficiently Binds Small RNAs by Recognizing Pyrimidine Residues, **273**, 600–613.

RNA–protein interactions *see* protein-RNA interaction

RNA-protein recognition
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.

RNA-RNA annealing
Mechanistic Insights into p53-promoted RNA-RNA Annealing, **266**, 677–687.

RNA-RNA interactions
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.
Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA, **270**, 36–49.
Inter-domain Cross-linking and Molecular Modelling of the Hairpin Ribozyme, **274**, 197–212.

RNase
Analysis of the *in Vivo* Decay of the *Escherichia coli* Dicistronic *pyrF-orfF* Transcript: Evidence for Multiple Degradation Pathways, **268**, 261–272.
Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.

RNase E
Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli*, **268**, 235–242.

RNase H
Solution Structure of r(gaggacug):d(CAGTCCTC) Hybrid: Implications for the Initiation of HIV-1 (+)-Strand Synthesis, **269**, 225–239.

RNase inhibitor
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A, **268**, 494–511.

RNase P
A Novel Pathway in tRNA Biosynthesis, **265**, 365–371.
Fluorescence Properties of a Tryptophan Residue in an Aromatic Core of the Protein Subunit of Ribonuclease P from *Escherichia coli*, **267**, 765–769.
Analysis of the Functional Role of Conserved Residues in the Protein Subunit of Ribonuclease P from *Escherichia coli*, **267**, 818–829.

RNase protection assay
An Approximately Half Set of Histone Genes Is Enough for Cell Proliferation and a Lack of Several Histone Variants Causes Protein Pattern Changes in the DT40 Chicken B Cell Line, **265**, 394–408.
Splicing and Intron-internal RNA Editing of *trnK-matK* Transcripts in Barley Plastids: Support for MatK as an Essential Splice Factor, **270**, 179–187.

RNase T_1
Limits of NMR Structure Determination using Variable Target Function Calculations: Ribonuclease T_1, a Case Study, **266**, 400–423.

RNP complex
Ribonuclease and High Salt Sensitivity of the Ribonucleoprotein Complex Formed by the Human LINE-1 Retrotransposon, **271**, 7–12.

RNP motif
A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal, **272**, 82–94.

rolling circle replicating plasmid
The Mobilization Protein, MobM, of the Streptococcal Plasmid pMV158 Specifically Cleaves Supercoiled DNA at the Plasmid *oriT*, **266**, 688–702.

rolling circle replication
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.
Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.

rotamer
Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps, **272**, 456–464.

rotavirus
Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7, **272**, 362–368.

RpoS
Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro*, **270**, 346–359.

RRE
A Dynamic *in Vivo* View of the HIV-1 Rev-RRE-Interaction, **266**, 950–962.

RRF
Release Factor RF3 Abolishes Competition Between Release Factor RF1 and Ribosome Recycling Factor (RRF) for a Ribosome Binding Site, **273**, 389–401.

rRNA *see* ribosomal RNA

RT polypurine tract
Structure of a DNA Analog of the Primer for HIV-1 RT Second Strand Synthesis, **269**, 811–826.

rubisco
The Structure of the Complex Between Rubisco and its Natural Substrate Ribulose 1,5-Bisphosphate, **265**, 432–444.

RuvA
Structure and Subunit Composition of the RuvAB-Holliday Junction Complex, **266**, 217–222.

RuvB
Structure and Subunit Composition of the RuvAB-Holliday Junction Complex, **266**, 217–222.

RuvC
A New Holliday Junction Resolving Enzyme from *Schizosaccharomyces pombe* that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.

ryanodine receptor gene
An Abnormal Ketamine Response in Mutants Defective in the Ryanodine Receptor Gene *ryr-1 (unc-68)* of *Caenorhabditis elegans*, **267**, 849–864.

saccharide binding
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.

saccharide-DNA minor groove interactions
Solution Structure of the Esperamicin A_1-DNA Complex, **265**, 173–186.
Solution Structure of the Calicheamicin γ_1^I-DNA Complex, **265**, 187–201.

Saccharomyces cerevisaie
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.

Saccharomyces cerevisiae
Saccharomyces cerevisiae MSH2, a Mispaired Base Recognition Protein, Also Recognizes Holliday Junctions in DNA, **265**, 289–301.
A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators, **268**, 243–249.
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.
An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-rRNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA, **273**, 552–571.

Salmonella typhimurium
Salmonella typhimurium, **266**, 283–296.
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.
Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus*, **266**, 1016–1031.
Distinct Regions of Bacterial Flagellar Switch Protein FliM Interact with FliG, FliN and CheY, **273**, 623–634.

salt
Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase, **268**, 37–53.

salt bridges
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs, **267**, 1038–1051.

salt effects
Salt Effects on Protein Stability: Two-stranded α-Helical Coiled-coils Containing Inter- or Intrahelical Ion Pairs, **267**, 1038–1051.

salvage pathway
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.

sarcomeric myosin rod
A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation, **266**, 317–330.

scFv fragment
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.
Stabilization of a Recombinat Fv Fragment by Base-loop Interconnection and V_H-V_L Permutation, **268**, 107–117.
Selective Phage Infection Mediated by Epitope Expression of F Pilus, **273**, 544–551.

scaffold-attached regions
Stress-induced Duplex DNA Destabilization in Scaffold/Matrix Attachment Regions, **274**, 181–196.

scaffolding protein
Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution, **268**, 655–665.
Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution, **273**, 701–713.

scanning force microscopy
Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy, **270**, 125–138.

scanning transmission electron microscopy (STEM)
The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import, **271**, 718–727.

Schellman motif
Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

Schiff-base formation
Structure and Mechanism of a Sub-family of Enzymes Related to *N*-Acetylneuraminate Lyase, **266**, 381–399.

Schizosaccharomyces pombe
A New Holliday Junction Resolving Enzyme from kb*Schizosaccharomyces pombe*kk that is Homologous to CCE1 from *Saccharomyces cerevisiae*, **272**, 509–522.

SCOP
Intermediate Sequences Increase the Detection of Homology Between Sequences, **273**, 349–354.

scrapie
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
Molecular Properties of Complexes Formed Between the Prion Protein and Synthetic Peptides, **270**, 574–586.
A Conformational Transition at the N Terminus of the Prion Protein Features in Formation of the Scrapie Isoform, **273**, 614–622.

search algorithm
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.

secA
Dual Regulation of *Escherichia colí secA* Translation by Distinct Upstream Elements, **265**, 128–141.
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.
Transcriptional Analysis of the *Caulobacter* 4.5 S RNA *ffs* Gene and the Physiological Basis of an *ffs* Mutant with a Ts Phenotype, **272**, 665–676.

SecB
Folding of Barnase in the Presence of the Molecular Chaperone SecB, **274**, 268–275.

SECIS element
Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion, **266**, 637–641.

secondary structure
Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.
Folding Kinetics of Che Y Mutants with Enhanced Native α-Helix Propensities, **266**, 610–620.
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.
Role of β-Turn Residues in β-Hairpin Formation and Stability in Designed Peptides, **273**, 898–912.
See also RNA secondary structure; protein structure.

secondary structure prediction
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.

secretory phospholipase A_2
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

seed protein
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC, **269**, 881–891.

SelD
SelD Homolog from *Drosophila* Lacking Selenide-dependent Monoselenophosphate Synthetase Activity, **274**, 174–180.

selection
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.
Small-molecule–Substrate Interactions with a Self-aminoacylating Ribozyme, **268**, 631–639.
RecA Protein Assisted Selection Reveals a Low Fidelity of Recognition of Homology in a Duplex DNA by an Oligonucleotide, **271**, 168–177.
Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *in vivo* aa-tRNA Selection in a tRNA-dependent Manner, **271**, 209–221.
Essential Structures of a Self-aminoacylating RNA, **274**, 519–529.

selectively-infective Phage (SIP)
Selectively-infective Phage (SIP): A Mechanistic Dissection of a Novel *in vivo* Selection for Protein-ligand Interactions, **268**, 607–618.

selectivity
Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.

selenocysteine
SelD Homolog from *Drosophila* Lacking Selenide-dependent Monoselenophosphate Synthetase Activity, **274**, 174–180.

selenomethionine
Bioincorporation of Telluromethionine inro Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins, **270**, 616–623.

selenophosphate
SelD Homolog from *Drosophila* Lacking Selenide-dependent Monoselenophosphate Synthetase Activity, **274**, 174–180.

selenoprotein
The Crystal Structure of Seleno-Glutathione Peroxidase from Human Plasma at 2.9 Å Resolution, **268**, 869–885.

selenoprotein synthesis
Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion, **266**, 637–641.
SelD Homolog from *Drosophila* Lacking Selenide-dependent Monoselenophosphate Synthetase Activity, **274**, 174–180.

SELEX
Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes, **272**, 688–698.

self-assembly
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

self-ligation
Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.

self-splicing
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.

senescence
Possible Mechanisms for the Regulation of Telomere Length, **273**, 814–825.

sequence
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.
DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.
Cloning, Sequencing, Crystallization and X-ray Structure of Glutathione S-transferase-III from *Zea mays var. mutin*: A Leading Enzyme in Detoxification of Maize Herbicides, **274**, 577–587.

sequence alignment
Global Self-organization of All Known Protein Sequences Reveals Inherent Biological Signatures, **268**, 539–556.
Do Aligned Sequences Share the Same Fold?, **273**, 355–368.
See also alignment; sequence.

sequence analysis
Relation Between Amino Acid Composition and Cellular Location of Proteins, **266**, 594–600.
An Alpha-carbon Template for the Transmembrane Helices in the Rhodopsin Family of G-protein-coupled Receptors, **272**, 144–164.

sequence identity
Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation, **269**, 423–439.

sequence motifs
An Automated Classification of the Structure of Protein Loops, **266**, 814–830.

sequence optimization
De Novo Protein Design: Towards Fully Automated Sequence Selection, **273**, 789–796.

sequence profile
Sequence Profiles of Immunoglobulin and Immunoglobulin-like Domains, **274**, 530–545.

sequence search
Intermediate Sequences Increase the Detection of Homology Between Sequences, **273**, 349–354.

sequence specific recognition and discrimination
Structure, Recognition and Adaptive Binding in RNA Aptamer Complexes, **272**, 645–664.

sequence-dependent structure
DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures, **265**, 603–619.

sequence-specific structure
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.

sequencing
Mapping to Nucleotide Resolution of Pseudouridine Residues in Large Subunit Ribosomal RNAs from Representative Eukaryotes, Prokaryotes, Archaebacteria, Mitochondria and Chloroplasts, **266**, 246–268.

serine proteases
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.

serine proteinase inhibition
Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study†, **269**, 558–569.

serpin
Inhibitory Mechanism of Serpins. Indentification of Steps Involving the Active-site Serine of the Protease, **265**, 344–362.
Analysis of Serpin Inhibitory Function by Mutagenesis of Ovalbumin and Generation of Chimeric Ovalbumin/PAI-2 Fusion Proteins, **267**, 561–569.

serum amyloid P component
Pentameric and Decameric Structures in Solution of Serum Amyloid P Component by X-ray and Neutron Scattering and Molecular Modelling Analyses, **272**, 408–422.

Sex-lethal
A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal, **272**, 82–94.

SH3 domain
Solution Structure of the Grb2 N-terminal SH3 Domain Complexed with a Ten-Residue Peptide Derived from SOS: Direct Refinement Against NOEs, *J*-couplings and ^1H and ^{13}C Chemical Shifts, **267**, 933–952.

shape-dependent catalysis
High Resolution Solution Structure of a DNA Duplex Alkylated by the Antitumor Agent Duocarmycin SA, **272**, 237–252.

sheared G·A pair
Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.

short consensus repeats
NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation, **272**, 253–265.

short-homology-independent
Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination, **266**, 297–305.

sickle cell disease
The Structural Link Between Polymerization and Sickle Cell Disease, **265**, 475–479.
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Mutagenesis, **270**, 99–110.
The High Resolution Crystal Structure of Deoxyhemoglobin S, **272**, 398–407.

side-chain
Two Complementary Methods for Predicting Peptides Binding Major Histocompatibility Complex Molecules, **267**, 1258–1267.

side-by-side binding
Crystal Structures of the Side-by-side Binding of Distamycin to AT-containing DNA Octamers d(ICITACIC) and d(ICATATIC), **267**, 1157–1170.

side-chain
Free Energies of Amino Acid Side-chain Rotamers in α-Helices, β-Sheets and α-Helix N-Caps, **272**, 456–464.
Hydrogen Bonding Interactions between Glutamine and Asparagine in α-Helical Peptides, **272**, 465–473.

side-chain placement
Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models, **268**, 678–685.

side-chain prediction
Prediction of Protein Side-chain Rotamers from a Backbone-dependent Rotamer Library: A New Homology Modeling Tool, **267**, 1268–1282.

sigma
DNA-melting at the *Bacillus subtilis* Flagellin Promoter Nucleates Near -10 and Expands Unidirectionally, **267**, 47–59.
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.
Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^s-Dependent Promoter, **267**, 481–489.

sigma 54
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

sigma 70
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.

Sigma promoter
Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.

signal transduction
Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.
The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1), **269**, 579–591.
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.
Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface, **273**, 299–316.

The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: a Dynamic Molecule with Multiple Regulatory Interactions, **274**, 757–775.

simulated annealing

Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

Kinetics of Peptide Folding: Computer Simulations of SYPFDV and Peptide Variants in Water, **272**, 423–442.

Torsion Angle Dynamics for NMR Structure Calculation with the New Program Dyana, **273**, 283–298.

simulation

Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

See also computer simulation.

Sinefungin

Differential Binding of *S*-Adenosylmethionine *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I, **265**, 56–67.

SINEs

cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts, **271**, 222–234.

single chain F_{vi}

Cleavage Specificity of a Proteolytic Antibody Light Chain and Effects of the Heavy Chain Variable Domain, **271**, 374–385.

single particle analysis

Structure of Keyhole Limpet Hemocyanin Type 1 (KLH1) at 15 Å Resolution by Electron Cryomicroscopy and Angular Reconstitution, **271**, 417–437.

single site substitution

Enhanced Protein Flexibility Caused by a Destabilizing Amino Acid Replacement in BPTI, **269**, 154–164.

single-chain proteins

Single-chain Repressor Containing Engineered DNA-binding Domains of the Phage 434 Repressor Recognize Symmetric or Asymmetric DNA Operators, **267**, 118–131.

single-site mutations

Predicting Protein Stability Changes upon Mutation Using Database-derived Potentials: Solvent Accessibility Determines the Importance of Local *versus* Non-local Interactions Along the Sequence, **272**, 276–290.

single-stranded DNA virus

Sheared Purine·Purine Pairing in Biology, **267**, 1055–1067.

site-directed cross-linking

A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. III. The Topography of the Functional Centre, **271**, 566–587.

site-directed mutagenesis

Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.

Characterization of Recombinant Soybean Leghemoglobin *a* and Apolar Distal Histidine Mutants, **266**, 1032–1042.

Analysis of the Functional Role of Conserved Residues in the Protein Subunit of Ribonuclease P from *Escherichia coli*, **267**, 818–829.

Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization, **267**, 1247–1257.

ø29 DNA Polymerase Residue Lys383, Invariant at Motif B of DNA-dependent Polymerases, is Involved in dNTP Binding, **269**, 313–325.

Dual Conformations of a T Cell Receptor Vα Homodimer: Implications for Variability in VαVβ Domain Association, **269**, 385–394.

An Invariant Lysine Residue is Involved in Catalysis at the 3′-5′ Exonuclease Active Site of Eukaryotic-type DNA Polymerases, **270**, 65–78.

Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding, **270**, 696–710.

Binding of Fibulin-1 to Nidogen Depends on its C-Terminal Globular Domain and a Specific Array of Calcium-binding Epidermal Growth Factor-like (EG) Modules, **272**, 226–236.

Disruption of an Ionic Network Leads to Accelerated Thermal Denaturation of D-Glyceraldehyde-3-Phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima*, **274**, 676–683.

site-specific binding

Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC, **269**, 82–101.

Communications between Distant Sites on Supercoiled DNA from Non-exponential Kinetics for DNA Synapsis by Resolvase, **270**, 396–412.

site-specific recombination

Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.

Characterization of the Mycobacteriophage L5 Attachment Site, *attP*, **266**, 76–92.

Tn3 Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends, **266**, 108–121.

Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*, **266**, 525–537.

The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.

Random Walk Models for DNA Synapsis by Resolvase, **270**, 413–425.

Effect of DNA Topology on Holliday Junction Resolution by *Escherichia coli* RuvC and Bacteriophage T7 Endonuclease I, **270**, 663–673.

Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro*, **271**, 499–510.

Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.

See also recombination.

SIV

Determination of the Secondary Structure and Global Topology of the 44 kDa Ectodomain of gp41 of the Simian Immunodeficiency Virus by Multidimensional Nuclear Magnetic Resonance Spectroscopy, **271**, 819–826.

HIV/SIV Glycoproteins: Structure-function Relationships, **273**, 122–149.

slippage/length polymorphism
Cystosine-rich Strands of the Insulin Minisatellite Adopt Hairpins with Intercalated Cytosine$^+$·Cytosine Pairs, **272**, 369–382.

SLPI
Solution Structure of R-elafin, a Specific Inhibitor of Elastase, **268**, 666–677.

small angle neutron scattering
Assessment of the Aggregation State of Integral Membrane Proteins in Reconstituted Phospholipid Vesicles Using Small Angle Neutron Scattering, **273**, 1002–1017.

small subunit (SSU) rRNA
Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.

Sm-core proteins
Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core, **265**, 87–94.

SNR6
A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators, **268**, 243–249.

snRNP
Electron Microscopy of Assembly Intermediates of the snRNP Core: Morphological Similarities Between the RNA-free (E.F.G) Protein Heteromer and the Intact snRNP Core, **265**, 87–94.

sodium-motive force
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.

Sok
Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.
Programmed Cell Death by *hok/sok* of Plasmid R1: Coupled Nucleotide Covariations Reveal a Phylogenetically Conserved Folding Pathway in the *hok* Family of mRNAs, **273**, 40–51.

solid-phase footprinting
The Bifunctional Protein DCoH Modulates Interactions of the Homeodomain Transcription Factor HNF1 with Nucleic Acids, **265**, 20–29.

solution scattering
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. I. Invariants and Validation of Electron Microscopy Models, **271**, 588–601.
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.

solution structure
NMR ^{15}N Relaxation and Structural Studies Reveal Slow Conformational Exchange in Barstar C40/82A, **268**, 494–511.
The Solution Structure of the Pleckstrin Homology Domain of Mouse Son-of-sevenless 1 (mSos1), **269**, 579–591.
Solution Structure of the Iγ Subdomain of the Mu End DNA Binding Domain of Phage Mu Transposase, **273**, 19–25.
An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing, **274**, 213–221.

solvation effects
Protein Binding *versus* Protein Folding: The Role of Hydrophilic Bridges in Protein Associations, **265**, 68–86.
Determination of Atomic Desolvation Energies from the Structures of Crystallized Proteins, **267**, 707–726.

solvation energy
Protein Thermal Stability, Hydrogen Bonds, and Ion Pairs, **269**, 631–643.
Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.

solvent
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

solvent modeling
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.

solvent-accessible surface
Specific Binding of Hoechst 33258 to the d(CGCAAATTTGCG)$_2$ Duplex: Calorimetric and Spectroscopic Studies, **271**, 244–257.

sorting
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.

SOS mutagenesis
Quantitation of the Inhibition of Hfr x F$^-$ Recombination by the Mutagenesis Complex UmuD'C, **270**, 201–211.

soybean leghemoglobin
Characterization of Recombinant Soybean Leghemoglobin *a* and Apolar Distal Histidine Mutants, **266**, 1032–1042.

SP1 family proteins
Structural and Functional Analyses of DNA Bending Induced by Sp1 Family Transcription Factors, **267**, 490–504.

spacing
DNA Sequence Encodes Information for Nucleosome Array Formation, **270**, 559–573.

sparse matrix
Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.

specificity
Solution Structure of the Calicheamicin γ_1^I-DNA Complex, **265**, 187–201.
Thermodynamics of the Interactions of *Lac* Repressor with Variants of the Symmetric *Lac* Operator: Effects of Converting a Consensus Site to a Non-specific Site, **267**, 1186–1206.
Specific Binding by *Eco*RV Endonuclease to its DNA Recognition Site GATATC, **269**, 82–101.
Affinity and Specificity of *trp* Repressor-DNA Interactions Studied with Fluorescent Oligonucleotides, **273**, 572–585.
See also substrate specificity.

spectrin
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

spectroscopy
Fibrillogenesis of Alzheimer Aβ Peptides Studied by Fluorescence Energy Transfer, **269**, 214–224.

spermadhesin
The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.
Crystal Structure of Acidic Seminal Fluid Protein (aSFP) at 1.9 Å Resolution: a Bovine Polypeptide of the Spermadhesin Family, **274**, 650–660.

spermine binding
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^{5}CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.

spherical harmonics
Solution Scattering Structural Analysis of the 70 S *Escherichia coli* Ribosome by Contrast Variation. II. A Model of the Ribosome and its RNA at 3.5 nm Resolution, **271**, 602–618.

spherulin structure
Ca^{2+}-loaded Spherulin 3a from *Physarum polycephalum* Adopts the Prototype γ-Crystallin Fold in Aqueous Solution, **271**, 645–655.

spin labeling
The Membrane Topology of the Fusion Peptide Region of Influenza Hemagglutinin Determined by Spin-labeling EPR, **267**, 1139–1148.
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. II. Distance Restraints from Paramagnetic Relaxation and Calculation of an Ensemble of Structures, **268**, 170–184.

spin labels
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.
Transient Channel-opening in Bacteriorhodopsin: an EPR study, **273**, 949–955.

splice signal
Prediction of Complete Gene Structures in Human Genomic DNA, **268**, 78–94.

splicing
Branch-site Selection in a Group II Intron Mediated by Active Recognition of the Adenine Amino Group and Steric Exclusion of Non-adenine Functionalities, **267**, 163–171.
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA, **273**, 84–92.

split permease
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.

spontaneous mutagenesis
Leading Strand Specific Spontaneous Mutation Corrects a Quasipalindrome by an Intermolecular Strand Switch Mechanism, **269**, 176–187.

SpoOF
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.

sporulation
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.

Src
The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: a Dynamic Molecule with Multiple Regulatory Interactions, **274**, 757–775.

SRE
A Strong Inhibitory Element Down-regulates SRE-stimulated Transcription of the A3 Cytoplasmic Actin Gene of *Bombyx mori*, **265**, 266–274.

Ssc1
Mge1 Functions as a Nucleotide Release Factor for Ssc1, a Mitochondrial Hsp70 of *Saccharomyces cerevisiae*, **265**, 541–552.

ssDNA
Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4, **266**, 927–938.
Interactions of the Bacteriophage T4 Gene *59* Protein with Single-stranded Polynucleotides: Binding Parameters and Ion Effects, **272**, 312–326.

ssDNA complexes
The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import, **271**, 718–727.

stability
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.
A Natural Antibody Missing a Cysteine in V_H: Consequences for Thermodynamic Stability and Folding, **265**, 161–172.
Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex, **266**, 703–710.
Sequence-specific Local Structural Variations in Solution Structures of $d(CGXX'CG)_2$ and $d(CAXX'TG)_2$ Self-complementary Deoxyribonucleic Acids, **266**, 745–760.
Identification and Characterization of Genomic Nucleosome-positioning Sequences, **267**, 807–817.
Hydrogen Exchange in Chymotrypsin Inhibitor 2 Probed by Denaturants and Temperature, **270**, 89–98.
A Comparison of the Folding Kinetics and Thermodynamics of Two Homologous Fibronectin Type III Modules, **270**, 763–770.
Folding and Stability of a Fibronectin Type III Domain of Human Tenascin, **270**, 771–778.
See also thermal stability.

stabilization center
Stabilization Centers in Proteins: Identification, Characterization and Predictions, **272**, 597–612.

stacking interactions
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues, **270**, 426–435.

staphylococcal
High-resolution Solution NMR Structure of the Z Domain of Staphylococcal Protein A, **272**, 573–590.

staphylococcal enterotoxins
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity, **269**, 270–280.

staphylococci
Characterization of Long-range Structure in the Denatured State of Staphylococcal Nuclease. I. Paramagnetic Relaxation Enhancement by Nitroxide Spin Labels, **268**, 158–169.

Staphylococcus aureus
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.

staphylokinase
Epitope Mapping by Negative Selection of Randomized Antigen Libraries Displayed on Filamentous Phage, **269**, 704–708.

starvation
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

state function
Contributions of Individual Molecular Species to the Hill Coefficient for Ligand Binding by an Oligomeric Protein, **267**, 10–16.

stationary phase
Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^s-Dependent Promoter, **267**, 481–489.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.
Variation in HU Composition During Growth of *Escherichia coli*: the Heterodimer is Required for Long Term Survival, **273**, 93–104.

statistics
A Statistical Model for Locating Regulatory Regions in Genomic DNA, **268**, 8–14.

stem-loop structure
Structural Probing and Mutagenic Analysis of the Stem-loop Required for *Escherichia coli dnaX* Ribosomal Frameshifting: Programmed Efficiency of 50%, **271**, 47–60.

step parameters
Structure and Conformation of Helical Nucleic Acids: Analysis Program (SCHNAaP), **273**, 668–680.

sticky ends
A DNA Decamer with a Sticky End: The Crystal Structure of d-CGACGATCGT, **267**, 881–898.

stochastics
Nucleation and Polymerization of Sickle Hemoglobin with Leu β88 Substituted by Ala, **265**, 580–589.

Stoffel fragment
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.

stopped-flow
Folding of Barnase in the Presence of the Molecular Chaperone SecB, **274**, 268–275.

stopped-flow fluorescence
GroEL-mediated Folding of Structurally Homologous Dihydrofolate Reductases, **268**, 512–525.

strand joining
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

Strand Slippage
Crystal Structure of r(GUGUGUA)dC with Tandem G·U/U·G Wobble Pairs with Strand Slippage, **270**, 511–519.

strand transfer
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.
Initiation of Replication of Plasmid pMV158: Mechanisms of DNA Strand-transfer Reactions Mediated by the Initiator RepB Protein, **268**, 840–856.

Strep tag
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.

streptavidin
Alkaline Phosphatase–Strep Tag Fusion Protein Binding to Streptavidin: Resonant Mirror Studies, **266**, 621–632.
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

streptokinase
Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage, **271**, 333–341.

streptomyces griseus
Streptomyces griseus Aminopeptidase: X-ray Crystallographic Structure at 1.75 Å Resolution, **265**, 620–636.

streptomycin
Streptomycin Binds to the Decoding Center of 16 S Ribosomal RNA, **273**, 586–599.

striated and smooth muscles
Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs, **270**, 688–695.

strong hydrogen bond
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

structural alignment
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.

structural change
Structural Changes in a Secretory Phospholipase A_2 Induced by Membrane Binding: a Clue to Interfacial Activation?, **268**, 809–815.

structural database search
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.

structural fluctuation
Pressure-induced Changes in the Folded Structure of Lysozyme, **271**, 671–678.

structural fluctuations
Reduction in the Amide Hydrogen Exchange Rates of an Anti-lysozyme Fv Fragment due to Formation of the Fv–Lysozyme Complex, **270**, 751–762.

structural genes
Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.

structural polymorphism
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.

structural propensities
NMR Analysis of Main-chain Conformational Preferences in an Unfolded Fibronectin-binding Protein, **274**, 152–159.

structural transition
X-ray Fibre Diffraction Study of an Elevated Temperature Structure of Poly(dA)·Poly(dT), **274**, 64–71.

structure
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.
NMR Structure of the Principal Neutralizing Determinant of HIV-1 Displayed in Filamentous Bacteriophage Coat Protein, **266**, 649–655.
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs, **267**, 505–519.
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.
Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA, **270**, 36–49.
Investigation of the Enzymatic Mechanism of the Yeast Chorismate Mutase by Docking a Transition State Analog, **271**, 838–845.
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction, **273**, 729–739.
See also secondary structure; tertiary structure.

2.6 Å structure
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.

3D structure *see* three-dimensional structure

structure comparisons
Crystal Structure of a Ternary Complex of D-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution, **267**, 640–660.
Structure of Neurotoxin B-IV from the Marine Worm *Cerebratulus lacteus*: a Helical Hairpin Cross-linked by Disulphide Bonding, **268**, 886–902.

structure evaluation
Contact Area Difference (CAD): A Robust Measure to Evaluate Accuracy of Protein Models, **268**, 678–685.

structure fitting
A New Model for the Three-dimensional Folding of *Escherichia coli* 16 S Ribosomal RNA. I. Fitting the RNA to a 3D Electron Microscopic Map at 20 Å, **271**, 524–544.

structure prediction
PDB-based Protein Loop Prediction: Parameters for Selection and Methods for Optimization, **267**, 975–1000.
Assembly of Protein Tertiary Structures from Fragments with Similar Local Sequences using Simulated Annealing and Bayesian Scoring Functions, **268**, 209–225.
The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units, **272**, 95–105.
An Alpha-carbon Template for the Transmembrane Helices in the Rhodopsin Family of G-protein-coupled Receptors, **272**, 144–164.
See also secondary structure prediction.

structure selection
Limits of NMR Structure Determination using Variable Target Function Calculations: Ribonuclease T_1, a Case Study, **266**, 400–423.

structure-activity relationship
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.

structure-based drug design
Molecular Docking to Ensembles of Protein Structures, **266**, 424–440.

structure-derived potential
Determination of Atomic Desolvation Energies from the Structures of Crystallized Proteins, **267**, 707–726.

structure–function relationships
Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.

structure-specific nuclease
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.

***Sty*SBLI**
*Kpn*AI, a New Type I Restriction-Modification System in *Klebsiella pneumoniae*, **271**, 342–348.

substitution matrices
Protein Secondary Structure Prediction Using Local Alignments, **268**, 31–36.
Recognition of Analogous and Homologous Protein Folds: Analysis of Sequence and Structure Conservation, **269**, 423–439.

substitution value
A 3D-1D Substitution Matrix for Protein Fold Recognition that Includes Predicted Secondary Structure of the Sequence, **267**, 1025–1037.

substrate specificity
Crystal Structure of a Ternary Complex of D-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution, **267**, 640–660.
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.

substrate-dependent stabilisation
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.

subtilisin inhibitor
The Entropy Cost of Protein Association, **273**, 1046–1058.

subunit assembly
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor, **273**, 692–700.

sugar 2′-OH groups
Imino Proton Exchange and Base-pair Kinetics in the AMP–RNA Aptamer Complex, **268**, 359–374.

sugar deformation
Crystal Structures of a Mutant Maltotetraose-forming Exo-amylase Cocrystallized with Maltopentaose, **271**, 619–628.

sugar transport
Channel Specificity: Structural Basis for Sugar Discrimination and Differential Flux Rates in Maltoporin, **272**, 56–63.

sugar-aromate interactions
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.

Sulfolobus solfataricus
Crystal Structure of the β-Glycosidase from the Hyperthermophilic Archeon *Sulfolobus solfataricus*: Resilience as a Key Factor in Thermostability, **271**, 789–802.

sulfonamide-resistance
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.

superantigen
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity, **269**, 270–280.

supercoil dissipation
Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro*, **271**, 499–510.

supercoiling
The Acidic Tail of the High Mobility Group Protein HMG-D Modulates the Structural Selectivity of DNA Binding, **266**, 66–75.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.
See also DNA supercoiling.

superoxide dismutase
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability, **270**, 259–274.
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.

surface patches
Prediction of Protein-Protein Interaction Sites using Patch Analysis, **272**, 121–131.
Analysis of Protein-Protein Interaction Sites using Surface Patches, **272**, 132–143.

surface plasmon resonance
Neutralizing Epitopes on the Extracellular Interferon γ Receptor (IFNγR) α-Chain Characterized by Homolog Scanning Mutagenesis and X-ray Crystal Structure of the A6 Fab–IFNγR$^{1\text{-}108}$ Complex, **273**, 882–897.
Identifcation of Critical IgG Binding Epitopes on the Neonatal Fc Receptor, **274**, 597–607.

survival
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

sushi domains
NMR Studies of a Viral Protein that Mimics the Regulators of Complement Activation, **272**, 253–265.

SV40 large T antigen
Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel, **268**, 15–20.

synchrotron
Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding, **266**, 144–159.

Synechococcus elongatus
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.

synergy
Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.

synexin
Crystal Structure of the C-terminal Tetrad Repeat from Synexin (Annexin VII) of *Dictyostelium discoideum*, **270**, 79–88.

synthetic peptides
X-ray Diffraction Analysis of Scrapie Prion: Intermediate and Folded Structures in a Peptide Containing Two Putative α-Helices, **268**, 375–389.
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.
Sequences of Antigenic Epitopes of Streptokinase Identified *via* Random Peptide Libraries Displayed on Phage, **271**, 333–341.
The 118–135 Peptide of the Human Prion Protein forms Amyloid Fibrils and Induces Liposome Fusion, **274**, 381–393.

synthetic vaccines
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.

systems theory
Completely Uncoupled and Perfectly Coupled Gene Expression in Repressible Systems, **266**, 538–558.

T antigen
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.
Site-specific *in Situ* Amplification of the Integrated Polyomavirus Genome: A Case for a Context-specific Over-replication Model of Gene Amplification, **271**, 76–99.

T cell receptor
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity, **269**, 270–280.
Dual Conformations of a T Cell Receptor Vα Homodimer: Implications for Variability in VαVβ Domain Association, **269**, 385–394.
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.

T cell receptor α chain
Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes, **267**, 1–9.

T4 endonuclease VII
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.

T7 endonuclease
The Junction-resolving Enzyme T7 Endonuclease I: Quaternary Structure and Interaction with DNA, **270**, 169–178.

T7 lysozyme
Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme, **269**, 10–27.
Mutant Bacteriophage T7 RNA Polymerases with Altered Termination Properties, **269**, 28–40.
Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme, **274**, 748–756.

T7 RNA polymerase
A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.

T7 RNA polymerase
A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.
Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme, **269**, 10–27.
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.
Role of Open Complex Instability in Kinetic Promoter Selection by Bacteriophage T7 RNA Polymerase, **273**, 956–975.
Use of Organic Cosmotropic Solutes to Crystallize Flexible Proteins: Application to T7 RNA Polymerase and its Complex with the Inhibitor T7 Lysozyme, **274**, 748–756.

T7 transcript
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.

$Ta_6Br^{2+}{}_{12}$
$Ta_6Br^{2+}{}_{12}$, a Tool for Phase Determination of Large Biological Assemblies by X-ray Crystallography, **270**, 1–7.

TAFs
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.

tag-peptide
In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA, **268**, 803–808.

tail tendon
Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain, **270**, 275–284.

tailspike
Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.

tandem binding
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites, **267**, 103–117.

tandem wobbles
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.
Crystal Structure of r(GUGUGUA)dC with Tandem G·U/U·G Wobble Pairs with Strand Slippage, **270**, 511–519.

***Taq* DNA polymerase**
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.

TAR RNA
Solution Structure of the HIV-2 TAR-Argininamide Complex, **267**, 624–639.
The Structure of an RNA "Kissing" Hairpin Complex of the HIV TAR Hairpin Loop and its Complement, **269**, 52–66.

TATA box
The Transcriptional Activity of a Muscle-specific Promoter Depends Critically on the Structure of the TATA Element and its Binding Protein, **265**, 480–493.
Dynamic Interplay of TFIIA, TBP and TATA DNA, **271**, 61–75.
Use of a 3D Structure Data Base for Understanding Sequence-dependent Conformational Aspects of DNA, **274**, 421–434.

TATA-binding protein
The Transcriptional Activity of a Muscle-specific Promoter Depends Critically on the Structure of the TATA Element and its Binding Protein, **265**, 480–493.

TATA-less promoters
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.

TBP
Dynamic Interplay of TFIIA, TBP and TATA DNA, **271**, 61–75.

TCP-1
Structural and Functional Characterization of Homo-oligomeric Complexes of α and β Chaperonin Subunits from the Hyperthermophilic Archaeum *Thermococcus* strain KS-1, **273**, 635–645.

telluromethionine
Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.
Bioincorporation of Telluromethionine into Proteins: A Promising New Approach for X-ray Structure Analysis of Proteins, **270**, 616–623.

telomerase
Possible Mechanisms for the Regulation of Telomere Length, **273**, 814–825.

TEM
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

temperature sensitive mutations
Prevalence of Temperature Sensitive Folding Mutations in the Parallel Beta Coil Domain of the Phage P22 Tailspike Endorhamnosidase, **267**, 88–102.
Temperature-sensitive Mutants of the *Eco*RI Endonuclease, **274**, 722–737.

template recognition
Recognition of Bacteriophage Qβ Plus Strand RNA as a Template by Qβ Replicase: Role of RNA Interactions Mediated by Ribosomal Proteins S1 and Host Factor, **267**, 1089–1103.

tenascin
Folding and Stability of a Fibronectin Type III Domain of Human Tenascin, **270**, 771–778.

tendamistat
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.

tension
Tension in Haemoglobin Revealed by Fe-His(F8) Bond Rupture in the Fully Liganded T-State, **271**, 161–167.

terminal protein
Initiation of Bacteriophage ø29 DNA Replication *in Vivo*: Assembly of a Membrane-associated Multiprotein Complex, **269**, 102–112.

terminase enzyme
In Vivo Packaging of Bacteriophage λ Monomeric Chromosomes, **267**, 75–87.

termination
DNA Curvature Controls Termination of Plus Strand DNA Synthesis at the Centre of HIV-1 Genome, **266**, 507–524.
Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein, **274**, 160–173.
See also transcription termination.

tertiary interactions
Non-canonical Interactions in a Kissing Loop Complex: The Dimerization Initiation Site of HIV-1 Genomic RNA, **270**, 36–49.
Rules Governing the Orientation of the 2′-Hydroxyl Group in RNA, **274**, 54–63.

tertiary structure
Identification of Functional Domains in the Self-cleaving *Neurospora* VS Ribozyme Using Damage Selection, **267**, 830–840.
A Characteristic Arrangement of Aromatic Amino Acid Residues in the Solution Structure of the Amino-terminal RNA-binding Domain of *Drosophila* Sex-lethal, **272**, 82–94.

tethering
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

tetracosamer
Comparison of the Three-dimensional Structures of Recombinant Human H and Horse L Ferritins at High Resolution, **268**, 424–448.

tetracycline resistance
Regulation of the "*tetCD*" Genes of Transposon Tn*10*, **270**, 14–25.

***Tetrahymena* ribozyme**
Folding of RNA Involves Parallel Pathways, **273**, 7–13.

tetraloop
Solution Structure of the Conserved 16 S-like Ribosomal RNA UGAA Tetraloop, **268**, 348–358.
Theoretical Studies of an Exceptionally Stable RNA Tetraloop: Observation of Convergence from an Incorrect NMR Structure to the Correct One Using Unrestrained Molecular Dynamics, **270**, 436–450.

tetramer
Characterisation of the Major Intrinsic Protein (MIP) from Bovine Lens Fibre Membranes by Electron Microscopy and Hydrodynamics, **265**, 590–602.
Binding of Biotin to Streptavidin Stabilizes Intersubunit Salt Bridges between Asp61 and His87 at Low pH, **274**, 776–800.

tetramerisation
In vitro Structure-Function Analysis of the β-Strand 326-333 of Human p53, **273**, 873–881.

TFIIA
Dynamic Interplay of TFIIA, TBP and TATA DNA, **271**, 61–75.

TFIID
Multiple Downstream Promoter Modules Regulate the Transcription of the *Drosophila melanogaster* I, Doc and F Elements, **267**, 37–46.

TFIIE
Two Conformations of RNA Polymerase II Revealed by Electron Crystallography, **272**, 536–540.

TFIIIA
Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex, **274**, 439–445.

TGGT tetrad
Centromeric Pyrimidine Strands Fold into an Intercalated Motif by Forming a Double Hairpin with a Novel T:G:G:T Tetrad: Solution Structure of the d(TCCCGTTTCCA) Dimer, **273**, 840–856.

theory
Calculation of the Dielectric Properties of a Protein and its Solvent: Theory and a Case Study, **270**, 520–534.

therapeutic target
Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion, **267**, 749–761.

thermal denaturation
Affinities and Selectivities of Divalent Cation Binding Sites Within an RNA Tertiary Structure, **273**, 1018–1029.

thermal stability
Crystal Structures of *Escherichia coli* and *Salmonella typhimurium* 3-Isopropylmalate Dehydrogenase and Comparison with their Thermophilic Counterpart from *Thermus thermophilus*, **266**, 1016–1031.
Crystal Structure of Glutamate Dehydrogenase from the Hyperthermophilic Eubacterium *Thermotoga maritima* at 3.0 Å Resolution, **267**, 916–932.
Crystal Structure of the Aspartic Proteinase from *Rhizomucor miehei* at 2.15 Å Resolution, **268**, 449–459.
Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability, **268**, 922–933.
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.
The Crystal Structure of an Fe-Superoxide Dismutase from the Hyperthermophile *Aquifex pyrophilus* at 1.9 Å Resolution: Structural Basis for Thermostability, **270**, 259–274.
Thermus thermophilus Cytochrome-c_{552}: A New Highly Thermostable Cytochrome-*c* Structure Obtained by MAD Phasing, **271**, 629–644.

Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

thermodynamics
Energetics of Target Peptide Recognition by Calmodulin: A Calorimetric Study, **266**, 1050–1062.
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.
Thermodynamics of Denaturation of Mutants of Barnase with Disulfide Crosslinks, **268**, 198–208.
Dissecting the Energetics of a Protein-Protein Interaction: The Binding of Ovomucoid Third Domain to Elastase, **268**, 557–569.
Thermodynamics of a Reverse Turn Motif Solvent Effects and Side-chain Packing, **270**, 305–317.
Specific Binding of Hoechst 33258 to the $d(CGCAAATTTGCG)_2$ Duplex: Calorimetric and Spectroscopic Studies, **271**, 244–257.
The Structural Stability of the Co-chaperonin GroES, **272**, 770–779.
Formation of a Denatured Dimer Limits the Thermal Stability of Arc Repressor, **273**, 692–700.
Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter, **273**, 775–781.

thermophile
Annealing of Complementary DNA Strands Above the Melting Point of the Duplex Promoted by an Archaeal Protein, **267**, 841–848.
Assessing the Reliability of RNA Folding using Statistical Mechanics, **267**, 1104–1112.
A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium, **272**, 178–189.
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.

thermosome
The Thermosome: Alternating α-and β-Subunits Within the Chaperonin of the Archaeon *Thermoplasma acidophilum*, **267**, 142–149.

thermostability *see* thermal stability

Thermotoga maritima
Ferrodoxin from the Hyperthermophile *Thermotoga maritima* is Stable Beyond the Boiling Point of Water, **272**, 591–596.

Thermus thermophilus
A DNA Polymerase III Holoenzyme-like Subassembly from an Extreme Thermophilic Eubacterium, **272**, 178–189.

***THI4* gene**
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

thiamine biosynthesis
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

thick filament
A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation, **266**, 317–330.

thioflavin-T
Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.

thiolase
The 1.8 Å Crystal Structure of the Dimeric Peroxisomal 3-Ketoacyl-CoA Thiolase of *Saccharomyces cerevisiae*: Implications for Substrate Binding and Reaction Mechanism, **273**, 714–728.

thioredoxin
Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae*, **268**, 137–146.
Directed Mutagenesis Shows That the Preceding Region of the Chloroplast Fructose-1,6-Bisphosphatase Regulatory Sequence is the Thioredoxin Docking Site, **269**, 623–630.

thio-reduction
A Thioreduction Pathway Tethered to the Membrane for Periplasmic Cytochromes *c* Biogenesis; *in Vitro* and *in Vivo* Studies, **271**, 679–692.

Thomsen-Friedenreich Antigen
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.

threading
Factors Affecting the Ability of Energy Functions to Discriminate Correct from Incorrect Folds, **266**, 831–846.
Novel Knowledge-based Mean Force Potential at Atomic Level, **267**, 207–222.
Multiple Sequence Threading: An Analysis of Alignment Quality and Stability, **269**, 902–943.
Protein Fold Recognition by Prediction-based Threading, **270**, 471–480.
The Foldon Universe: A Survey of Structural Similarity and Self-recognition of Independently Folding Units, **272**, 95–105.
Visible Volume: A Robust Measure for Protein Structure Characterization, **273**, 338–348.

three-dimensional reconstruction
Three-dimensional Reconstruction of *Limulus polyphemus* Hemocyanin from Cryoelectron Microscopy, **266**, 1002–1015.
Six Molecules of SV40 Large T Antigen Assemble in a Propeller-shaped Particle Around a Channel, **268**, 15–20.
Conformational Changes Due to Calcium-induced Calmodulin Dissociation in Brush Border Myosin I-decorated F-actin Revealed by Cryoelectron Microscopy and Image Analysis, **269**, 548–557.

three-dimensional solution structure
Automated NOESY Interpretation with Ambiguous Distance Restraints: The Refined NMR Solution Structure of the Pleckstrin Homology Domain from β-Spectrin, **269**, 408–422.

three-dimensional structure
The Role of the Metal Ion in the $p21^{ras}$ Catalysed GTP-hydrolysis: Mn^{2+} *versus* Mg^{2+}, **266**, 847–856.
Structure-Function Relationships within the Peptide Deformylase Family. Evidence for a Conserved Architecture of the Active Site Involving Three Conserved Motifs and a Metal Ion, **267**, 749–761.
Solution Structure of Ferredoxin from the Thermophilic Cyanobacterium *Synechococcus elongatus* and its Thermostability, **268**, 922–933.

Dual Conformations of a T Cell Receptor Vα Homodimer: Implications for Variability in VαVβ Domain Association, **269**, 385–394.

threonyl-tRNA synthetase
Processing of the *Bacillus subtilis thrS* Leader mRNA is RNase E-dependent in *Escherichia coli*, **268**, 235–242.

thrombin
Inhibitory Mechanism of Serpins. Indentification of Steps Involving the Active-site Serine of the Protease, **265**, 344–362.
Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study†, **269**, 558–569.
Oligonucleotide Inhibitors of Human Thrombin that Bind Distinct Epitopes, **272**, 688–698.
Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.

thrombomodulin
Structure of the Fifth EGF-like Domain of Thrombomodulin: An EGF-like Domain with a Novel Disulfide-Bonding Pattern, **273**, 913–926.

thymidine kinase
Thymidine Inhibits the Growth-arrest-specific Degradation of Thymidine Kinase Protein in Transfected L Fibroblasts, **265**, 153–160.

TIM barrel enzymes
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.

time-averaged restraints
Dynamical Studies of Peptide Motifs in the *Plasmodium falciparum* Circumsporozoite Surface Protein by Restrained and Unrestrained MD Simulations, **267**, 1011–1024.

tissue factor
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.

tissue-specificity
Analysis of the Distribution of Binding Sites for a Tissue-specific Transcription Factor in the Vertebrate Genome, **266**, 231–245.

titin
When a Module is Also a Domain: The Rôle of the N Terminus in the Stability and the Dynamics of Immunoglobulin Domains from Titin, **265**, 242–256.

titin (connectin)
Direct Visualization of Extensibility in Isolated Titin Molecules, **265**, 100–106.
Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs, **270**, 688–695.

titration
Modeling of Protein Conformational Fluctuations in PK_a Predictions, **267**, 1001–1010.

titration calorimetry
Thermodynamics of the Interaction of Barnase and Barstar: Changes in Free Energy *versus* Changes in Enthalpy on Mutation, **267**, 696–706.

TMAO reductase
Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.

TMP-resistance
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.

tmRNA
In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA, **268**, 803–808.

Tn*3*
Tn3 Resolvase Catalyses Multiple Recombination Events without Intermediate Rejoining of DNA Ends, **266**, 108–121.

Tn5 transposase
Tn*5* Transposase Mutants that Alter DNA Binding Specificity, **271**, 362–373.

TnI C terminus
Mapping of a Second Actin–Tropomyosin and a Second Troponin C Binding Site within the C Terminus of Troponin I, and their Importance in the Ca^{2+}-dependent Regulation of Muscle Contraction, **271**, 728–750.

tobacco
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.

tobacco mosaic virus
Modeling Supra-molecular Helices: Extension of the Molecular Surface Recognition Algorithm and Application to the Protein Coat of the Tobacco Mosaic Virus, **266**, 135–143.

tobamoviruses
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses, **269**, 769–779.

topA
Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^s-Dependent Promoter, **267**, 481–489.

topoisomerase
The Interaction of the F Plasmid Killer Protein, CcdB, with DNA Gyrase: Induction of DNA Cleavage and Blocking of Transcription, **273**, 826–839.

topoisomerase I
Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^s-Dependent Promoter, **267**, 481–489.
Reconstitution of Human Topoisomerase I by Fragment Complementation, **269**, 355–372.

torsion angle dynamics
Torsion Angle Dynamics for NMR Structure Calculation with the New Program Dyana, **273**, 283–298.

Toxoplasma gondii
Molecular Structure of the "Low Molecular Weight Antigen" of *Toxoplasma gondii*: A Glucose α1-4 *N*-Acetylgalactosamine Makes Free Glycosyl-Phosphatidylinositols Highly Immunogenic, **266**, 797–813.
A Novel Class of Unconventional Myosins from *Toxoplasma gondii*, **271**, 139–146.

traffic control
Traffic Control of Completely Assembled MHC Class I Molecules Beyond the Endoplasmic Reticulum, **266**, 993–1001.

trans translation
In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA, **268**, 803–808.

transcript elongation
Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ, **273**, 797–813.

transcript map
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.

transcript slippage
A Mutant T7 RNA Polymerase that is Defective in RNA Binding and Blocked in the Early Stages of Transcription, **265**, 275–288.

transcriptase
Analysis of HIV-2 RT Mutants Provides Evidence that Resistance of HIV-1 RT and HIV-2 RT to Nucleoside Analogs Involves a Repositioning of the Template-Primer, **268**, 648–654.

transcription
Synergistic Transcriptional-activation by the Papillomavirus E2 Protein Occurs After DNA Binding and Correlates with a Change in Chromatin Structure, **266**, 465–478.
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.
Regulation of the "*tetCD*" Genes of Transposon Tn*10*, **270**, 14–25.
Transcriptional Activation *via* DNA-looping: Visualization of Intermediates in the Activation Pathway of *E. coli* RNA Polymerase·σ^{54} Holoenzyme by Scanning Force Microscopy, **270**, 125–138.
Assembly of Functional Regulatory Complexes on MHC Class II Promoters *in Vivo*, **270**, 336–345.
Determinants for *Escherichia coli* RNA Polymerase Assembly within the β Subunit, **270**, 648–662.
cDNAs Derived from Primary and Small Cytoplasmic Alu (scAlu) Transcripts, **271**, 222–234.
Long-range Effects in a Supercoiled DNA Domain Generated by Transcription *in Vitro*, **271**, 499–510.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.
Repression and Activation of Promoter-bound RNA Polymerase Activity by Gal Repressor, **272**, 293–300.
Two Conformations of RNA Polymerase II Revealed by Electron Crystallography, **272**, 536–540.
Glutamine, Alanine or Glycine Repeats Inserted into the Loop of a Protein Have Minimal Effects on Stability and Folding Rates, **273**, 330–337.
Identification of a Minimal Binding Element within the T7 RNA Polymerase Promoter, **273**, 775–781.
Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ, **273**, 797–813.
Assembly of the N-dependent Antitermination Complex of Phage λ: NusA and RNA Bind Independently to Different Unfolded Domains of the N Protein, **274**, 160–173.
Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC, **274**, 466–480.
Coupled-enzymatic Assays for the Rate and Mechanism of DNA Site Exposure in a Nucleosome, **274**, 708–721.

transcription complex
Measurement of the Linking Number Change in Transcribing Chromatin, **267**, 794–806.
Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase, **268**, 37–53.
Multiple Interactions Stabilize a Single Paused Transcription Intermediate in which Hairpin to 3′ End Spacing Distinguishes Pause and Termination Pathways, **268**, 54–68.

transcription factor binding sites
A Novel Method to Develop Highly Specific Models for Regulatory Units Detect a New LTR in GenBank which Contains a Functional Promoter, **270**, 674–686.

transcription factors
Mapping Sequence Specific DNA-Protein Interactions: A Versatile, Quantitative Method and Its Application to Transcription Factor XF1, **266**, 479–492.
Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ, **273**, 797–813.
See also individual factors.

transcription inhibition
Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme, **269**, 10–27.

transcription initiation
Region 1 of σ^{70} is Required for Efficient Isomerization and Initiation of Transcription by *Escherichia coli* RNA Polymerase, **267**, 60–74.
Mechanism of Inhibition of Bacteriophage T7 RNA Polymerase by T7 Lysozyme, **269**, 10–27.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.
Role of Open Complex Instability in Kinetic Promoter Selection by Bacteriophage T7 RNA Polymerase, **273**, 956–975.

transcription processivity
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.

transcription termination
RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals, **268**, 229–234.
The Quaternary Geometry of Transcription Termination Factor rho: Assignment by Chemical Cross-linking, **269**, 514–528.
The Antiterminator RNA of Phage HK022, **272**, 677–687.
Regulation of the Elongation-Termination Decision at Intrinsic Terminators by Antitermination Protein N of Phage λ, **273**, 797–813.

transcriptional activation
The Activation Defect of a λ*cI* Positive Control Mutant, **265**, 261–265.
Activation of RpoS-dependent *proP* P2 Transcription by the Fis Protein *in Vitro*, **270**, 346–359.
Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.
Interaction of the Bacteriophage Mu Transcriptional Activator Protein, C, with its Target Site in the *mom* Promoter, **273**, 765–774.

transcriptional activators
A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators, **268**, 243–249.

transcriptional attenuation
Gene Organization and Transcriptional Regulation of the *gntRKU* Operon Involved in Gluconate Uptake and Catabolism of *Escherichia coli*, **267**, 778–793.

transcriptional enhancers
Mutant Forms of the Enhancer-Binding Protein NtrC can Activate Transcription from Solution, **267**, 17–36.

transcriptional pausing
Effects of Neutral Salts on RNA Chain Elongation and Pausing by *Escherichia coli* RNA Polymerase, **268**, 37–53.
Multiple Interactions Stabilize a Single Paused Transcription Intermediate in which Hairpin to 3′ End Spacing Distinguishes Pause and Termination Pathways, **268**, 54–68.

transcriptional regulation
Dissection of the Switch Between Genes for Replication and Transfer of Promiscuous Plasmid RK2: Basis of the Dominance of *trfAp* Over *trbAp* and Specificity for KorA in Controlling the Switch, **265**, 507–518.
Protein P7 of Phage Φ6 RNA Polymerase Complex Acquiring of RNA Packaging Activity by *In Vitro* Assembly of the Purified Protein onto Deficient Particles, **266**, 891–900.
Regulation of *Escherichia coli topA* Gene Transcription: Involvement of a σ^s-Dependent Promoter, **267**, 481–489.
The NMR Solution Structure of the Non-classical Homeodomain from the Rat Liver LFB1/HNF1 Transcription Factor, **267**, 673–683.
A Nucleoprotein Activation Complex between the Leucine-responsive Regulatory Protein and DNA Upstream of the *gltBDF* Operon in *Escherichia coli*, **270**, 152–168.
The X-ray Structure of the DNA-binding Domain from the *Saccharomyces cerevisiae* Cell-cycle Transcription Factor Mbp1 at 2.1 Å Resolution, **272**, 1–8.
Helix-Loop-Helix Motif in GnRH Associated Peptide is Critical for Negative Regulation of Prolactin Secretion, **272**, 731–740.
Role of DNA Supercoiling and RpoS Sigma Factor in the Osmotic and Growth Phase-dependent Induction of the Gene *osmE* of *Escherichia coli* K12, **273**, 75–83.
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.

transcriptional regulatory elements
The Antiterminator RNA of Phage HK022, **272**, 677–687.

transcriptional repressor
Plasmid pIP501 Encoded Transcriptional Repressor CopR Binds Asymmetrically at Two Consecutive Major Grooves of the DNA, **269**, 684–693.
Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.
MPc2, a New Murine Homolog of the *Drosophila* Polycomb Protein is a Member of the Mouse Polycomb Transcriptional Repressor Complex, **273**, 991–1001.
Clarification of the Dimerization Domain and its Functional Significance for the *Escherichia coli* Nucleoid Protein H-NS, **274**, 145–151.

transcription-proteins
Sequence Elements Downstream of the Human Immunodeficiency Virus Type 1 Long Terminal Repeat are Required for Efficient Viral Gene Transcription, **272**, 167–177.

λ*bio* transducing phage
Short-homology-independent Illegitimate Recombination in *Escherichia coli*: Distinct Mechanism from Short-homology-dependent Illegitimate Recombination, **266**, 297–305.

transesterification reactions
The Yeast Site-specific Recombinase Flp Mediates Alcoholysis and Hydrolysis of the Strand Cleavage Product: Mimicking the Strand-joining Reaction with Non-DNA Nucleophiles, **266**, 93–107.

transferrin
Tertiary Structural Changes and Iron Release From Human Serum Transferrin, **270**, 739–750.

transient expression
A Novel Method to Develop Highly Specific Models for Regulatory Units Detect a New LTR in GenBank which Contains a Functional Promoter, **270**, 674–686.

transition state stabilization
Site-directed Mutagenesis of Active Site Contact Residues in a Hydrolytic Abzyme: Evidence for an Essential Histidine Involved in Transition State Stabilization, **267**, 1247–1257.

translation
Heteronuclear NMR Studies of *E. coli* Translation Initiation Factor IF3. Evidence that the Inter-domain Region is Disordered in Solution, **266**, 15–22.
Analysis of Interactions Between the Codon–Anticodon Duplexes within the Ribosome: Their Role in Translation, **266**, 877–890.
Alternative Structures of the Cauliflower Mosaic Virus 35 S RNA Leader: Implications for Viral Expression and Replication, **267**, 1075–1088.
In Vitro Trans Translation Mediated by Alanine-charged 10Sa RNA, **268**, 803–808.
Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *in vivo* aa-tRNA Selection in a tRNA-dependent Manner, **271**, 209–221.
An A to U Transversion at Position 1067 of 23 S rRNA from *Escherichia coli* Impairs EF-Tu and EF-G Function, **272**, 327–335.

translation coupling
Identification of Elements on GeneX-*secA* RNA of *Escherichia coli* Required for SecA Binding and *secA* Auto-regulation, **265**, 142–152.

translation initiation
Reported Translational Bypass in a *trpR′-lacZ′* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.
Positioning of the Start Site in the Initiation of Transcription by Bacteriophage T7 RNA Polymerase, **272**, 21–30.

translation regulation
Dual Regulation of *Escherichia coli secA* Translation by Distinct Upstream Elements, **265**, 128–141.

translational activation
Translational Activation in Coliphage Qβ: On a Polycistronic Messenger RNA, Repression of One Gene can Activate Translation of Another, **271**, 299–310.

translational bypass
Reported Translational Bypass in a *trpR'-lacZ'* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.

translational control
Rapid Evolution of Translational Control Mechanisms in RNA Genomes, **265**, 372–384.
Regulation and Trafficking of Three Distinct 18 S Ribosomal RNAs During Development of the Malaria Parasite, **269**, 203–213.

translational entropy
The Entropy Cost of Protein Association, **273**, 1046–1058.

translational initiation
Programmed Cell Death by *hok/sok* of Plasmid R1: Structural Rearrangements that Allow Translation and Antisense RNA Binding, **273**, 26–39.

translational selection
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.

translesion synthesis
HMG1 Protein Inhibits the Translesion Synthesis of the Major DNA Cisplatin Adduct by Cell Extracts, **270**, 539–543.

translocation
A Model for the Mechanism of Polymerase Translocation, **265**, 8–19.
Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation), **266**, 343–356.

transmission
Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7, **272**, 362–368.

trasmission electron microscopy
Three-dimensional Structure of NADH-dehydrogenase from *Neurospora crassa* by Electron Microscopy and Conical Tilt Reconstruction, **265**, 409–418.

transport
Helix Proximity and Ligand-induced Conformational Changes in the Lactose Permease of *Escherichia coli* Determined by Site-directed Chemical Crosslinking, **270**, 285–293.

transposase
Solution Structure of the Iγ Subdomain of the Mu End DNA Binding Domain of Phage Mu Transposase, **273**, 19–25.

transposition
The Mu Transposase Tetramer is Inactive in Unassisted Strand Transfer: An Auto-allosteric Effect of Mu A Promotes the Reaction in the Absence of Mu B, **267**, 132–141.
Genetic Analyses of the Interactions of the IS*1*-encoded Proteins with the Left End of IS*1* and its Insertion Hotspot, **267**, 548–560.
Regulation of the *"tetCD"* Genes of Transposon Tn*10*, **270**, 14–25.
Tn*5* Transposase Mutants that Alter DNA Binding Specificity, **271**, 362–373.
Communication of ClpXP Protease Hypersensitivity to Bacteriophage Mu Repressor Isoforms, **272**, 31–41.

TRAP
Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding, **270**, 696–710.

treadmilling
Control of Actin Dynamics in Cell Motility, **269**, 459–467.

trichoderma reesei
The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.

trifluoroethanol
The Equilibrium Intermediate of β-Lactoglobulin with Non-native α-Helical Structure, **269**, 479–487.

trigger factor
Modular Structure of the Trigger Factor Required for High Activity in Protein Folding, **271**, 827–837.

trimethoprim
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.
A Survey of Polypeptide Deformylase Function Throughout the Eubacterial Lineage, **266**, 939–949.

trinucleotide step
Structure and Conformation of Helical Nucleic Acids: Rebuilding Program (SCHNArP), **273**, 681–691.

triple helix stability
Stability of Type I Collagen CNBr Peptide Trimers, **269**, 488–493.

triplex DNA
Triple-helical DNA as a Reversible Block of the Branch Point in a Partially Symmetrical DNA Four-arm Junction, **271**, 349–361.

tRNA
Polyadenylation Creates the Discriminator Nucleotide of Chicken Mitochondrial $tRNA^{Tyr}$, **265**, 95–99.
On the Conformation of the Anticodon Loops of Initiator and Elongator Methionine tRNAs, **267**, 505–519.
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.
RNA Hydration: Three Nanoseconds of Multiple Molecular Dynamics Simulations of the Solvated $tRNA^{Asp}$ Anticodon Hairpin, **269**, 326–341.
Rules Governing the Orientation of the 2'-Hydroxyl Group in RNA, **274**, 54–63.
Major Identity Determinants for Enzymatic Formation of Ribothymidine and Pseudouridine in the TΨ-loop of Yeast tRNAs, **274**, 505–518.

tRNA abundance
Growth Rate-optimised tRNA Abundance and Codon Usage, **270**, 544–550.

tRNA anticodon modification
Expression of a Coronavirus Ribosomal Frameshift Signal in *Escherichia coli*: Influence of tRNA Anticodon Modification on Frameshifting, **270**, 360–373.

tRNA binding
Mutations at Nucleotides G2251 and U2585 of 23 S rRNA Perturb the Peptidyl Transferase Center of the Ribosome, **266**, 40–50.
Direct Localization of the tRNAs Within the Elongating Ribosome by Means of Neutron Scattering (Proton-spin Contrast-variation), **266**, 343–356.
Pactamycin Resistance Mutations in Functional Sites of 16 S rRNA, **274**, 8–15.

tRNA gene
Induction and Repair of Cyclobutane Pyrimidine Dimers in the *Escherichia coli* tRNA Gene *tyrT*: Fis Protein Affects Dimer Induction in the Control Region and Suppresses Preferential Repair in the Coding Region of the Transcribed Strand, Except in a Short Region Near the Transcription Start Site, **271**, 31–46.

tRNA gene copy number
Transfer RNA Gene Redundancy and Translational Selection in *Saccharomyces cerevisiae*, **268**, 322–330.

tRNA identity
Recognition of $tRNA^{Gly}$ by Three Widely Diverged Glycyl-tRNA Synthetases, **268**, 640–647.

tRNA modifying enzyme
Salmonella typhimurium, **266**, 283–296.

tRNA processing
A Novel Pathway in tRNA Biosynthesis, **265**, 365–371.

tRNA reporter gene
The Low Processivity of T7 RNA Polymerase Over the Initially Transcribed Sequence can Limit Productive Initiation *in Vivo*, **269**, 41–51.

tRNA selection
Three Modified Nucleosides Present in the Anticodon Stem and Loop Influence the *in vivo* aa-tRNA Selection in a tRNA-dependent Manner, **271**, 209–221.

tRNA starvation
Inhibition of *Escherichia coli* Protein Synthesis by Abortive Translation of Phage λ Minigenes, **269**, 167–175.

tRNA structure
Structural Rules and Conformational Compensations in the tRNA L-Form, **266**, 269–282.

tRNA-like structure
De novo and DNA Primer-mediated Initiation of cDNA Synthesis by the Mauriceville Retroplasmid Reverse Transcriptase Involve Recognition of a 3′ CCA Sequence, **271**, 311–332.

$tRNA^{Lys3}$
Effects of Mutations in $Pr160^{gag\text{-}pol}$ upon $tRNA^{Lys3}$ and $Pr160^{gag\text{-}pol}$ Incorporation into HIV-1, **265**, 419–431.

tRNA(m^1G37)methyltransferase
Salmonella typhimurium, **266**, 283–296.

$tRNA^{Pro}$
Structural Alterations Far from the Anticodon of the $tRNA^{Pro}_{GGG}$ of *Salmonella typhimirium* Induce +1 Frameshifting at the Peptidyl-site, **273**, 976–990.

$tRNA^{Ser}$
A Novel Pathway in tRNA Biosynthesis, **265**, 365–371.

tropomyosin
Steric-model for Activation of Muscle Thin Filaments, **266**, 8–14.
3-D Image Reconstruction of Reconstituted Smooth Muscle Thin Filaments Containing Calponin: Visualization of Interactions between F-actin and Calponin, **273**, 150–159.
Visualization of Caldesmon on Smooth Muscle Thin Filaments, **274**, 310–317.

troponin C
Mapping of a Second Actin–Tropomyosin and a Second Troponin C Binding Site within the C Terminus of Troponin I, and their Importance in the Ca^{2+}-dependent Regulation of Muscle Contraction, **271**, 728–750.

troponin I
Mapping of a Second Actin–Tropomyosin and a Second Troponin C Binding Site within the C Terminus of Troponin I, and their Importance in the Ca^{2+}-dependent Regulation of Muscle Contraction, **271**, 728–750.

Trp fluorescence
Fluorescence Properties of a Tryptophan Residue in an Aromatic Core of the Protein Subunit of Ribonuclease P from *Escherichia coli*, **267**, 765–769.

***trp* operators**
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites, **267**, 103–117.

***trp* repressor**
Repressor Assembly at *trp* Binding Sites is Dependent on the Identity of the Intervening Dinucleotide Between the Binding Half Sites, **267**, 103–117.
Reported Translational Bypass in a *trpR′-lacZ′* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.
Affinity and Specificity of *trp* Repressor-DNA Interactions Studied with Fluorescent Oligonucleotides, **273**, 572–585.

trpR
Reported Translational Bypass in a *trpR′-lacZ′* Fusion is Accounted for by Unusual Initiation and +1 Frameshifting, **271**, 491–498.

TrwA protein
OriT-processing and Regulatory Roles of TrwA Protein in Plasmid R388 Conjugation, **270**, 188–200.

Trypanosome
Structural Characterisation of Two Forms of Procyclic Acidic Repetitive Protein Expressed by Procyclic Forms of *Trypanosoma brucei*, **269**, 529–547.
See also entries beginning trp.

Tryptophan
The Tryptophan/Histidine Interaction in α-Helices, **267**, 184–197.

tryptophan binding
Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding, **270**, 696–710.

tryptophan biogenesis
Alanine-scanning Mutagenesis of *Bacillus subtilis trp* RNA-binding Attenuation Protein (TRAP) Reveals Residues Involved in Tryptophan Binding and RNA Binding, **270**, 696–710.

TTF-I
RNA Polymerase I Transcription Termination: Similar Mechanisms are Employed by Yeast and Mammals, **268**, 229–234.

***Tth* DNA polymerase**
Inhibition of Multiple Thermostable DNA Polymerases by a Heterodimeric Aptamer, **271**, 100–111.

tubulin-sheets
Motor Domains of Kinesin and ncd Interact with Microtubule Protofilaments with the Same Binding Geometry, **265**, 553–564.

tumor cell binding
Characterization of Peptides that Bind the Tumor-Associated Thomsen-Friedenreich Antigen Selected from Bacteriophage Display Libraries, **270**, 374–384.

tumor necrosis factor receptor
Three-dimensional Structures of Proteins Involved in Programmed Cell Death, **274**, 291–302.

turbidity
Acetylcholinesterase Promotes the Aggregation of Amyloid-β-Peptide Fragments by Forming a Complex with the Growing Fibrils, **272**, 348–361.

two-component regulatory system
Transphosphorylation of the TorR Response Regulator Requires the Three Phosphorylation Sites of the TorS Unorthodox Sensor in *Escherichia coli*, **267**, 770–777.

two-component signal transduction
Molecular Recognition in Signal Transduction: The Interaction Surfaces of the SpoOF Response Regulator with its Cognate Phosphorelay Proteins Revealed by Alanine Scanning Mutagenesis, **272**, 200–212.

two-component systems
Structural and Functional Analyses of Activating Amino Acid Substitutions in the Receiver Domain of NtrC: Evidence for an Activating Surface, **273**, 299–316.

two-dimensional agarose gel electrophoresis
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.
Analysis of the Tobacco Chloroplast DNA Replication Origin (*ori*B) Downstream of the 23 S rRNA Gene, **268**, 273–283.

two-dimensional crystallization
Two-dimensional Crystallization of the Light-harvesting I–Reaction Centre Photounit from *Rhodospirillum rubrum*, **265**, 107–111.
The 3.0 Å Projection Structure of Microsomal Glutathione Transferase as Determined by Electron Crystallography of $p2_12_12$ Two-dimensional Crystals, **271**, 751–758.
Projection Structure of VP6, the Rotavirus Inner Capsid Protein, and Comparison with Bluetongue VP7, **272**, 362–368.
Structural Study of the Response Regulator HupR from *Rhodobacter capsulatus*. Electron Microscopy of Two-dimensional Crystals on a Nickel-chelating Lipid, **274**, 687–692.

two-dimensional crystals
Three-dimensional Structure of Brush Border Myosin-I at ~20 Å Resolution by Electron Microscopy and Image Analysis, **266**, 331–342.
Intramembrane Substitutions in Helix D of Bacteriorhodopsin Disrupt the Purple Membrane, **267**, 172–183.
Two Conformations of RNA Polymerase II Revealed by Electron Crystallography, **272**, 536–540.

two-dimensional electrophoresis
Polymorphism of Bacteriophage T7, **273**, 658–667.

two-hybrid system
A RNA Polymerase III-Based Two-hybrid System to Study RNA Polymerase II Transcriptional Regulators, **268**, 243–249.

two-metal catalysis
Biochemical and Mutational Studies of the 5′-3′ Exonuclease of DNA Polymerase I of *Escherichia coli*, **268**, 284–302.

two-stage model
The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization, **272**, 266–275.

two-state folding
Folding of the Disulfide-bonded β-Sheet Protein Tendamistat: Rapid Two-state Folding without Hydrophobic Collapse, **268**, 526–538.

two-state model
Thermodynamic Hierarchy and Local Energetics of Folded Proteins, **267**, 198–206.

tyrosine kinase
The 2.35 Å Crystal Structure of the Inactivated Form of Chicken Src: a Dynamic Molecule with Multiple Regulatory Interactions, **274**, 757–775.

tyrosine tRNA synthetase
Species-specific tRNA Recognition in Relation to tRNA Synthetase Contact Residues, **269**, 1–9.

U1A protein
Severe Axial Bending of RNA Induced by the U1A Binding Element Present in the 3′ Untranslated Region of the U1A mRNA, **273**, 84–92.

U3 snoRNP
An *in vivo* and *in vitro* Structure-Function Analysis of the *Saccharomyces cerevisiae* U3A snoRNP: Protein-rRNA Contacts and Base-pair Interaction with the Pre-ribosomal RNA, **273**, 552–571.

UGA codon
Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion, **266**, 637–641.

ultracentrifugation
The Effect of Point Mutations on the Free Energy of Transmembrane α-Helix Dimerization, **272**, 266–275.
See also analytical ultracentrifugation.

unconventional myosin
A Novel Class of Unconventional Myosins from *Toxoplasma gondii*, **271**, 139–146.
A Family of Unconventional Myosins from the Nematode *Caenorhabditis elegans*, **272**, 523–535.

uncoordinated movement
An Abnormal Ketamine Response in Mutants Defective in the Ryanodine Receptor Gene *ryr-1 (unc-68)* of *Caenorhabditis elegans*, **267**, 849–864.

unfolded or partially folded states
Comprehensive NOE Characterization of a Partially Folded Large Fragment of Staphylococcal Nuclease Δ131Δ, Using NMR Methods with Improved Resolution, **272**, 9–20.

unidirectional replication
Study of Plasmid Replication in *Escherichia coli* with a Combination of 2D Gel Electrophoresis and Electron Microscopy, **268**, 1–7.

unitary glutamate receptor
Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

untranslated region
Selenoprotein Synthesis in Archaea: Identification of an mRNA Element of *Methanococcus jannaschii* Probably Directing Selenocysteine Insertion, **266**, 637–641.

upstream activation sequence
Role of Upstream Activation Sequences and Integration Host Factor in Transcriptional Activation by the Constitutively Active Prokaryotic Enhancer-binding Protein PspF, **273**, 377–388.

UspA
The Universal Stress Protein, UspA, of *Escherichia coli* is Phosphorylated in Response to Stasis, **274**, 318–324.

utrophin
Expression of the Dystrophin-related Protein 2 (*Drp2*) Transcript in the Mouse, **270**, 551–558.

UV light
DNA Repair of UV Photoproducts and Mutagenesis in Human Mitochondrial DNA, **273**, 417–427.

UvrABC excinuclease
Sequence-dependent Modulation of Nucleotide Excision Repair: The Efficiency of the Incision Reaction is Inversely Correlated with the Stability of the Pre-incision UvrB-DNA Complex, **266**, 703–710.

UvsX
Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY, **267**, 150–162.

uvsY
Single-stranded DNA Binding Properties of the uvsY Recombination Protein of Bacteriophage T4, **266**, 927–938.
Inhibition of Holliday Structure Resolving Endonuclease VII of Bacteriophage T4 by Recombination Enzymes UvsX and UvsY, **267**, 150–162.

Vα domain
Dual Conformations of a T Cell Receptor Vα Homodimer: Implications for Variability in VαVβ Domain Association, **269**, 385–394.

V_λ
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

vaccine
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.

vacuole
The Three-dimensional Structure at 2.4 Å Resolution of Glycosylated Proteinase A from the Lysosome-like Vacuole of *Saccharomyces cerevisiae*, **267**, 899–915.

variability
Possible Roles of HIV-1 Nucleocapsid Protein in the Specificity of Proviral DNA Synthesis and in Its Variability, **268**, 250–260.

V(D)J recombination
Identification of V(D)J Recombination Coding End Intermediates in Normal Thymocytes, **267**, 1–9.

vectorial transport
Chloride and Proton Transport in Bacteriorhodopsin Mutant D85T: Different Modes of Ion Translocation in a Retinal Protein, **271**, 405–416.

vertebrate
A 29 Residue Region of the Sarcomeric Myosin Rod is Necessary for Filament Formation, **266**, 317–330.

vesicular stomatitis virus
Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein, **274**, 816–825.

V_H
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

Vibrio
Vibrio alginolyticus Mutants Resistant to Phenamil, a Specific Inhibitor of the Sodium-driven Flagellar Motor, **265**, 310–318.

viral evolution
Structure of Ribgrass Mosaic Virus at 2.9 Å Resolution: Evolution and Taxonomy of Tobamoviruses, **269**, 769–779.

viral proteins
Phage P22 Tailspike Protein: Crystal Structure of the Head-binding Domain at 2.3 Å, Fully Refined Structure of the Endorhamnosidase at 1.56 Å Resolution, and the Molecular Basis of O-Antigen Recognition and Cleavage, **267**, 865–880.
Crystal Structure of Epstein-Barr Virus Protein BCRF1, a Homolog of Cellular Interleukin-10, **268**, 460–467.
The Molecular Structure of Agrobacterium VirE2-Single Stranded DNA Complexes Involved in Nuclear Import, **271**, 718–727.

viroids
Peach Latent Mosaic Viroid is Locked by a 2′,5′-Phosphodiester Bond Produced by *in Vitro* Self-ligation, **273**, 533–543.

virulence factor
Crystal Structure of the Phosphatidylinositol-specific Phospholipase C from the Human Pathogen *Listeria monocytogenes*, **273**, 269–282.

virus assembly
Bacteriophage P22 Scaffolding Protein forms Oligomers in Solution, **268**, 655–665.
Quasi-equivalent Viruses: A Paradigm for Protein Assemblies, **269**, 665–675.
The Three-dimensional Structures of Two Complexes between Recombinant MS2 Capsids and RNA Operator Fragments Reveal Sequence-specific Protein-RNA Interactions, **270**, 724–738.
The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses, **271**, 759–773.
Partially Folded States of the Capsid Protein of Cowpea Severe Mosaic Virus in the Disassembly Pathway, **273**, 456–466.
Conformational Flexibility and Polymerization of Vesicular Stomatitis Virus Matrix Protein, **274**, 816–825.

virus evolution
The Crystal Structure of Bacteriophage GA and a Comparison of Bacteriophages Belonging to the Major Groups of *Escherichia coli* Leviviruses, **271**, 759–773.

virus morphogenesis
Head Morphogenesis Genes of the *Bacillus subtilis* Bacteriophage SPP1, **268**, 822–839.

virus neutralisation
Bivalent Binding of a Neutralising Antibody to a Calicivirus Involves the Torsional Flexibility of the Antibody Hinge, **270**, 238–246.

visible volume
Visible Volume: A Robust Measure for Protein Structure Characterization, **273**, 338–348.

visual pigment
The Steric Trigger in Rhodopsin Activation, **269**, 373–384.

V_k
Standard Conformations for the Canonical Structures of Immunoglobulins, **273**, 927–944.

voltage sensing
Voltage Sensing in the PhoE and OmpF Outer Membrane Porins of *Escherichia coli*: Role of Charged Residues, **269**, 468–472.

VSV8/H-2K^b
Topology of T Cell Receptor-peptide/Class I MHC Interaction Defined by Charge Reversal Complementation and Functional Analysis, **271**, 278–293.

water molecule
Contribution of Water Molecules in the Interior of a Protein to the Conformational Stability, **274**, 132–142.

water residence time
Kinetics of DNA Hydration, **268**, 118–136.

water site prediction
Predicting Conserved Water-mediated and Polar Ligand Interactions in Proteins Using a K-nearest-neighbor Genetic Algorithm, **265**, 445–464.

winged bean
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC, **269**, 881–891.

winged-helix-turn-helix
Structural Relationships in the OmpR Family of Winged-Helix Transcription Factors, **269**, 301–312.

wobble pairs
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.

Xenopus
A *Xenopus* Zinc Finger Protein that Specifically Binds dsRNA and RNA-DNA Hybrids, **271**, 195–208.
Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

XenU1 subunit
Xenopus Oocytes Express a Unitary Glutamate Receptor Endogenously, **273**, 14–18.

XerC
Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.
Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*, **266**, 525–537.

XerD
Binding and Cleavage of Nicked Substrates by Site-specific Recombinases XerC and XerD, **265**, 30–39.
Recombinase Binding Specificity at the Chromosome Dimer Resolution Site *dif* of *Escherichia coli*, **266**, 525–537.
Structure–Function Correlations in the XerD Site-Specific Recombinase Revealed by Pentapeptide Scanning Mutagenesis, **274**, 39–53.

X-ray crystal structure
DNA Base-stacking Interactions: A Comparison of Theoretical Calculations with Oligonucleotide X-ray Crystal Structures, **265**, 603–619.
Human α-Thrombin Inhibition by the Highly Selective Compounds *N*-ethoxycarbonyl-D-Phe-Pro-α-azaLys *p*-Nitrophenyl Ester and *N*-carbobenzoxy-Pro-α-azaLys *p*-Nitrophenyl Ester: A Kinetic, Thermodynamic and X-ray Crystallographic Study†, **269**, 558–569.
The 1.8 Å Crystal Structure of Winged Bean Albumin 1, The Major Albumin from *Psophocarpus Tetragonolobus* (L.) DC, **269**, 881–891.
Photosystem I of *Synechococcus elongatus* at 4 Å Resolution: Comprehensive Structure Analysis, **272**, 741–769.
Unique Structural Features of the Monomeric Cu,Zn Superoxide Dismutase from *Escherichia coli*, Revealed by X-ray Crystallography, **274**, 408–420.
See also X-ray structure.

X-ray crystallography
Crystal Structure of Calf Spleen Purine Nucleoside Phosphorylase in a Complex with Hypoxanthine at 2.15 Å Resolution, **265**, 202–216.
Structure-based Design of a Constrained Peptide Mimic of the HIV-1 V3 Loop Neutralization Site, **266**, 31–39.
The Amino-terminal Residues in the Crystal Structure of Connective Tissue Activating Peptide-III (des10) Block the ELR Chemotactic Sequence, **266**, 367–380.
The 2.6 Å Structure of Antithrombin Indicates a Conformational Change at the Heparin Binding Site, **266**, 601–608.
Crystal Structure of a Ternary Complex of D-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus casei*, NAD^+ and 2-Oxoisocaproate at 1.9 Å Resolution, **267**, 640–660.
A DNA Decamer with a Sticky End: The Crystal Structure of d-CGACGATCGT, **267**, 881–898.
Crystal Structure of an Alternating Octamer r(GUAUGUA)dC with Adjacent G·U Wobble Pairs, **267**, 1149–1156.
Nine Polymorphic Crystal Structures of d(CCGGGCCCGG), d(CCGGGCCm^{5}CGG), d(Cm^{5}CGGGCCm^{5}CGG) and d(CCGGGCC(Br)^{5}CGG) in Three Different Conformations: Effects of Spermine Binding and Methylation on the Bending and Condensation of *A*-DNA, **267**, 1171–1185.
Structure of TcpG, the DsbA Protein Folding Catalyst from *Vibrio cholerae*, **268**, 137–146.
The Rational Construction of an Antibody Against Cystatin: Lessons from the Crystal Structure of an Artifical F_{ab} Fragment, **268**, 934–951.
Electrostatics and Hydration at the Homeodomain-DNA Interface: Chemical Probes of an Interfacial Water Cavity, **269**, 113–128.
A Structural and Functional Comparison of Staphylococcal Enterotoxins A and C2 Reveals Remarkable Similarity and Dissimilarity, **269**, 270–280.
The Second Kunitz Domain of Human Tissue Factor Pathway Inhibitor: Cloning, Structure Determination and Interaction with Factor Xa, **269**, 395–407.
Crystal Structure of a Decameric Complex of Human Serum Amyloid P Component with Bound dAMP, **269**, 570–579.
Crystals by Design: A Strategy for Crystallization of a Ribozyme Derived from the *Tetrahymena* Group I Intron, **270**, 711–723.
The Crystal Structure of the Catalytic Core Domain of Endoglucanase I from *Trichoderma reesei* at 3.6 Å Resolution, and a Comparison with Related Enzymes, **272**, 383–397.
The Crystal Structure of a Parallel-Stranded Guanine Tetraplex at 0.95 Å Resolution, **273**, 171–182.

Structural Details of a Calcium-induced Molecular Switch: X-ray Crystallographic Analysis of the Calcium-saturated N-Terminal Domain of Troponin C at 1.75 Å Resolution, **273**, 238–255.
The Crystal Structure of a Type I Cohesin Domain at 1.7 Å Resolution, **273**, 701–713.
The Structures of Human Glutathione Transferase P1-1 in Complex with Glutathione and Various Inhibitors at High Resolution, **274**, 84–100.
See also crystallography.

X-ray diffraction
Crystal Structures and Mechanism of 6-Phospho-β-galactosidase from *Lactococcus lactis*, **269**, 851–860.
Altered Collagen Structure in Mouse Tail Tendon Lacking the α2(I) Chain, **270**, 275–284.
Structure and Mechanism of L-Fucose Isomerase from *Escherichia coli*, **273**, 256–268.
Common Core Structure of Amyloid Fibrils by Synchrotron X-ray Diffraction, **273**, 729–739.

X-ray fibre diffraction
X-ray Fibre Diffraction Study of an Elevated Temperature Structure of Poly(dA)·Poly(dT), **274**, 64–71.

X-ray scattering
The First Glimpse of a Complex of Nitrogenase Component Proteins by Solution X-ray Scattering: Conformation of the Electron Transfer Transition State Complex of *Klebsiella pneumoniae* Nitrogenase, **266**, 642–648.
Tertiary Structural Changes and Iron Release From Human Serum Transferrin, **270**, 739–750.
Pentameric and Decameric Structures in Solution of Serum Amyloid P Component by X-ray and Neutron Scattering and Molecular Modelling Analyses, **272**, 408–422.

X-ray structure
Differential Binding of *S*-Adenosylmethionine *S*-Adenosylhomocysteine and Sinefungin to the Adenine-specific DNA Methyltransferase M.*Taq*I, **265**, 56–67.
A Single Amino Acid Substitution in *Staphylococcus aureus* Dihydrofolate Reductase Determines Trimethoprim Resistance, **266**, 23–30.
X-ray Structure at 1.76 Å Resolution of a Polypeptide Phospholipase A_2 Inhibitor, **266**, 160–172.
Structure of Maltoporin from *Salmonella typhimurium* Ligated with a Nitrophenyl-maltotrioside, **266**, 761–775.
Structure-based Identification of a Ricin Inhibitor, **266**, 1043–1049.
X-ray and Solution Studies of DNA Oligomers and Implications for the Structural Basis of A-tract-dependent Curvature, **267**, 595–623.
Structure and Function of the Dihydropteroate Synthase from *Staphylococcus aureus*, **268**, 21–30.
Apoprotein Structure in the LH2 Complex from *Rhodopseudomonas acidophila* Strain 10050: Modular Assembly and Protein Pigment Interactions, **268**, 412–423.
The Refined Crystal Structure of *Bacillus cereus* Oligo-1,6-glucosidase at 2.0 Å Resolution: Structural Characterization of Proline-substitution Sites for Protein Thermostabilization, **269**, 142–153.
Cytochrome cd_1 Structure: Unusual Haem Environments in a Nitrite Reductase and Analysis of Factors Contributing to β-Propeller Folds, **269**, 440–455.
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of $d(Gm^5CGm^5CGCGCGC)$, **270**, 247–258.
Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues, **270**, 426–435.
Channel Specificity: Structural Basis for Sugar Discrimination and Differential Flux Rates in Maltoporin, **272**, 56–63.
An Interaction Between a Specified Surface of the C-terminal Domain of RecA Protein and Double-stranded DNA for Homologous Pairing, **274**, 213–221.
X-ray Crystal Structure and Solution Fluorescence Characterization of Mg·2′(3′)-*O*-(*N*-Methylanthraniloyl) Nucleotides Bound to the *Dictyostelium discoideum* Myosin Motor Domain, **274**, 394–407.
See also X-ray crystal structure.

X-rays
Time-resolved Synchrotron X-ray "Footprinting", a New Approach to the Study of Nucleic Acid Structure and Function: Application to Protein–DNA Interactions and RNA Folding, **266**, 144–159.

yeast
Genetic Interactions Among the Transmembrane Segments of the G Protein Coupled Receptor Encoded by the Yeast *STE2* Gene, **266**, 559–575.
Folding of the Presequence of Yeast pAPI into an Amphipathic Helix Determines Transport of the Protein from the Cytosol to the Vacuole, **267**, 1124–1138.
Complete Transcriptional Map of Yeast Chromosome XI in Different Life Conditions, **268**, 303–321.
In Vivo Analyses of Upstream Promoter Sequence Elements in the 5 S rRNA Gene from *Saccharomyces cerevisiae*, **269**, 676–683.
Modulation of Yeast F-Actin Structure by a Mutation in the Nucleotide-binding Cleft, **271**, 235–243.
Two Conformations of RNA Polymerase II Revealed by Electron Crystallography, **272**, 536–540.
Dual Role for the Yeast *THI4* gene in Thiamine Biosynthesis and DNA Damage Tolerance, **273**, 114–121.

Y-junctions
Sensing Homology at the Strand-swapping Step in λ Excisive Recombination, **272**, 493–508.

***Z-A* transition**
Methylation of the Z-DNA Decamer $d(GC)_5$ Potentiates the Formation of *A*-DNA: Crystal Structure of $d(Gm^5CGm^5CGCGCGC)$, **270**, 247–258.

Z-discs
Tissue-specific Expression and α-Actinin Binding Properties of the Z-Disc Titin: Implications for the Nature of Vertebrate Z-Discs, **270**, 688–695.

zinc binding domain
Identification of Functional Surfaces of the Zinc Binding Domains of Intracellular Receptors, **274**, 325–337.

zinc finger
A *Xenopus* Zinc Finger Protein that Specifically Binds dsRNA and RNA-DNA Hybrids, **271**, 195–208.
Promoter-specific Activation of Gene Expression Directed by Bacteriophage-selected Zinc Fingers, **273**, 525–532.

Importance of Minor Groove Binding Zinc Fingers within the Transcription Factor IIIA-DNA Complex, **274**, 439–445.

Specific DNA Recognition by the *Aspergillus nidulans* Three Zinc Finger Transcription Factor PacC, **274**, 466–480.

zona pellucida-binding protein

The 2.4 Å Resolution Crystal Structure of Boar Seminal Plasma PSP-I/PSP-II: a Zona Pellucida-binding Glycoprotein Heterodimer of the Spermadhesin Family Built by a CUB Domain Architecture, **274**, 635–649.

zymogen

Crystal Structure of the Wild-type Human Procathepsin B at 2.5 Å Resolution Reveals the Native Active Site of a Papain-like Cysteine Protease Zymogen, **271**, 774–788.

Author Index

Abagyan, R. A. **268** (3) 678 **273** (1) 355, (3) 714
Abraham, D. J. **272** (4) 613
Abrahams, J.-P. **266** (3) 601
Abrahamson, M. **271** (2) 266
Abramovitz, D. L. **266** (3) 493
Acharya, K. R. **269** (2) 270
Ackerman, A. L. **272** (2) 266
Ackers, G. K. **272** (4) 613
Adachi, K. **272** (3) 398
Adachi, O. **267** (4) 778
Adam, S. **272** (2) 226
Adams, G. M. **273** (3) 646
Addess, K. J. **274** (1) 72
Adhya, S. **272** (3) 293
Ago, H. **274** (1) 16
Aguilar, C. F. **267** (4) 899 **271** (5) 789
Ahlberg, A. **273** (3) 714
Ahn, B.-Y. **270** (2) 259
Aihara, H. **274** (2) 213
Air, G. M. **267** (3) 584
Akasaka, K. **271** (5) 671
Åkesson, B. **268** (5) 869
Aki, T. **272** (3) 293
Al-Deib, A. A. **270** (2) 212
Al-Lazikani, B. **273** (4) 927
Al-Uzri, A. Y. **271** (2) 178
Alani, E. **265** (3) 289
Alarcón, R. **272** (3) 348
Albaret, C. **266** (1) 15
Albiser, G. **274** (1) 64
Ali, M. Y. **270** (5) 627
Alix, A. J. P. **268** (3) 666
Alkema, M. J. **273** (5) 993
Allain, F. H.-T. **267** (2) 338
Allan, J. **267** (2) 276
Allen, J. P. **271** (3) 456
Almeida, F. C. L. **270** (3) 481
Almog, O. **265** (5) 620
Almond, A. **269** (4) 529
Alonso, J. C. **268** (5) 822 **270** (1) 50
Aloy, P. **266** (3) 594
Altman, S. **267** (4) 765, 818
Altona, C. **273** (3) 519
Alvarez, A. **272** (3) 348
Alzari, P. M. **273** (3) 701
Amacker, M. **274** (5) 738
Amano, N. **274** (3) 421
Anafi, D. **274** (2) 237
Andersen, C. **267** (3) 490
Anderson, B. F. **274** (2) 222
Anderson, D. H. **273** (2) 479
Anderson, D. **266** (5) 901
Anderson, S. **266** (2) 441
Andersson, I. **265** (4) 432
Ando, H. **267** (4) 849
Ang, K. **269** (5) 744
Angenitzki, M. **267** (3) 570
Ansaldi, M. **267** (4) 770
Antezana, M. A. **271** (3) 349
Aoki, T. **267** (2) 229
Apostol, I. **266** (2) 441
Åqvist, J. **265** (2) 118
Arakawa, T. **271** (3) 342
Arata, Y. **270** (1) 8
Arbuckle, N. D. **267** (3) 595
Argos, P. **269** (4) 631
Arico-Muendel, C. C. **268** (5) 903
Arnold, F. H. **272** (3) 336
Arora, R. **271** (3) 299
Arraiano, C. M. **268** (2) 261
Arredondo-Peter, R. **266** (5) 1032
Arst, Jr, H. N. **274** (4) 466
Artymiuk, P. J. **268** (2) 424
Asahara, H. **268** (3) 640
Asami, M. **266** (2) 297
Ascenzi, P. **269** (4) 558
Ashizawa, A. **266** (2) 297
Aßheuer, R. **266** (4) 847
Ashton, A. W. **272** (3) 408
Asturias, F. J. **272** (4) 536
Atanasov, B. **266** (1) 160
Atkins, J. F. **271** (1) 47, (4) 491
Atsumi, T. **265** (3) 310
Atwell, S. **270** (1) 26
Au-Yeung, S. C. F. **266** (4) 745
Aubry, A. **268** (4) 739
Auffinger, P. **269** (3) 326 **274** (1) 54
Ausiello, G. **271** (4) 511
Auzat, I. **267** (3) 476
Avilés, F. X. **266** (4) 814 **269** (5) 861
Avruch, A. **269** (1) 1
Babu, Y. S. **267** (3) 584
Badasso, M. **267** (4) 899
Bader, M.-F. **272** (1) 42
Baert, J. **274** (3) 381
Baginski, M. **274** (2) 253
Bagshaw, C. R. **274** (3) 394
Bahar, I. **266** (1) 195
Baici, A. **269** (5) 757
Bailey, J. **267** (2) 250
Bailone, A. **270** (2) 201
Baird, E. E. **274** (4) 439
Baker, B. M. **268** (2) 557
Baker, D. **268** (1) 209 **274** (4) 588
Baker, E. N. **274** (2) 222
Baker, J. P. **272** (4) 523
Baker, S. C. **269** (3) 440
Bakin, A. **266** (2) 246
Balavoine, F. **274** (5) 687
Baldwin, J. M. **272** (1) 144
Baldwin, M. A. **270** (4) 574
Baldwin, T. O. **268** (4) 712
Bali, A. **268** (4) 724
Ball, H. **270** (4) 574
Balliano, G. **269** (4) 558
Bamberg, E. **271** (3) 405
Bamford, D. H. **266** (5) 891
Ban, C. **267** (5) 1149
Banères, J.-L. **273** (3) 503
Banik-Maiti, S. **272** (5) 677
Bantia, S. **267** (3) 584
Barbas III, C. F. **267** (3) 684
Barbosa, A. C. C. **273** (1) 114
Barbosa, J. A. R. G. **266** (2) 381
Bardsley, W. G. **267** (1) 10
Bareket-Samish, A. **267** (1) 103, (3) 595
Barge, A. **274** (5) 816
Barlow, P. N. **272** (2) 253
Barnard, E. A. **273** (1) 14
Barnham, K. J. **268** (5) 886

Barra, D. **265** (5) 620
Barrera, I. **267** (5) 1089
Barry, J. K. **266** (5) 1032
Barthe, P. **274** (5) 801
Bartlam, M. **273** (3) 729
Bartunik, H. D. **271** (4) 629
Bartunik, H.-D. **266** (1) 160
Bashford, D. **270** (2) 305
Basic, M. **266** (3) 479
Basilion, J. P. **274** (1) 72
Bass, B. L. **271** (2) 195
Bastidas, R. B. **273** (3) 614
Batalov, S. **273** (1) 355
Bates, P. A. **266** (4) 814 **269** (3) 423
Battistoni, A. **274** (1) 84, (3) 408
Batzer, M. A. **271** (2) 222
Bauer, C. B. **274** (3) 394
Baumann, C. **270** (5) 696
Baumeister, W. **267** (1) 142
Baxa, U. **267** (4) 865
Baxevanis, A. D. **267** (4) 818
Beattie, T. L. **267** (4) 830
Becker, A. **271** (3) 405
Becker, B. **268** (5) 822
Becker, H. F. **274** (4) 505
Becker, P. B. **265** (1) 20
Beckman, D. L. **268** (4) 724 **271** (5) 679
Beckman, E. **271** (3) 417
Bednar, J. **266** (4) 711
Beeser, S. A. **269** (1) 154
Beglov, D. **272** (3) 423
Béguin, P. **273** (3) 701
Beigelman, L. **267** (1) 163
Beisel, H.-G. **274** (4) 608
Belfort, M. **265** (5) 494
Bellamy, A. R. **272** (3) 362
Belogurov, A. A. **271** (1) 13
Benham, C. **274** (2) 181
Benjamin, D. C. **270** (5) 751
Benjamin, L. R. **271** (1) 61
Benkovic, S. J. **271** (4) 656
Bentley, G. A. **267** (5) 1207
Benz, J. **270** (1) 79
Berg, O. G. **270** (4) 544
Bergner, A. **270** (1) 1
Berkovitch-Yellin, Z. **267** (3) 570
Berns, A. **273** (5) 993
Bernstein, S. I. **271** (1) 1
Berry, M. B. **266** (5) 1032
Bertrand-Burggraf, E. **266** (4) 703
Berzins, V. **265** (4) 372
Bestor, T. H. **270** (3) 385
Bianchi, V. **268** (1) 147
Bickle, T. A. **271** (3) 342
Bieseler, B. **274** (4) 446, 577
Bilgin, N. **272** (3) 327
Billeter, M. **267** (3) 673
Biltonen, R. L. **268** (5) 809
Bina, M. **268** (1) 8
Binley, J. M. **267** (3) 684
Birch, A. **273** (4) 882
Birkenkamp-Demtröder, K. **267** (1) 150
Bisang, C. **267** (4) 1012
Biswas, R. **267** (5) 1149 **270** (3) 511
Björck, L. **266** (5) 859 **270** (1) 8
Björk, G. R. **266** (2) 283 **271** (2) 209 **273** (5) 978
Bjorkman, P. J. **274** (4) 597
Blair, D. F. **266** (4) 733 **273** (2) 428
Blake, C. C. F. **273** (3) 729
Blakely, G. W. **265** (1) 30
Blanchard, S. **266** (5) 939
Blanco, F. J. **273** (4) 898
Blanco, L. **269** (3) 313 **270** (1) 65
Blankenship, R. E. **271** (3) 456
Blanquet, S. **266** (1) 15 **267** (3) 749
Bleimling, N. **265** (1) 56
Blickling, S. **274** (4) 608
Bloys, A. J. **270** (3) 360
Blumberg, S. **265** (5) 620
Blumenfeld, M. **266** (2) 231
Blumenthal, R. M. **270** (2) 152
Blundell, T. L. **267** (2) 352, (4) 899
Böck, A. **266** (4) 637 **274** (2) 174
Böckmann, A. **270** (3) 496
Börner, T. **270** (2) 179
Böttger, A. **269** (5) 744
Böttger, V. **269** (5) 744
Bobrow, M. **270** (4) 551
Bode, J. **274** (2) 181
Bode, W. **269** (3) 395, (5) 861
Boehm, M. K. **272** (3) 408
Boger, D. L. **272** (2) 237
Boice, J. A. **270** (5) 640
Boisset, N. **266** (5) 1002
Bolin, K. A. **267** (4) 963
Bolognesi, M. **269** (4) 558 **274** (3) 408
Bond, J. P. **267** (5) 1186
Bonod-Bidaud, C. **270** (3) 496
Boocock, M. R. **266** (1) 108
Bork, J. M. **265** (5) 519
Borrebaeck, C. A. K. **273** (3) 544
Bosron, W. F. **265** (3) 330
Bott, M. **269** (5) 719
Bottazzo, G. F. **268** (3) 599
Boudker, O. **272** (5) 770
Boudsocq, F. **270** (2) 201
Boulard, Y. **268** (2) 331
Bourenkov, G. P. **271** (4) 629
Bower, M. J. **267** (5) 1268
Bowie, J. U. **272** (5) 780
Bowler, B. E. **268** (5) 816
Bowtell, D. **269** (4) 579
Bozic, D. **274** (4) 608
Bradbury, E. M. **272** (3) 369
Brakier-Gingras, L. **273** (3) 586
Brandt, A. **272** (2) 213
Branlant, C. **273** (3) 552
Branlant, G. **268** (4) 739
Brantl, S. **269** (5) 684
Bras, G. L. **267** (3) 476
Brasseur, R. **274** (3) 381
Bravo, A. **269** (1) 102
Brenowitz, M. **266** (1) 144
Breslauer, K. J. **274** (2) 237
Briand, J.-P. **273** (1) 52
Bridges, A. **273** (4) 882
Brierley, I. **270** (3) 360
Briggs, J. M. **267** (2) 368 **274** (2) 253
Bright, J. **272** (2) 253
Brimacombe, R. **271** (4) 524, 545, 566
Bringemeier, I. **270** (1) 79
Brinkmann, T. **272** (2) 190
Brinkmann, U. **268** (1) 107
Brisson, A. **272** (1) 42
Brodsky, A. S. **267** (3) 624
Brodsky, B. **270** (2) 275
Broger, C. **266** (1) 23
Brouillette, W. J. **267** (3) 584

Brown, C. V. **274** (4) 466
Brown, D. M. **270** (3) 426
Brown, L. S. **273** (5) 951
Brown, M. P. **273** (3) 572
Bruccoleri, R. E. **268** (2) 401
Brucker, E. A. **266** (5) 1032
Bruist, M. F. **271** (3) 349
Bruix, M. **271** (3) 472
Brunelle, M.-N. **273** (3) 586
Bruyère, T. **266** (3) 576
Brynda, J. **267** (5) 1207
Buc, H. **266** (3) 507
Buchold, G. M. **271** (1) 124
Buck, D. **270** (4) 587
Buck, M. **265** (2) 112
Buckingham, R. H. **273** (2) 389
Budisa, N. **267** (4) 865 **270** (4) 616
Bukhman, Y. V. **273** (5) 1020
Bundule, M. **271** (5) 759
Burge, C. **268** (1) 78
Burgering, M. J. M. **269** (3) 395
Burkhardt, N. **266** (2) 343 **271** (4) 588, 602
Burston, S. G. **266** (4) 656
Burton, D. R. **267** (3) 684 **273** (3) 614
Buse, G. **271** (4) 629
Bustamante, C. **270** (2) 125
Bustin, M. **274** (4) 454
Butcher, S. E. **268** (2) 348 **273** (2) 467
Butler, P. J. G. **265** (5) 590
Byrne, C. D. **274** (3) 338
Byrne, K. L. **273** (1) 114
Bzowska, A. **265** (2) 202
Cachia, P. J. **267** (2) 382
Caffrey, M. **271** (5) 819
Cagnon, C. **267** (5) 1247
Cahill, S. **266** (1) 173
Cai, M. **271** (5) 819
Calvete, J. J. **274** (4) 635, 650
Cambillau, C. **268** (4) 779
Camerini-Otero, R. D. **271** (2) 168
Cameron, C. S. **268** (2) 482
Campbell, A. P. **267** (2) 382
Campbell, E. A. **270** (4) 551
Campbell, I. D. **265** (5) 565 **270** (5) 763 **272** (2) 253
Campbell, M. **270** (2) 201
Canard, L. H. J. **267** (2) 352
Cannon, W. R. **271** (4) 656
Canters, G. W. **266** (2) 357
Cao, H. **267** (4) 807
Cao, Q. **265** (4) 419
Cao, Y. **274** (1) 39
Cao, Z. **265** (5) 580
Capasso, C. **274** (3) 408
Capp, M. W. **267** (5) 1186
Carazo, J. M. **268** (1) 15
Carignani, E. B. G. **267** (3) 537
Carles-Kinch, K. **266** (5) 915
Carlier, M.-F. **269** (4) 459
Carlson, G. M. **265** (3) 319
Carlström, G. **268** (1) 118
Carrell, R. W. **266** (3) 601
Carter, P. **270** (1) 26
Carvalho, A. L. **274** (4) 650
Casadevall, A. **274** (4) 622
Cascio, D. **269** (5) 811
Case, D. A. **270** (2) 305 **272** (2) 237 **273** (1) 183
Cass, A. E. G. **266** (3) 621
Castellanos, A. **273** (3) 525
Catasti, P. **272** (3) 369
Caves, L. S. D. **266** (4) 776
Cech, T. R. **270** (5) 711
Cedano, J. **266** (3) 594
Cedergren, R. **266** (2) 269
Celda, B. **272** (4) 573
Cesareni, G. **269** (5) 694
Cetta, G. **269** (4) 488
Chaconas, G. **267** (1) 132
Chadwick, M. P. **267** (2) 418
Chai, S. **270** (1) 50
Chaires, J. B. **271** (2) 244
Chait, B. T. **270** (5) 648
Chakrabartty, A. **269** (2) 214
Chakraborty, T. **273** (1) 269
Chalikian, T. V. **274** (2) 237
Champoux, J. J. **269** (3) 355
Chan, C. L. **268** (1) 37, 54
Chance, M. R. **266** (1) 144
Chand, P. **267** (3) 584
Chandana Epa, V. **268** (2) 570
Chang, H.-C. **271** (2) 278
Chang, K.-Y. **269** (1) 52
Charpentier, B. **266** (5) 950
Chavali, G. B. **272** (5) 731
Chazin, W. J. **272** (2) 237
Chène, P. **269** (5) 744
Chen, B. **271** (3) 311
Chen, J. **267** (1) 118
Chen, X.-p. **270** (5) 696
Chen, X. **267** (5) 1157 **271** (2) 235 **272** (3) 369
Chen, Y.-F. **267** (1) 47
Cherney, M. M. **273** (5) 1032
Cherney, M. **273** (1) 238
Chiang, Y. W. **266** (2) 441
Chiche, L. **274** (5) 801
Chien, C. **269** (4) 592
Chitarra, V. **267** (5) 1207
Cho, S.-j. **270** (2) 259
Cho, Y. **270** (2) 259
Choe, V. **270** (2) 275
Choi, H.-K. **266** (3) 633
Choo, Y. **273** (3) 525
Chothia, C. **273** (1) 349, (4) 927
Chou, S.-H. **267** (5) 1055 **273** (4) 840
Chowdhry, B. Z. **271** (2) 244
Choy, H. E. **272** (3) 293
Christen, P. **269** (5) 757
Christie, G. E. **274** (1) 1
Chu, M.-L. **272** (2) 226
Chu, N. **267** (3) 584
Chueca, A. **269** (4) 623
Ciaramella, M. **267** (4) 841 **271** (5) 789
Citovsky, V. **271** (5) 718
Civera, C. **267** (1) 184
Claret, L. **273** (1) 93
Clark, A. C. **268** (2) 512
Clarke, A. R. **266** (4) 656
Clarke, J. **268** (1) 198 **270** (5) 771
Clarkson, W. D. **266** (4) 722 **272** (5) 716
Clementi, A. **266** (2) 223
Clore, G. M. **271** (5) 819 **273** (1) 19
Clubb, R. T. **273** (1) 19
Cogdell, R. J. **268** (2) 412
Cognet, J. A. H. **268** (2) 331
Cohen, C. **266** (2) 317
Cohen, F. E. **267** (5) 1268 **270** (4) 574 **273** (3) 614
274 (3) 325
Cohen, I. **267** (1) 103
Coïc, E. **266** (5) 939

Cole, R. **272** (1) 95
Coleman, R. A. **271** (1) 61
Collen, D. **269** (5) 704
Collins, R. A. **267** (4) 830
Colloms, S. D. **270** (5) 663
Colman, P. M. **268** (2) 570
Condon, C. **268** (2) 235
Constantine, K. L. **267** (5) 1223
Conter, A. **273** (1) 75
Contursi, C. **267** (1) 37
Cooper, J. B. **267** (4) 899
Copeland, N. G. **273** (5) 993
Corbett, A. H. **272** (5) 716
Corbett, S. J. **270** (4) 587
Cornette, J. L. **267** (3) 707
Cortay, J.-C. **270** (3) 496
Cortese, R. **268** (3) 599
Costa de Oliveira, R. **273** (1) 114
Costa, M. **267** (3) 520 **274** (3) 353
Côté, F. **273** (3) 533
Couble, P. **265** (3) 266
Courtneidge, S. A. **274** (5) 757
Couturier, M. **273** (4) 826
Covell, D. G. **269** (2) 281
Cowburn, D. **266** (1) 173
Cox, M. M. **265** (5) 519
Cozzarelli, N. R. **267** (2) 299, 312
Cozzone, A. J. **270** (3) 496
Craig, E. A. **265** (5) 541 **273** (1) 1
Craig, R. **266** (1) 8 **273** (1) 150 **274** (3) 310
Crevel, I. M-T. C. **273** (1) 160
Critchlow, S. E. **273** (4) 826
Cronet, P. **266** (3) 610
Cronin, N. B. **267** (4) 899
Cross, R. A. **273** (1) 160
Crothers, D. M. **267** (4) 807
Crowley, E. M. **268** (1) 8
Crowley, M. **272** (4) 553
Cruz, A. A. **268** (2) 261
Cull, M. G. **272** (2) 178
Culver, J. N. **269** (5) 769
Cumming, D. A. **268** (2) 468
Cunningham, P. R. **269** (5) 732
Curran, J. F. **271** (2) 209
Czjzek, M. **268** (4) 779
D'Arcy, A. **266** (1) 23 **268** (1) 21
Da Poian, A. T. **273** (2) 456
Daefler, S. **266** (5) 978
Dahiyat, B. I. **273** (4) 789
Dahlstrøm, K. **266** (1) 93
Dale, G. E. **266** (1) 23 **268** (1) 21
Damberger, S. H. **269** (2) 203
Damm, J. B. L. **266** (4) 797
Danescu-Mayer, J. **270** (5) 674
Daniels, R. S. **273** (1) 122
Dansereau, J. T. **265** (5) 494
Dapprich, J. **273** (3) 600
Dardel, F. **266** (1) 15
Darlix, J.-L. **268** (2) 250
Darst, S. A. **270** (5) 648
Das, A. **273** (4) 797
Dasenbrock, H. **274** (4) 446
Dauchez, M. **268** (3) 666
Dauter, Z. **273** (1) 171
Davey, C. **267** (2) 276
Davidson, A. O. **265** (1) 30
Davies, A. A. **271** (5) 704
Davies, G. J. **272** (3) 383
Davis, B. **268** (1) 185
Davis, B. **270** (1) 99
Davis, J. E. **265** (5) 541
Davis, M. B. **265** (1) 40
Davis, M. **268** (2) 401
Day, P. **266** (5) 1043
Dayie, K. T. **272** (3) 443
de Château, M. **266** (5) 859
de Cock, E. **266** (1) 15
de Cock, H. **269** (4) 473
De Filippis, V. **266** (2) 223
de la Cruz, F. **270** (2) 188
de la Fuente, N. **268** (5) 822
de Laureto, P. P. **266** (2) 223
de Prat Gay, G. **273** (1) 317
De Simone, G. **269** (4) 558
de Smit, M. H. **265** (4) 372
de Vega, M. **270** (1) 65
de Vos, W. M. **267** (4) 916
Dean, J. M. **266** (5) 1032
Deardorff, J. A. **269** (1) 67
Deaven, L. L. **272** (3) 369
Debouck, C. **267** (3) 467
Deckman, I. C. **267** (3) 467
DeHoogt, R. **266** (1) 23
Deininger, P. L. **271** (2) 222
Dekker, P. J. T. **270** (3) 321
Delagoutte, E. **266** (4) 703
Deléage, G. **270** (3) 496
DeLisi, C. **267** (3) 707, (5) 1258
Delver, E. P. **271** (1) 13
DeMartino, G. N. **273** (3) 646
Demchuk, E. **270** (2) 305
Dème, E. **267** (3) 520
den Blaauwen, T. **266** (2) 357
Dengler, U. **267** (3) 640
Denisov, V. P. **268** (1) 118
Denny, R. C. **273** (2) 440
Dente, L. **269** (5) 694
Derbyshire, K. M. **274** (4) 491
Derbyshire, V. **265** (5) 494 **268** (2) 284
Dervan, P. B. **274** (4) 439
Desideri, A. **274** (3) 408
Desplancq, D. **268** (3) 607
Deutscher, J. **266** (4) 665
Deutscher, S. L. **270** (3) 374
Devedjiev, Y. **266** (1) 160
Devoret, R. **270** (2) 201
DeVost, J. **274** (4) 491
Dewan, J. C. **267** (4) 881
Di Carlo, A. **268** (1) 107
Di Francesco, V. **267** (2) 446
Di Nocera, P. P. **267** (1) 37
Diagana, T. T. **265** (5) 480
Dias, J. M. **274** (4) 650
Dickerson, R. E. **269** (5) 811
Dideberg, O. **268** (4) 739
Didierjean, C. **268** (4) 739
Dieckmann, T. **268** (2) 348 **273** (2) 467
Diedrich, G. **266** (2) 343 **271** (4) 588, 602
Dietmeier, K. **273** (1) 1
Dimroth, P. **269** (5) 719
Ditzel, H. J. **267** (3) 684
Divne, C. **272** (3) 383
Dixon, A. K. **270** (4) 551
Dixon, J. **272** (4) 509
Dixon, N. E. **271** (2) 258
Dobson, C. M. **265** (2) 112 **267** (5) 1068 **268** (5) 903 **270** (5) 763 **274** (2) 152
Dodd, I. **274** (2) 152

Dodson, G. **271** (2) 161
Dogliotti, E. **273** (2) 417
Doig, A. J. **272** (3) 456, 465
Dombroski, A. J. **267** (1) 60
Donate, L. E. **267** (2) 352
Donohoe, R. J. **270** (5) 739
Dosztányi, Z. **272** (4) 597
Dotta, F. **268** (3) 599
Douglas, N. W. **273** (1) 122
Doumith, M. **274** (5) 816
Doyle, D. A. **266** (5) 963
Drabik, C. E. **267** (4) 794
Drakenberg, T. **266** (5) 859
Draper, D. E. **270** (3) 451 **273** (5) 1020 **274** (1) 101
Drees, B. L. **273** (1) 61
Dreyer, T. **267** (4) 899
Dreyfus, M. **269** (1) 41
Dröge, P. **271** (4) 499
Du, Z. **270** (3) 464
Duan, Y. **272** (4) 553
Dube, P. **271** (3) 417
Dubochet, J. **266** (4) 711
Dubremetz, J.-F. **266** (4) 797
Dujon, B. **268** (2) 303
Dumont, M. E. **266** (3) 559
Dunand, J. **266** (4) 703
Dunbrack Jr, R. L. **267** (5) 1268
Dunn, J. J. **269** (1) 28
Durbin, R. K. **265** (3) 275
Dutreix, M. **273** (1) 105
Dutzler, R. **272** (1) 56
Dworkin, J. **273** (2) 377
Dyke, T. R. **268** (5) 886
Dyson, H. J. **266** (1) 31
Eady, R. R. **266** (4) 642
Earnshaw, D. J. **274** (2) 197
Eckstein, F. **274** (2) 197
Edelstein, S. J. **267** (1) 10
Edwards, B. F. P. **266** (2) 367
Edwards, K. J. **271** (2) 258
Egelman, E. H. **265** (5) 469 **266** (2) 217 **271** (2) 235
Ehrenberg, M. **272** (3) 327 **273** (2) 389
Ehresmann, B. **270** (1) 36
Ehresmann, C. **270** (1) 36
Eichman, B. F. **269** (5) 796
Eis, P. S. **272** (2) 237
Eisenberg, D. **267** (4) 1026 **273** (2) 479
Eisenstein, M. **266** (1) 135 **267** (3) 595
Ekiel, I. **271** (2) 266
Eklund, H. **268** (1) 147
El Hassan, M. A. **273** (3) 668, 681
EL-Mezgueldi, M. **273** (1) 150
Elber, R. **272** (3) 423
Elcock, A. H. **267** (2) 368
Eldin, S. **266** (2) 306
Elofsson, A. **272** (4) 633
Emelyanenko, V. I. **268** (5) 903
Emerson, C. P. Jr **265** (1) 40
Endo, I. **273** (3) 635
Engel, C. K. **273** (3) 714
Engelman, D. M. **272** (2) 266 **273** (5) 1004
Engler, L. E. **269** (1) 82
Enokizono, J. **270** (1) 8
Eppens, E. F. **269** (4) 468
Eritja, R. **268** (5) 840
Erkine, A. M. **269** (5) 676
Ernsting, B. R. **270** (2) 152
Esberg, B. **271** (2) 209
Espeso, E. A. **274** (4) 466
Espinosa, M. **266** (4) 688 **268** (5) 840
Esposito, G. **267** (2) 368
Esteban, F. J. **269** (3) 313
Eyck, L. F. T. **270** (4) 598
Fabrizio, P. **273** (3) 552
Fabry, M. **267** (5) 1207
Fagan, J. B. **266** (3) 479
Fairhead, C. **268** (2) 303
Fairman, R. **270** (5) 640
Falke, S. **273** (3) 646
Famulok, M. **269** (2) 188
Fan, P. **272** (5) 645
Farah, J. A. **272** (5) 699
Farilla, L. **268** (3) 599
Farmer II, B. T. **267** (5) 1223
Farrow, N. A. **272** (5) 790
Faulhammer, D. **269** (2) 188
Fazakerley, G. V. **268** (2) 331
Fedoroff, O. Yu. **269** (2) 225
Fedorov, A. N. **268** (4) 712
Feeney, J. **267** (2) 418
Feigon, J. **268** (2) 348 **273** (2) 467
Feil, S. C. **273** (4) 857
Feng, W. **269** (4) 592
Fenyö, D. **270** (5) 648
Ferguson, D. C. **266** (1) 31
Ferguson, M. A. J. **269** (4) 529
Ferguson, S. J. **269** (3) 440
Fernandez, B. **270** (5) 696
Fernández, C. **266** (3) 576
Fernández-Recio, J. **267** (1) 184
Fernie, A. R. **268** (2) 424
Ferrone, F. A. **265** (5) 475, 580
Fersht, A. R. **267** (3) 696, (4) 765 **268** (1) 185, 198, (2) 494 **269** (4) 611, (5) 892 **270** (1) 89, 99, 111 **273** (1) 317, 330 **274** (2) 268
Fesik, S. W. **274** (3) 291
Feytmans, E. **267** (1) 207
Fields, D. S. **271** (2) 178
Fierabracci, A. **268** (3) 599
Finerty, P. J. Jr. **271** (2) 195
Firman, K. **271** (1) 112
Fischer, G. **271** (5) 827 **273** (3) 752
Fiser, A. **272** (4) 597
Fiszman, M. Y. **265** (5) 480
Fizgerald, T. J. **265** (3) 319
Flaus, A. J. **272** (3) 301
Fleming, K. G. **272** (2) 266
Florentz, C. **274** (4) 505
Flores, E. **268** (3) 589
Flores, H. **274** (5) 722
Fluck, M. M. **271** (1) 76
Fogolari, F. **267** (2) 368 **274** (2) 253
Folcarelli, S. **274** (3) 408
Fonseca, S. A. **266** (1) 1
Fontaine, J.-M. **274** (3) 353
Fontana, A. **266** (2) 223
Fontes, J. D. **270** (3) 336
Ford, G. C. **268** (2) 424
Forman-Kay, J. D. **272** (1) 9, (5) 790
Forsén, S. **270** (1) 8
Forsen, S. **266** (5) 859
Fortier, P.-L. **266** (1) 15
Foster, M. P. **273** (1) 183
Fourme, R. **269** (1) 129
Fournier, R. **273** (3) 552
Francart, C. **268** (3) 666
Franch, T. **273** (1) 26, 38
Frank, D. E. **267** (5) 1186

Frank, J. **266** (2) 343
Franzini-Amstrong, C. **265** (1) 40
Fraser, P. E. **269** (2) 214 **273** (3) 729
Frech, K. **270** (5) 674
Freeman, T. C. **270** (4) 551
Freer, A. A. **268** (2) 412
Freestone, P. **274** (3) 318
Freiburg, A. **270** (5) 688
Freire, E. **272** (5) 770
Freistroffer, D. V. **273** (2) 389
Frenkiel, T. A. **267** (2) 418
Freund, S. M. V. **268** (2) 494
Frey, M. **266** (4) 677
Fridborg, K. **271** (5) 759
Frieden, C. **268** (2) 512
Friedlander, P. **273** (3) 509
Friedrichs, M. S. **267** (4) 933, (5) 1223
Friesem, A. A. **266** (1) 135
Frisch, C. **267** (3) 696 **270** (1) 111
Fromme, P. **272** (5) 741
Frost, L. **273** (3) 544
Fuchs, R. P. P. **265** (3) 302 **266** (4) 703
Fujii, I. **267** (5) 1247
Fujii, S. **274** (1) 132
Fujiyoshi, Y. **271** (5) 751
Fukushima, M. **268** (5) 803
Fukuyama, S. **267** (5) 1247
Fülöp, V. **269** (3) 440
Fulton, D. B. **271** (2) 266
Furrer, P. **266** (4) 711
Fushman, D. **266** (1) 173
Gabashvili, I. S. **273** (3) 658
Gabb, H. A. **272** (1) 106
Gabbert, K. K. **268** (4) 724
Gabus, C. **268** (2) 250
Gait, M. J. **274** (2) 197
Galinier, A. **266** (4) 665
Gallego, J. **273** (4) 840
Gallimore, J. R. **272** (3) 408
Gallina, C. **269** (4) 558
Gao, Q.-S. **271** (3) 374
Garcia, C. **266** (1) 15
Garcia-Echeverria, C. **269** (5) 744
García-Hernández, B. **273** (3) 525
Garel, J.-R. **267** (3) 476
Gargaro, A. R. **267** (2) 418
Garnier, J. **267** (2) 446
Garrido, J. **272** (3) 348
Garrison, B. J. **271** (4) 656
Gaskin, M. N. **271** (3) 349
Gaspar, L. P. **273** (2) 456
Gassel, M. **268** (5) 822
Gaudin, Y. **274** (5) 816
Gay, G. d. P. **268** (1) 185
Ge, L. **268** (3) 607
Ge, Y. **269** (2) 225
Gehring, K. **271** (2) 266
Géli, V. **272** (2) 213
Gellert, M. **273** (4) 826
Geoffroy, S. **272** (2) 213
Geourjon, C. **270** (3) 496
Gerace, L. **272** (5) 716
Gerdes, K. **269** (4) 505 **273** (1) 26, 38
Gerke, V. **272** (1) 42
Gerstein, M. **274** (4) 562
Gerstel, B. **273** (1) 269
Gerstner, R. B. **270** (3) 451
Gerwig, G. J. **266** (4) 797
Gesell, J. J. **266** (4) 649
Gesierich, U. **272** (4) 591
Gesteland, R. F. **271** (1) 47 **271** (4) 491
Ghiara, J. B. **266** (1) 31
Ghosh, R. **265** (2) 107
Giedroc, D. P. **270** (3) 464
Gilis, D. **272** (2) 276
Gillespie, J. R. **268** (1) 158, 170
Giordano, C. **269** (4) 558
Gippert, G. P. **270** (2) 305
Giraud-Panis, M.-J. E. **269** (5) 647
Gisler, S. **269** (5) 757
Glen, R. C. **267** (3) 727
Glinsky, G. V. **270** (3) 374
Glinsky, V. V. **270** (3) 374
Glockshuber, R. **269** (2) 260
Gluick, T. C. **270** (3) 451
Godbole, S. **268** (5) 816
Goethals, M. **274** (3) 381
Gogol, E. P. **273** (3) 646
Gogonea, C. B. **270** (5) 627
Göhring, W. **272** (2) 226
Golbik, R. **267** (4) 765
Goldberg, A. L. **273** (3) 646
Golden, B. L. **270** (5) 711
Goldenberg, D. P. **269** (1) 154
Goldfarb, V. **267** (4) 933, (5) 1223
Goldman, B. S. **268** (4) 724 **271** (5) 679
Gollnick, P. **270** (5) 696
Golz, S. **267** (1) 150
Gómez-Ortiz, M. **269** (5) 861
Gomis-Rüth, F. X. **269** (5) 861
Gonfloni, S. **274** (5) 757
Good, L. **273** (4) 782
Gooding, A. R. **270** (5) 711
Goodman, E. D. **265** (4) 445
Goodman, S. J. **271** (3) 349
Gopalan, V. **267** (4) 765, 818
Gopinath, K. **272** (4) 541
Gorgé, J. L. **269** (4) 623
Gösseringer, R. **266** (4) 665
Goto, Y. **269** (4) 479
Gottesfeld, J. M. **273** (1) 183 **274** (4) 439
Göttig, P. **270** (1) 79
Goyarts, E. C. **271** (2) 278
Grainger, R. J. **273** (1) 84
Grandoso, G. **270** (2) 188
Grant, R. P. **265** (5) 565
Grégoire, A. **273** (3) 552
Green, J. B. **267** (1) 163
Green, R. **266** (1) 40
Greenblatt, H. M. **265** (5) 620
Gregorio, C. C. **270** (5) 688
Griffith, J. **265** (3) 289
Grillo, A. **273** (3) 572
Grimes, S. **266** (5) 901
Grindley, N. D. F. **268** (2) 284
Groleau, D. **271** (2) 266
Gronenborn, A. M. **271** (5) 819 **273** (1) 19
Groom, C. R. **274** (2) 222
Grootenhuis, P. D. J. **269** (3) 395
Grosjean, H. **274** (4) 505
Grossman, J. G. **266** (4) 642
Grotkopp, E. K. **273** (1) 61
Grummt, I. **268** (2) 229
Grunberg-Manago, M. **268** (2) 235
Gruss, C. **268** (1) 15
Grzesiek, S. **274** (1) 101
Grzeskowiak, K. **269** (5) 811
Gsell, B. **274** (4) 661

Gu, H. **274** (4) 588
Guagliardi, A. **267** (4) 841
Guajardo, R. **265** (1) 8 **273** (5) 958
Guarneros, G. **269** (2) 167
Guénebaut, V. **265** (4) 409
Guieysse, A.-L. **267** (2) 289
Guignard, L. **274** (5) 801
Guillemot, L. **270** (2) 139
Guillerez, J. **269** (1) 41
Gultyaev, A. P. **273** (1) 26, 38
Gulukota, K. **267** (5) 1258
Güntert, P. **272** (1) 64 **273** (1) 283
Günther, D. **268** (5) 822
Gupta, G. **272** (3) 369
Guralnick, B. **271** (5) 718
Gutell, R. R. **269** (2) 203
Gutell, R. **267** (5) 1104
Guthold, M. **270** (2) 125
Gutierrez, C. **273** (1) 75
Guyer, D. **269** (5) 676
Guzmán, L. M. **266** (4) 688
Haase-Pettingell, C. **267** (1) 88
Haeberli, P. **267** (1) 163
Hagervall, T. G. **270** (3) 360
Hajdu, J. **269** (3) 440
Halambeck, T. P. **267** (1) 172
Halford, S. E. **271** (1) 112 **270** (3) 396, 413
Hall, N. E. **266** (2) 381
Halle, B. **268** (1) 118
Hallet, B. **274** (1) 39
Hamada, D. **269** (4) 479
Hamill, S. J. **270** (5) 771
Hammann, C. **266** (2) 357
Hampele, I. C. **268** (1) 21
Han, G. W. **269** (5) 811
Han, M. **269** (3) 373
Han, Y. S. **270** (2) 259
Hanger, R. R. **272** (3) 293
Hansen, M. R. **270** (3) 464
Hanson, P. **267** (4) 963
Hansson, T. **265** (2) 118
Haq, I. **271** (2) 244
Hara, T. **267** (5) 1247
Haran, T. E. **267** (1) 103, (3) 595
Harford, J. J. **273** (2) 440
Hargrove, M. S. **266** (5) 1032
Haridas, M. **274** (2) 222
Harrington, D. J. **272** (3) 398
Harris, J. R. **271** (3) 417
Harrison, P. M. **268** (2) 424
Hartman, P. G. **266** (1) 23
Hartmann, R. K. **265** (4) 385
Hasegawa, K. **267** (3) 661 **271** (4) 619
Hasegawa, T. **268** (3) 640
Hasnain, S. S. **266** (4) 642
Hata, Y. **269** (1) 142
Hatanaka, H. **268** (5) 922
Hatfull, G. F. **266** (1) 76
Hattman, S. **273** (4) 765
Hauer, C. R. **265** (5) 494
Haupts, C. **271** (3) 405
Haupts, U. **271** (3) 405
Hausherr, C. **267** (5) 1089
Hawthornthwaite-Lawless, A. M. **268** (2) 412
Hayes, F. **266** (3) 525 **274** (1) 39
Hayes, S. J. **273** (3) 658
Haynie, D. T. **268** (5) 903
Hazbun, T. R. **273** (2) 402
He, B. **265** (3) 275 **269** (1) 28
He, Y.-y. **271** (2) 178
Hebert, H. **271** (5) 751
Heintzelman, M. B. **271** (1) 139
Heinz, D. W. **273** (1) 269
Heitman, J. **274** (5) 722
Hélène, C. **267** (2) 289
Helmann, J. D. **267** (1) 47
Helme, B. **274** (5) 687
Helmer-Citterich, M. **271** (4) 511
Hemmings-Mieszczak, M. **267** (5) 1075
Hempstead, P. D. **268** (2) 424
Henderson, B. R. **274** (5) 693
Hengsakul, M. **266** (3) 621
Hengstenberg, W. **269** (5) 851
Henke, C. **273** (4) 882
Henry, M. **270** (2) 139
Hermoso, R. **269** (4) 623
Hernández, J. **269** (2) 167
Hernandez, J.-F. **272** (2) 213
Herrera, J. E. **274** (4) 454
Herrero, A. **268** (3) 589
Hess, W. R. **270** (2) 179
Heurgué-Hamard, V. **273** (2) 389
Heus, H. A. **271** (1) 147
Hewat, E. A. **270** (2) 238 **274** (5) 687
Heyduk, E. **270** (5) 648
Heyduk, T. **270** (5) 648
Hijazi, K. A. **267** (5) 1113
Hilbers, C. W. **271** (1) 147
Hill, C. P. **269** (5) 780
Hill, F. **270** (3) 426
Hill, H. R. **266** (1) 1
Hillen, W. **266** (4) 665
Himanen, J.-P. **265** (5) 580
Himeno, H. **268** (4) 704, (5) 803
Hinck, A. P. **274** (1) 101
Hindsgaul, O. **267** (2) 382
Hirai, T. **271** (5) 751
Hiscott, J. **272** (2) 167
Hitchen, J. **274** (4) 481
Hizi, A. **268** (3) 648
Hlavacek, W. S. **266** (3) 538
Hoch, J. A. **272** (2) 200
Hochkeppel, H.-K. **269** (5) 744
Hochschild, A. **265** (3) 261
Hock, R. **274** (4) 454
Hodges, R. S. **267** (2) 382, (4) 1039 **271** (5) 728
Hodgkinson, J. L. **273** (1) 150
Hoenger, A. **265** (5) 553
Hof, P. **271** (4) 629
Hoffman, D. W. **268** (2) 482 **270** (3) 464
Hoffman, R. **270** (5) 696
Hoffmann, J.-S. **270** (4) 539
Hofmann, A. **270** (1) 79
Hofnung, M. **266** (4) 761
Hoh, F. **274** (5) 801
Hohenester, E. **269** (4) 570
Hohjoh, H. **271** (1) 7
Hohn, T. **267** (5) 1075
Holak, T. A. **271** (4) 645
Holland, J. A. **270** (3) 464
Hollis, T. **266** (5) 1043
Holt, J. M. **272** (4) 613
Homma, M. **265** (3) 310
Honegger, A. **265** (2) 161
Hong, J. **268** (2) 468
Hoover, D. J. **267** (4) 899
Hoppe, H. **271** (1) 147
Horejsi, M. **267** (5) 1207

Horiguchi, T. **269** (4) 514
Horton, N. **265** (2) 1
Houghten, R. A. **273** (3) 614
Houman, F. **269** (1) 1
Houston, M. Jr. **267** (2) 382
Howard, S. F. **269** (5) 744
Howells, A. J. **273** (4) 826
Hsu, G. G. **272** (3) 362
Hu, S.-H. **268** (1) 137
Huang, E. S. **266** (4) 831
Huang, E. **268** (1) 209
Huang, S. **274** (1) 101
Huang, T. H. J. **269** (2) 214
Huang, W. **268** (5) 869
Huang, Y. T. **267** (2) 403
Huang, Y. **265** (4) 419 **269** (4) 592
Hubbard, J. **274** (2) 152
Hubbard, R. E. **266** (4) 776
Hubbard, T. **273** (1) 349
Huber, R. **266** (2) 357 **267** (4) 865 **269** (3) 395, (5) 861 **270** (1) 1, 79, (4) 616 **271** (4) 629 **274** (4) 446, 577, 608
Hübscher, U. **274** (5) 738
Hübschmann, T. **270** (2) 179
Hudson, L. **273** (2) 440
Hughes, S. H. **268** (3) 648
Hülsmeier, A. **269** (4) 529
Humm, A. **270** (4) 616
Hunt, J. F. **273** (5) 1004
Hunter, C. A. **265** (5) 603 **273** (3) 668, 681
Hunter, M. J. **273** (4) 913
Hurley, T. D. **265** (3) 330
Hutchinson, W. L. **269** (4) 570
Hutchison III, C. A. H. **269** (4) 494
Huynen, M. **267** (5) 1104
Ignatovich, O. **268** (1) 69
Iida, T. **273** (3) 635
Ikeda, H. **266** (2) 297
Ikemoto, N. **265** (2) 173, 187
Illangasekare, M. **268** (3) 631 **274** (4) 519
Ilyina, T. **270** (1) 65
Improta, S. **265** (2) 242
Inagaki, E. **274** (1) 16
Inagaki, F. **268** (5) 922
Inestrosa, N. C. **272** (3) 348
Ingelman, M. **268** (1) 147
Ingram, J. A. **271** (4) 491
Inman, R. B. **265** (5) 519
Inoue, M. **272** (1) 82
Inouye, H. **268** (2) 375
Intine, R. V. A. **273** (4) 782
Ireton, G. C. **269** (3) 355
Irvin, R. T. **267** (2) 382
Isaacs, N. W. **268** (2) 412
Ishiai, M. **274** (1) 27
Ishihama, A. **267** (4) 953 **272** (3) 293
Ishiura, S. **270** (5) 688
Ito, Y. **274** (2) 213
Itzhaki, L. S. **268** (1) 185 **270** (1) 89, 99 **273** (1) 317
Ivakine, E. **274** (4) 481
Izu, H. **267** (4) 778
Jabet, C. **265** (5) 480
Jabrane-Ferrat, N. **270** (3) 336
Jäckle, H. **274** (2) 174
Jackson, R. M. **272** (1) 106
Jacob, U. **270** (1) 79
Jacobs, J. **273** (5) 993
Jacquier, A. **267** (3) 520
Jaenicke, R. **269** (2) 260 **271** (4) 645 **274** (4) 676
Jagath, J. R. **272** (4) 541
Jagura-Burdzy, G. **265** (5) 507
James, M. N. G. **273** (1) 238, (5) 1032
James, T. L. **273** (3) 614
Jana, R. **273** (2) 402
Janscak, P. **271** (1) 112
Jayant, L. **271** (3) 299
Jayaram, M. **266** (1) 93
Jayasena, S. D. **271** (1) 100
Jedrzejas, M. J. **267** (3) 584
Jee, W. **274** (1) 21
Jelinek, R. **266** (4) 649
Jen-Jacobson, L. **269** (1) 82
Jenkins, N. A. **273** (5) 993
Jenkins, T. C. **271** (2) 244
Jenné, S. **269** (5) 704
Jensen, R. B. **269** (4) 505
Jeon, Y. H. **267** (4) 953
Jernigan, R. L. **266** (1) 195
Jeruzalmi, D. **274** (5) 748
Jespers, L. **269** (5) 704
Jiang, F. **268** (2) 359 **272** (5) 645
Jiang, L. **272** (5) 645
Jimenez, M. A. **267** (5) 1124 **268** (4) 760
Jin, H.-M. **272** (3) 336
Johansen, T. **267** (3) 490
Johansson, M. U. **266** (5) 859
Johnson, C. M. **267** (3) 696 **268** (1) 198 **270** (5) 771
Johnson, J. E. **269** (5) 665 **273** (2) 456
Johnson, J. L. **274** (4) 597
Johnson, M. S. **267** (4) 899
Johnson, P. H. **266** (2) 367
Johnson, R. C. **270** (3) 346
Jolidon, S. **266** (1) 23
Jones, G. **267** (3) 727
Jones, J. M. **272** (1) 31
Jones, P. T. **268** (1) 69
Jones, S. **272** (1) 121, 133
Jones, T. A. **272** (3) 383
Jontes, J. D. **266** (2) 331
Jourlin, C. **267** (4) 770
Jovanovic, G. **273** (2) 377
Joyce, C. M. **268** (2) 284
Joyce, S. **266** (5) 993
Julien, E. **265** (3) 266
Jünemann, R. **266** (2) 343
Jung, G. **272** (4) 484
Juuti, J. T. **266** (5) 891
Kaback, H. R. **270** (2) 285
Kagawa, Y. **273** (3) 635
Kagawa, H. **267** (4) 849
Kaguni, J. M. **271** (5) 693 **274** (4) 546
Kahn, J. D. **267** (4) 807
Kakinuma, J. **274** (3) 421
Kamiya, H. **265** (3) 302
Kane, M. F. **265** (3) 289
Kaneko, K. **270** (4) 574
Kaneko, N. **274** (1) 16
Karimi-Nejad, Y. **266** (2) 400
Karlin, S. **268** (1) 78
Karnbrock, W. **270** (4) 616
Karplus, M. **267** (4) 975 **274** (1) 114
Kastner, B. **265** (2) 87
Katchalski-Katzir, E. **266** (1) 135
Kato, J. **266** (2) 297
Kato, K. **270** (1) 8
Katoh, S. **268** (5) 922
Katritch, V. **266** (4) 711
Katsube, Y. **267** (3) 661 **269** (1) 142 **271** (4) 619

Katz, B. A. **274** (5) 776
Kaufman, J. **271** (5) 819
Kawagishi, I. **265** (3) 310
Kay, C. M. **267** (4) 1039
Kay, L. E. **268** (2) 468 **272** (1) 9, (5) 790
Keel, T. **271** (3) 333
Kekuda, R. **272** (4) 541
Kellogg, G. E. **272** (4) 613
Kem, W. R. **268** (5) 886
Kemper, B. **267** (1) 150
Kent, H. M. **266** (4) 722 **272** (5) 716
Kern, D. **273** (1) 299
Khan, M. L. A. **270** (5) 627
Khan, S. A. **273** (3) 658
Kharat, I. **266** (3) 479
Khodadadi, A. **267** (1) 163
Khorchid, A. **265** (4) 419
Kie, M. **267** (3) 640
Kiefhaber, T. **268** (2) 526 **270** (2) 294
Kigawa, T. **269** (4) 579 **272** (1) 82
Kim, C.-H. **267** (5) 1139
Kim, D. **274** (4) 588
Kim, J.-H. **269** (4) 579
Kim, J. **271** (2) 222
Kim, S.-H. **270** (2) 259
King, J. **267** (1) 88
King, R. A. **272** (5) 677
Kirby, A. W. **271** (3) 349
Kirnarskiy, L. **271** (3) 374
Kirschner, D. A. **268** (2) 375
Kissinger, J. C. **269** (2) 203
Kizaki, H. **269** (1) 142
Klaus, W. **274** (4) 661
Klausner, R. D. **274** (1) 72
Kleemann, G. R. **272** (4) 591
Kleerebezem, M. **269** (4) 473
Kleiman, L. **265** (4) 419 **272** (2) 167
Kleywegt, G. J. **272** (3) 383 **273** (2) 371
Kloetzel, P-M. **268** (1) 95
Klovins, J. **265** (4) 372
Klucas, R. V. **266** (5) 1032
Klug, A. **273** (3) 525
Klukas, O. **272** (5) 741
Klumpp, M. **267** (1) 142
Knäblein, J. **270** (1) 1 **274** (4) 577, 608
Knapp, S. **267** (4) 916
Knegtel, R. M. A. **266** (2) 424
Knight, K. L. **266** (2) 306
Knudsen, B. R. **266** (1) 93
Kobayashi, G. **274** (1) 27
Koch, K. S. **267** (2) 229
Koch, M. H. J. **271** (4) 588, 602
Koellner, G. **265** (2) 202
Kohara, A. **267** (5) 1247
Kohn, W. D. **267** (4) 1039
Kohno, Y. **266** (2) 297
Kohwi-Shigematsu, T. **274** (2) 181
Kojima, S. **265** (3) 310
Kokoska, R. J. **266** (1) 51
Kolinski, A. **265** (2) 217
Koller, K.-P. **268** (2) 526
Kollman, P. A. **270** (3) 436
Kölln, I. **274** (4) 650
Kolmerer, B. **270** (5) 688
Kolodner, R. D. **265** (3) 289
Komives, E. A. **273** (4) 913
Kompis, I. **266** (1) 23
König, N. **265** (5) 590
Konings, D. **267** (5) 1104
Kool, E. **273** (4) 765
Koolen, M. **266** (4) 797
Kooperberg, C. **268** (1) 209
Kopka, M. L. **269** (5) 811
Koren, G. **266** (1) 135
Kornberg, R. D. **272** (4) 536
Kortt, A. A. **269** (5) 881
Koshiba, S. **269** (4) 579
Koster, A. J. **267** (3) 570
Kostka, G. **272** (2) 226
Kostrewa, D. **268** (1) 21
Kovalchuke, O. **274** (4) 519
Kowald, A. **273** (4) 814
Kowalski, J. C. **265** (5) 494
Kozak, M. **265** (1) 56
Kozin, M. B. **271** (4) 588, 602
Kraas, W. **272** (4) 484
Kranz, R. G. **268** (4) 724 **271** (5) 679
Krauß, N. **272** (5) 741
Krause, M. **274** (3) 365
Krebber, A. **268** (3) 607
Krebber, C. **268** (3) 607
Krebs, M. P. **267** (1) 172
Kreuzer, K. N. **266** (5) 915
Krisch, H. M. **267** (2) 237
Kristensen, H.-H. **266** (5) 866
Krüger, T. **272** (2) 190
Kryger, G. **266** (5) 1016
Kubik, M. F. **272** (5) 688
Kubista, M. **267** (4) 807
Kubota, M. **267** (3) 661 **271** (4) 619
Kuchner, O. **272** (3) 336
Kudo, S. **265** (3) 310
Kuhelj, R. **271** (5) 774
Kuhlman, B. **270** (5) 640
Kuhlman, P. A. **274** (3) 394
Kuhn, L. A. **265** (4) 445
Kuhn, R. J. **266** (3) 633
Kulikowski, C. A. **269** (4) 592
Kumar, C. T. R. **272** (4) 541
Kumar, R. A. **265** (2) 173, 187 **272** (5) 645
Kunau, W. H. **273** (3) 714
Kunnimalaiyaan, M. **268** (2) 273
Kuntz, I. D. **266** (2) 424
Kurland, C. G. **270** (4) 544
Kurochkina, N. **268** (1) 107
Kurumizaka, H. **274** (2) 213
Kushner, S. R. **268** (2) 261
Küster, E. **266** (4) 665
Kustonovich, I. **274** (1) 101
Kustu, S. **267** (1) 17 **273** (1) 299
Kutateladze, M. **267** (2) 237
Kuzmine, I. **272** (1) 21
Kuzminov, A. **268** (1) 1
Kyogoku, Y. **267** (4) 953
Lázaro, J. J. **269** (4) 623
Lázaro, J. M. **269** (3) 313 **270** (1) 65
Labedan, B. **268** (5) 857
Labeit, D. **270** (5) 688
Labeit, S. **270** (5) 688
Labelle, S. **271** (2) 266
Labeots, L. A. **269** (1) 113
Laber, B. **274** (4) 608
Labhardt, A. M. **266** (1) 23 **274** (4) 661
Lacroix, E. **271** (3) 472
Ladbury, J. E. **271** (2) 244
Ladenstein, R. **267** (4) 916 **268** (5) 869
Ladurner, A. G. **268** (1) 185 **273** (1) 317, 330
Lafrance, M. **271** (2) 266

Lalev, A. **274** (4) 481
Lallemand, J.-Y. **266** (1) 15
Lam, S. L. **266** (4) 745
Lambert, O. **266** (5) 1002 **272** (1) 42
Lambowitz, A. M. **271** (3) 311
Lamy, J. N. **266** (5) 1002
Lamy, J. **266** (5) 1002
Lamzin, V. S. **273** (3) 714
Lamzin, V. **268** (4) 779
Landick, R. **268** (1) 37, 54
Landsman, D. **267** (4) 818
Landy, A. **272** (4) 493
Lane, D. P. **269** (5) 744
Lanfrancone, L. **269** (5) 694
Langen, H. **266** (1) 23
Lanyi, J. K. **273** (5) 951
Lapadat-Tapolsky, M. **268** (2) 250
Larsen, B. **271** (1) 47
Laskowski Jr, M. **266** (2) 441
Lasters, I. **269** (5) 704
Laughrea, M. **272** (2) 167
Laurent, S. **270** (2) 238
Laurie, C. **270** (1) 14
Laver, W. G. **267** (3) 584
Lavigne, M. **266** (3) 507
Lawrence, M. C. **266** (2) 381
Lawson, D. M. **268** (2) 424
Lazar, J. B. **266** (2) 367
Lazennec, C. **267** (3) 749
Lazzaro, D. **268** (3) 599
Le Bonniec, B. F. **265** (3) 344
Leach, A. R. **267** (3) 727
Lebedeva, M. I. **269** (3) 385
Leclerc, F. **266** (2) 269
Lee, K. **269** (5) 732
Lee, M. H. **266** (1) 76
Lee, N. S. **271** (3) 342
Lee, R. B. B. **268** (1) 107
Lee, S. **265** (3) 289 **266** (3) 633
Lee, V. **267** (4) 933
Lee, Y. **269** (5) 676
Lefebvre, O. **266** (3) 465
Lefebvre, S. D. **272** (3) 312
Leffert, H. L. **267** (2) 229
Lehman, W. **266** (1) 8 **273** (1) 150 **274** (3) 310
Leijon, M. **271** (3) 438
Leinwand, L. A. **266** (2) 317
Leiting, B. **267** (3) 673
Leng, M. **270** (4) 539
Leonard, K. R. **265** (4) 409
Lesage, A. **270** (3) 496
LeSauteur, L. **271** (2) 266
Lescar, J. **267** (5) 1207
Lesk, A. M. **266** (3) 601 **273** (4) 927
Levadoux, W. **271** (2) 266
Levandoski, M. M. **267** (5) 1186
Levitt, M. **266** (4) 831
Lewis, M. **265** (1) 1
Lhoste, J.-M. **274** (5) 801
Li de la Sierra, I. **269** (1) 129
Li, A. **271** (5) 838
Li, H. **269** (3) 385
Li, J.-n. **271** (2) 209
Li, J. **269** (2) 203
Li, M. X. **273** (1) 238
Li, S. **267** (2) 324 **271** (1) 31
Li, W. **267** (1) 172
Li, X. **272** (2) 167
Li, Y.-F. **271** (3) 456
Liang, C. **272** (2) 167
Liang, H. **274** (3) 291
Liao, D. **265** (5) 580
Lichtarge, O. **274** (3) 325
Liddington, R. C. **271** (2) 161
Liemann, S. **270** (1) 79
Liljas, L. **270** (5) 724 **271** (5) 759
Lillemoen, J. **268** (2) 482
Lilley, D. M. J. **266** (1) 122 **269** (5) 647 **270** (2) 169 **273** (1) 84, 171
Lim, J.-H. **270** (2) 259
Lim, V. I. **266** (5) 877
Lin, S. L. **265** (1) 68 **271** (5) 838
Lin, Y. **271** (1) 100
Lindahl, P. **271** (2) 266
Linial, M. **268** (2) 539
Linial, N. **268** (2) 539
Linke, W. A. **270** (5) 688
Lins, L. **274** (3) 381
Lippens, G. **268** (3) 666
Liu, J. **270** (2) 212
Liu, K. **270** (4) 559
Liu, Q. **267** (1) 163
Livák, F. **267** (1) 1
Llosa, M. **270** (2) 188
Lloyd, R. G. **270** (2) 212
Lloyd, S. A. **266** (4) 733
Lo Bello, M. **274** (1) 84
Lo Conte, L. **273** (1) 338
Loakes, D. **270** (3) 426
Locher, H. **266** (1) 23
Locker, D. **270** (4) 539, (5) 648
Lockhart, A. **273** (1) 160
Löffler, G. **270** (3) 520
Logan, K. M. **266** (2) 306
Loiseaux-de Goër, S. **274** (3) 353
Longhi, S. **268** (4) 779
Lopez, P. J. **269** (1) 41
López-Hernández, E. **266** (3) 610 **271** (3) 472
Lotti, F. **267** (2) 264
Lovett, S. T. **266** (5) 1016
Löwe, J. **270** (1) 1
Lowy, I. **265** (4) 419
Lu, H. **265** (2) 112
Lu, P. **265** (1) 1
Lu, W. **266** (2) 441
Lu, X.-J. **265** (5) 603 **273** (3) 668, 681
Lührmann, R. **265** (2) 87 **273** (3) 552
Luciano, P. **272** (2) 213
Luger, K. **272** (3) 301
Luić, M. **265** (2) 202
Luisi, B. F. **267** (3) 595
Luisi, B. **273** (1) 171
Luo, B. **266** (3) 479
Luo, D. **268** (2) 235
Luo, M. **267** (3) 584
Lupas, A. **267** (1) 142
Lurz, R. **268** (5) 822 **270** (1) 50 **274** (3) 365
Luthey-Schulten, Z. **272** (1) 95
Lutter, L. C. **267** (4) 794
Luzzago, A. **268** (3) 599
Lyakhov, D. L. **269** (1) 28
McIlwraith, M. J. **266** (1) 108
Ma, J. **274** (1) 114
MacDougall-Shackleton, B. **273** (1) 226
Machado, C. R. **273** (1) 114
Macias, M. J. **269** (3) 408
Macnab, R. M. **273** (3) 623
Macosko, J. C. **267** (5) 1139

Madelaine, M.-F. **270** (2) 238
Madison-Antenucci, S. **266** (1) 51
Maga, G. **274** (5) 738
Magnusson, E. **267** (4) 807
Mahieux, R. **270** (2) 139
Mahoney, M. **272** (3) 293
Majumdar, S. S. **272** (5) 731
Mak, J. **265** (4) 419
Malik, P. **266** (4) 649
Malkov, V. A. **271** (2) 168
Malkowski, M. G. **266** (2) 367
Malley, M. F. **267** (5) 1223
Malmborg, A.-C. **273** (3) 544
Mangé, A. **265** (3) 266
Mankin, A. S. **274** (1) 8
Mann, K. **274** (4) 577
Manning, J. M. **265** (5) 580
Manoil, C. **267** (2) 250
Mapelli, C. **267** (4) 933
Maras, B. **265** (5) 620 **267** (2) 264
Marcuccio, S. M. **266** (2) 381
Mardon, H. J. **265** (5) 565
Marians, K. J. **270** (2) 212
Mario, U. D. **268** (3) 599
Marion, T. N. **265** (3) 319
Mariuzza, R. A. **269** (3) 385
Markl, J. **271** (3) 417
Marko, J. F. **270** (3) 396
Markus, M. A. **274** (1) 101
Marlière, P. **266** (5) 939
Marquet, R. **270** (1) 36
Marsolier, M.-C. **268** (2) 243
Marston, S. B. **273** (1) 150
Martin de Llano, J. J. **265** (5) 580
Martin, A. M. **273** (1) 207
Martin, A. **273** (3) 503
Martin, C. T. **272** (1) 21 **273** (4) 775
Martin, J. L. **268** (1) 137
Martín, M. C. S. **268** (1) 15
Martin, W. L. **274** (4) 597
Martín-Zanca, D. **267** (2) 225
Martinez, E. **267** (5) 1124
Martínez-Hackert, E. **269** (3) 301
Maruyama, T. **273** (3) 635
Marzluff, W. F. **271** (1) 124
Mason, S. W. **268** (2) 229
Masquida, B. **274** (2) 197
Matagne, A. **267** (5) 1068
Mathieu, M. **273** (3) 714
Matsuda, R. **274** (1) 16
Matsunaga, F. **274** (1) 27
Matsunaga, Y. **273** (3) 614
Matsutani, S. **267** (3) 548
Matsuura, Y. **267** (3) 661 **271** (4) 619
Matthews, R. G. **270** (2) 152
Maxwell, A. **273** (4) 826
May, F. E. B. **267** (2) 418
Mayer-Jung, C. **270** (3) 328
Mayo, S. L. **273** (4) 789
Mayr, E.-M. **269** (2) 260 **271** (4) 645
Mazel, D. **266** (5) 939
McAllister, J. J. **271** (1) 61
McAllister, W. T. **265** (3) 275 **269** (1) 28
McBay, D. L. **274** (2) 152
McBride, D. J. Jr. **270** (2) 275
McCammon, J. A. **267** (2) 368
McCarthy, B. J. **267** (3) 561
McCoy, A. J. **268** (2) 570 **269** (5) 881 **272** (5) 716
McCrea, P. D. **273** (5) 1004
McCutchan, T. F. **269** (2) 203
McDermott, G. **268** (2) 412
McDonagh, T. **268** (2) 468
McGlynn, P. **270** (2) 212
McHenry, C. S. **272** (2) 178
McKinney, B. R. **266** (3) 633
McMurray, M. **269** (5) 780
McNicholas, P. **265** (2) 128
Meacock, P. A. **273** (1) 114
Mecklenburg, S. L. **270** (5) 739
Meerwinck, W. **266** (2) 343
Meerwink, W. **271** (4) 588, 602
Mehlhorn, I. **270** (4) 574
Meininger, D. P. **273** (4) 913
Meinnel, T. **267** (3) 749
Méjean, V. **267** (4) 770
Melamed-Bessudo, C. **267** (3) 570
Melcher, S. E. **267** (5) 1186
Melekhovets, Y. F. **274** (4) 481
Melgers, P. A. T. **266** (4) 797
Melo, F. **267** (1) 207
Menchon, C. **273** (1) 75
Menck, C. F. M. **273** (1) 114
Mennuni, C. **268** (3) 599
Menon, S. **268** (2) 460
Menzel, R. **267** (3) 481
Méreau, A. **273** (3) 552
Meredith, G. D. **272** (4) 536
Meredith, M. R. **270** (3) 360
Merlin, A. **273** (1) 1
Messer, W. **274** (3) 365
Messerschmidt, A. **266** (2) 357 **270** (1) 1
Metzler, W. J. **267** (5) 1223
Meyer, J. E. W. **266** (4) 761 **273** (1) 269
Meyer, M. **269** (5) 719
Meyer-Almes, F.-J. **269** (5) 842
Meyerhans, A. **270** (2) 139
Meyers, C. A. **267** (4) 933
Mézard, C. **271** (5) 704
Miao, B. **265** (5) 541
Michel, F. **267** (3) 520, 537 **274** (3) 353
Michoud, D. **266** (4) 711
Miedema, K. **265** (1) 40
Milburn, C. M. **274** (4) 597
Militello, K. **270** (5) 696
Milla, P. **269** (4) 558
Miller, J. L. **270** (3) 436
Miller, S. **267** (4) 865
Millhauser, G. L. **267** (4) 963
Milligan, R. A. **271** (1) 1 **265** (5) 553 **266** (2) 331 **269** (4) 548
Mills, D. R. **271** (3) 299
Mills, D. **265** (4) 409
Milne, G. W. A. **266** (5) 1043
Mimori-Kiyosue, Y. **270** (2) 222
Minchiotti, G. **267** (1) 37
Mingarro, I. **272** (4) 633
Mioskowski, C. **274** (5) 687
Miranda, G. **267** (5) 1089
Mirchev, R. **265** (5) 475, 580
Missich, R. **270** (1) 50
Mitsuoka, K. **271** (5) 751
Miwa, Y. **269** (4) 514
Miyano, M. **274** (1) 16
Miyashita, H. **267** (5) 1247
Mizuno, T. **274** (2) 145
Mizuuchi, K. **273** (1) 19
Model, P. **266** (5) 978 **273** (2) 377 **274** (5) 722
Modis, Y. **273** (3) 714

Mohanty, D. **272** (3) 423
Mok, Y.-K. **272** (5) 790
Mollah, A. K. M. M. **273** (2) 402
Moncalián, G. **270** (2) 188
Monika, E. M. **268** (4) 724 **271** (5) 679
Monod, C. **267** (2) 237
Montelione, G. T. **269** (4) 592 **272** (4) 573
Montgomery, J. A. **267** (3) 584
Montserret, R. **270** (3) 496
Monzingo, A. F. **266** (5) 1043
Mooers, B. H. M. **269** (5) 796
Moore, J. C. **272** (3) 336
Moore, J. P. **267** (3) 684
Moore, K. W. **268** (2) 460
Moore, P. B. **267** (3) 505
Moore, S. A. **274** (2) 222
Moracci, M. **271** (5) 789
Moras, D. **270** (3) 328
Moreau, M. **266** (1) 15
Morelli, G. **274** (3) 303
Morgenstern, R. **271** (5) 751
Morishita, Y. **267** (3) 661
Moroder, L. **270** (4) 616
Morozova-Roche, L. A. **268** (5) 903
Morrical, S. W. **266** (5) 927 **272** (3) 312
Moscoso, M. **268** (5) 840
Moser, J. **273** (1) 269
Mosimann, S. C. **273** (5) 1032
Mösinger, E. **266** (3) 576
Mossakowska, D. E. **274** (2) 152
Mossing, M. C. **273** (2) 402
Motorin, Y. **274** (4) 505
Mougin, A. **273** (3) 552
Moult, J. **269** (2) 240
Moyzis, R. K. **272** (3) 369
Mueller, F. **271** (4) 524, 545, 566
Mueller, L. **267** (4) 933, (5) 1223
Muir, R. S. **274** (5) 722
Mulders, J. **269** (3) 395
Mullenders, L. H. F. **273** (2) 417
Muller, S. **273** (1) 52
Müller, S. **274** (2) 197
Mumenthaler, C. **273** (1) 283
Muñoz, V. **266** (3) 610
Munro, G. H. **273** (1) 122
Munson, P. J. **267** (2) 446
Murakami, K. **272** (3) 293
Muramoto, K. **265** (3) 310
Murata, K. **271** (5) 751
Murchie, A. I. H. **273** (1) 84, 171
Murgola, E. J. **267** (5) 1113
Muro-Pastor, A. M. **268** (3) 589
Murphy, K. P. **268** (2) 557
Murray, J. B. **270** (5) 724
Muto, A. **268** (5) 803
Muto, Y. **272** (1) 82
Myers, E. **271** (3) 349
Myszka, D. G. **269** (5) 780
Nagpal, S. **272** (5) 731
Nair, S. **269** (1) 1
Nakai, H. **272** (1) 31
Nakayama, T. **265** (4) 394
Namba, K. **270** (2) 222
Nameki, N. **268** (3) 640
Nanzer, A. P. **267** (4) 1012
Napoli, A. **267** (4) 841
Nar, H. **266** (2) 357
Nathenson, S. G. **271** (2) 278
Nazar, R. N. **269** (5) 676 **273** (4) 782 **274** (4) 481
Nedbal, W. **266** (4) 677
Needleman, R. **273** (5) 951
Neely, L. **274** (4) 439
Nègre, D. **270** (3) 496
Neidle, S. **269** (5) 827
Neira, J. L. **268** (1) 185 **270** (1) 89, 99
Nelson, H. C. M. **273** (1) 61
Netter, P. **267** (3) 537
Netter, R. C. **271** (1) 61
Neuefeind, T. **270** (1) 1, (4) 616 **274** (4) 446, 577
Neumann, L. **272** (4) 484
Neupert, W. **272** (4) 477
Newman, M. P. **267** (4) 899
Ng, K. **268** (2) 284
Nichols, W. L. **270** (4) 598
Nicita, C. A. **267** (4) 794
Nicolas, A. **268** (4) 779
Nieba-Axmann, S. E. **271** (5) 803
Niefind, K. **267** (3) 640
Nielsen, B. L. **268** (2) 273
Nielsen, J. **268** (1) 21
Nielsen, P. E. **267** (4) 807 **271** (3) 438
Nielsen, T. **273** (3) 509
Niemann, H. **273** (4) 898
Nierhaus, K. H. **266** (2) 343 **271** (4) 588, 602
Nilges, M. **269** (3) 408 **273** (3) 740
Nilsson, B. **272** (4) 573
Nishikawa, K. **268** (4) 704
Nishikawa, R. K. K. **270** (5) 627
Nitsch, M. **267** (1) 142
Noegel, A. A. **270** (1) 79
Nohaile, M. **273** (1) 299
Noller, H. F. **266** (1) 40
Nonin, S. **268** (2) 359 **272** (5) 645
Norcum, M. T. **265** (3) 319
Nordlund, P. **265** (2) 118
Norman, D. G. **273** (1) 84
Norris, V. **274** (3) 318
North, A. K. **267** (1) 17
North, D. L. **265** (5) 480
Norton, R. S. **268** (5) 886
Novotny, J. **268** (2) 401
Noyer-Weidner, M. **272** (2) 190
Nucci, R. **271** (5) 789
Nunes-Düby, S. E. **272** (4) 493
Nunn, C. M. **269** (5) 827
Nussinov, R. **265** (1) 68 **271** (5) 838
Nyström, T. **274** (3) 318
O'Dea, M. H. **273** (4) 826
O'Donoghue, S. I. **269** (3) 408
Oakley, A. J. **274** (1) 84
Oas, T. G. **269** (1) 154
Odaka, M. **273** (3) 635
Oefner, C. **266** (1) 23 **268** (1) 21
Oesterhelt, D. **271** (3) 405
Ofengand, J. **266** (2) 246
Ogin, E. **266** (2) 441
Ohta, T. **273** (3) 635
Olah, G. A. **270** (5) 739
Oliva, B. **266** (4) 814
Oliveberg, M. **268** (1) 198 **269** (4) 611
Oliver, D. **265** (2) 128, 142
Olivi, L. **272** (1) 1
Ollis, D. L. **271** (2) 258
Olson, J. S. **266** (5) 1032
Ontiveros, C. **269** (2) 167
Ooi, H. C. **266** (2) 381
Opazo, C. **272** (3) 348
Opella, S. J. **266** (4) 649 **270** (3) 481

Oram, M. **270** (3) 396, 413
Orbons, L. P. M. **269** (3) 395
Orlova, A. **265** (5) 469 **271** (2) 235
Orlova, E. V. **271** (3) 417
Ortiz, A. R. **265** (2) 217
Oschkinat, H. **269** (3) 408
Oshima, T. **266** (5) 1016
Oshiro, C. M. **266** (2) 424
Otomo, T. **267** (4) 953
Otte, A. P. **273** (5) 993
Ottiger, M. **271** (5) 803 **272** (1) 64
Ottonello, S. **268** (2) 322
Otzen, D. E. **269** (4) 611 **270** (1) 99
Overmars, F. J. J. **273** (3) 519
Pääbo, S. **265** (2) 95
Padrón, G. **269** (1) 129
Page, M. G. P. **266** (1) 23 **268** (1) 21
Pagel, F. T. **267** (5) 1113
Paillart, J.-C. **270** (1) 36
Pan, J. **273** (1) 7
Panchenko, A. R. **272** (1) 95
Pantaloni, D. **269** (4) 459
Paoli, M. **271** (2) 161
Papageorgiou, A. C. **269** (2) 270
Papiz, M. Z. **268** (2) 412
Pappenberger, G. **274** (4) 676
Pardi, A. **274** (1) 72
Parello, J. **273** (3) 503
Parhami-Seren, B. **271** (3) 333
Park, B. H. **266** (4) 831
Park, J. **273** (1) 349
Parker, M. H. **268** (3) 655
Parker, M. W. **273** (4) 857 **274** (1) 84
Parkinson, M. J. **270** (2) 169
Parniak, M. A. **265** (4) 419
Parren, P. W. H. I. **267** (3) 684
Paschal, B. M. **272** (5) 716
Pascual, J. **273** (3) 740
Pascucci, B. **273** (2) 417
Pastan, I. **268** (1) 107
Pastore, A. **265** (2) 242
Patel, D. J. **265** (2) 173, 187 **268** (2) 359 **272** (5) 645
Patten, P. A. **268** (2) 390
Paul, S. **271** (3) 374
Pavesi, A. **268** (2) 322
Pavlov, M. Yu. **273** (2) 389
Payet, D. **266** (1) 66
Pazos, F. **271** (4) 511
Pearl, L. H. **271** (5) 789
Pedersen, J. S. **271** (4) 588, 602
Pedersen, J. T. **269** (2) 240
Pedré, X. **270** (1) 50
Pedulla, M. L. **266** (1) 76
Peek, J. A. **268** (1) 137
Peletskaya, E. N. **270** (3) 374
Pelicci, G. **269** (5) 694
Pelicci, P. G. **269** (5) 694
Pellizzoni, L. **267** (2) 264
Peña, C. E. A. **266** (1) 76
Peñalva, M. A. **274** (4) 466
Penczek, P. **266** (2) 343
Penin, F. **270** (3) 496
Penkett, C. J. **274** (2) 152
Pennings, S. **267** (2) 276
Penny, D. M. **274** (4) 597
Pepe, C. M. **270** (1) 14
Pepys, M. B. **269** (4) 570 **272** (3) 408 **273** (3) 729
Perach, M. **268** (3) 648
Percipalle, P. **266** (4) 722 **267** (1) 118 **274** (5) 693
Percudani, R. **268** (2) 322
Perczel, A. **272** (2) 253
Peretz, D. **273** (3) 614
Pérez-Pons, J. A. **266** (3) 594
Perham, R. N. **266** (4) 649
Perkins, S. J. **272** (3) 408
Pernot, L. **269** (1) 129
Perona, J. J. **273** (1) 207
Perreault, J.-P. **273** (3) 533
Perrett, S. **269** (5) 892
Perry, D. J. **266** (3) 479
Persson, B. C. **266** (4) 637 **274** (2) 174
Pesce, A. **274** (3) 408
Peterlin, B. M. **270** (3) 336
Petsko, G. A. **266** (5) 1016
Pfanner, N. **270** (3) 321 **273** (1) 1
Pfeiffer, S. **266** (2) 400
Pfeiffer, T. **265** (4) 385
Pfeil, W. **272** (4) 591
Pfuhl, M. **265** (2) 242 **273** (3) 740
Phale, P. **269** (4) 468
Phillips, G. N. Jr. **266** (5) 1032
Phillips, K. **273** (1) 171
Picksley, S. M. **269** (5) 744
Pieper, U. **272** (2) 190
Pierandrei-Amaldi, P. **267** (2) 264
Pierpaoli, E. V. **269** (5) 757
Pilling, P. A. **266** (2) 381
Pillot, T. **274** (3) 381
Pingoud, A. **272** (2) 190
Pinilla, C. **273** (3) 614
Plaxco, K. W. **270** (5) 763
Plessel, G. **265** (2) 87
Plikat, U. **270** (2) 139
Plotch, S. **273** (5) 1032
Plückthun, A. **265** (2) 161 **268** (3) 607 **271** (5) 803
Podell, E. R. **270** (5) 711
Podobnik, M. **271** (5) 774
Poglitsch, C. L. **272** (4) 536
Pöhler, J. R. G. **269** (5) 647
Polach, K. J. **274** (5) 708
Politou, A. S. **265** (2) 242
Poljak, R. J. **270** (5) 751
Polshakov, V. I. **267** (2) 418
Pomerleau, Y. **271** (2) 266
Pongor, S. **267** (1) 118
Pontoglio, M. **266** (2) 231
Popov, A. **266** (1) 160
Porschke, D. **269** (5) 842
Porte, F. **272** (1) 42
Postnikov, Y. V. **274** (4) 454
Powers, R. **269** (4) 592
Prade, L. **270** (4) 616 **274** (4) 446, 577
Praekelt, U. M. **273** (1) 114
Prangé, T. **269** (1) 129
Prasad, V. R. **265** (4) 419
Praseuth, D. **267** (2) 289
Premilat, S. **274** (1) 64
Prescott, A. R. **269** (4) 529
Preuß, R. **273** (3) 600
Prevelige Jr, P. E. **268** (3) 655
Priano, C. **271** (3) 299
Price, G. **273** (3) 509
Prieto, J. **268** (4) 760 **274** (2) 276
Prilipov, A. **269** (4) 468
Prince, S. M. **268** (2) 412
Prioleau, M.-N. **268** (2) 243
Privalov, P. L. **266** (5) 1050 **273** (5) 1048
Proba, K. **265** (2) 161

Protacio, R. U. **274** (5) 708
Prudhomme, J.-C. **265** (3) 266
Prusiner, S. B. **270** (4) 574 **273** (3) 614
Ptashne, M. **265** (3) 261
Pugh, B. F. **271** (1) 61
Punch, W. F. **265** (4) 445
Putzer, H. **268** (2) 235
Pyle, A. M. **266** (3) 493 **267** (1) 163
Qasim, M. A. **266** (2) 441
Qi, H. **267** (3) 481
Qian, H. **267** (1) 198
Qian, Q. **266** (2) 283 **273** (5) 978
Qiu, H. **267** (4) 881
Quail, J. W. **268** (2) 449
Quan, Y. **272** (2) 167
Querol, E. **266** (3) 594, 814
Quinn, T. P. **270** (3) 374
Rabinovich, D. **267** (3) 595
Radford, S. E. **265** (2) 112 **267** (5) 1068
Rahfeld, J. **273** (3) 752
Rahuel-Clermont, S. **268** (4) 739
Raleigh, D. P. **270** (5) 640
Ramage, P. **266** (3) 576
Ramakrishnan, B. **267** (5) 1157 **270** (2) 247
Ramírez-Alvarado, M. **273** (4) 898
Ranson, N. A. **266** (4) 656
Rao, D. N. **269** (3) 342
Rasmussen, B. **273** (3) 714
Rasschaert, D. **270** (2) 238
Rattigan, E. **268** (1) 137
Rau, M. **268** (2) 250
Rayment, I. **274** (3) 394
Raymer, M. L. **265** (4) 445
Rechsteiner, T. J. **272** (3) 301
Record, Jr, M. T. **267** (5) 1186
Redfield, C. **274** (2) 152
Reed, G. L. **271** (3) 333
Reed, S. H. **267** (2) 324
Reedstrom, R. J. **273** (3) 572
Rees, A. **271** (3) 374
Rees, W. A. **273** (4) 797
Reid, B. R. **267** (5) 1055 **269** (2) 225 **273** (4) 840
Reinemer, P. **274** (4) 577
Reinherz, E. L. **271** (2) 278
Reinikainen, T. **272** (3) 383
Remme, J. **272** (3) 327
Ren, B. **268** (5) 869
Renner, C. **271** (4) 645
Rentzeperis, D. **273** (3) 692
Repoila, F. **267** (2) 237
Reznikoff, W. S. **271** (3) 362
Rhee, K.-H. **265** (1) 20
Rhodes, D. **266** (4) 722
Ribas de Pouplana, L. **269** (1) 1
Ricci, G. **274** (1) 84
Rice, D. W. **267** (4) 1026 **268** (2) 424
Rice, D. **267** (4) 916
Richard, G.-F. **268** (2) 303
Richmond, T. J. **272** (3) 301
Rico, M. **268** (4) 760 **271** (3) 472
Ridgway, J. B. B. **270** (1) 26
Riley, M. **268** (5) 857
Ringe, D. **266** (5) 1016
Ringeise, F. **266** (2) 231
Rinke-Appel, J. **271** (4) 566
Riottot, M.-M. **267** (5) 1207
Rippe, K. **270** (2) 125
Rizkallah, P. J. **272** (1) 56
Rizzi, M. **269** (4) 558
Robert, B. **274** (5) 816
Roberts, G. C. K. **266** (4) 776
Roberts, R. G. **270** (4) 551
Robertson, J. G. **267** (5) 1223
Robertus, J. D. **266** (5) 1043
Robineau, S. **267** (3) 537
Robinson, C. R. **273** (3) 692
Robinson, J. A. **267** (4) 1012 **273** (4) 882
Roeder, K. **268** (1) 8
Roen, D. **273** (3) 572
Rogers, M. J. **269** (2) 203
Romão, M. J. **274** (4) 635, 650
Romero, A. **274** (4) 635, 650
Römling, U. **271** (3) 386
Rong, M. **265** (3) 275
Rooman, M. **272** (2) 276
Rosbash, M. **266** (5) 950
Rosche, W. A. **269** (2) 176
Rosen, M. **271** (5) 838
Rosenberg, J. M. **272** (4) 553
Rosenbusch, J. P. **269** (4) 468 **272** (1) 56
Rosinke, B. **271** (4) 645
Ross, J. B. A. **267** (2) 403
Rosseneu, M. **274** (3) 381
Rossi, A. **269** (4) 488
Rossi, M. **267** (4) 841 **271** (5) 789
Rossjohn, J. **273** (4) 857 **274** (1) 84
Rossmanith, W. **265** (4) 365
Rossmann, M. G. **266** (3) 633
Rost, B. **270** (3) 471
Rothberg, I. **266** (2) 441
Rotilio, G. **274** (3) 408
Rouault, T. A. **274** (1) 72
Roumestand, C. **274** (5) 801
Rouviere-Yaniv, J. **273** (1) 93
Roux, B. **272** (3) 423
Roux, P. **266** (3) 507
Roy, A. M. **271** (2) 222
Royer, C. A. **273** (3) 572
Royer, W. E., Jr. **272** (3) 398
Rozenshteyn, R. **273** (3) 614
Rubenstein, P. A. **271** (2) 235
Ruberti, I. **274** (3) 303
Rubinek, T. **268** (3) 648
Rubinstein, A. **267** (3) 570
Rückert, B. **274** (3) 365
Ruel, N. **274** (5) 738
Rufino, S. D. **267** (2) 352
Ruigrok, R. W. H. **274** (5) 816
Rule, G. S. **270** (5) 751
Rusinova, E. **267** (2) 403
Russel, M. **266** (5) 978
Russell, R. B. **269** (3) 423
Rutebuka, O. **271** (3) 342
Rüterjans, H. **266** (2) 400
Rüth, F.-X. G. **266** (2) 357
Ryan, K. **266** (2) 441
Rybenkov, V. V. **267** (2) 299, 312
Rydzewski, J. M. **272** (2) 237
Ryu, J. **271** (3) 342
Saarma, U. **272** (3) 327
Sacchettini, J. C. **274** (4) 622
Sachs, A. B. **269** (1) 67
Saecker, R. M. **267** (5) 1186
Saenger, W. **265** (1) 56, (2) 202 **272** (5) 741
Sage, J. T. **274** (1) 21
Saha, S. **269** (3) 342
Sahrawy, M. **269** (4) 623
Saint, N. **269** (4) 468

Sakai, S. **267** (3) 661
Sakamoto, H. **272** (1) 82
Sakmar, T. P. **269** (3) 373
Sakube, Y. **267** (4) 849
Salamov, A. A. **268** (1) 31
Salas, M. **269** (1) 102, (3) 313 **270** (1) 65
Salavati, R. **265** (2) 128, 142
Salisbury, S. A. **270** (3) 426
Saludjian, P. **269** (1) 129
Salunke, D. M. **272** (5) 731
Samaha, R. R. **266** (1) 40
Sampoli Benitez, B. A. **273** (4) 913
Sampson, W. **269** (5) 744
Sánchez-García, I. **267** (2) 225 **273** (3) 525
Sánchez-Pulido, L. **274** (4) 466
Sancho, J. **267** (1) 184
Sandaltzopoulos, R. **265** (1) 20
Sander, C. **270** (3) 471
Sanderson, I. **271** (5) 789
Sandmeier, E. **269** (5) 757
Sandoval, I. V. **267** (5) 1124
Sanschagrin, P. C. **265** (4) 445
SantaLucia Jr, J. **269** (5) 732
Santini, C. **268** (3) 599
Sanz, L. **274** (4) 635, 650
Saqi, M. A. S. **269** (3) 423
Saraste, M. **273** (3) 740
Sarath, G. **266** (5) 1032
Sarisky, C. A. **273** (4) 789
Sassanfar, M. **273** (2) 467
Sastri, M. **272** (4) 541
Sastry, L. **271** (2) 168
Satijn, D. P. E. **273** (5) 993
Sato, M. **268** (5) 803
Sattabongkot, J. **269** (2) 203
Satterthwait, A. C. **266** (1) 31
Saturno, J. **269** (3) 313
Sauer, R. T. **273** (3) 692
Saunders, N. F. W. **269** (3) 440
Saurin, W. **266** (5) 939
Savageau, M. A. **266** (3) 538
Savithri, H. S. **272** (4) 541
Sayle, R. A. **269** (3) 423
Scaramella, E. **266** (2) 223
Schabtach, E. **268** (1) 1
Schad, E. M. **269** (2) 270
Schaeffer, F. **266** (3) 507
Schalk-Hihi, C. **268** (2) 460
Scharff, M. D. **274** (4) 622
Schatz, D. G. **267** (1) 1
Scheer, U. **274** (4) 454
Scheffzek, K. **266** (4) 847
Schertler, G. F. X. **272** (1) 144
Schiltz, M. **269** (1) 129
Schimmel, P. **269** (1) 1
Schirmer, T. **272** (1) 56
Schiweck, W. **268** (5) 934
Schleif, R. **273** (1) 226
Schluckebier, G. **265** (1) 56
Schmid, F. X. **271** (5) 827 **273** (3) 752
Schmidt, K. D. **271** (3) 386
Schmidt, M. **268** (1) 95
Schmidt-Krey, I. **271** (5) 751
Schmidtke, G. **268** (1) 95
Schmiedekamp, L. A. **271** (1) 61
Schmitt, M. **266** (2) 343
Schneider, F. **270** (1) 1
Schneider, R. **270** (3) 471
Schönbrunner, N. **268** (2) 526
Schönfeld, H.-J. **268** (1) 21 **269** (5) 757
Scholz, C. **271** (5) 827 **273** (3) 752
Schomburg, D. **267** (3) 640
Schorling, S. **266** (4) 637
Schott, O. **267** (3) 673
Schreiber, G. **267** (3) 696, (4) 765 **270** (1) 111
Schreiber, H. **270** (3) 520
Schubert, W.-D. **272** (5) 741
Schultz, P. G. **268** (2) 390
Schulz, G. E. **266** (4) 761 **269** (5) 851 **273** (1) 256
Schumacher, S. **273** (1) 19
Schuppli, D. **267** (5) 1089
Schurig, H. **274** (4) 676
Schwartzman, J. D. **271** (1) 139
Schwarz, R. T. **266** (4) 797
Schweins, T. **266** (4) 847
Schweisguth, D. C. **267** (3) 505
Schweizer, F. **267** (2) 382
Sclavi, B. **266** (1) 144
Sczakiel, G. **266** (4) 677
Seckler, R. **267** (4) 865
Sedlacek, J. **267** (5) 1207
Seeman, N. C. **267** (4) 881
Seemann, J. E. **273** (1) 256
Seguí-Real, B. **267** (5) 1124
Sehlstedt, U. **271** (3) 438
Seiser, C. **265** (2) 153
Senear, D. F. **267** (2) 403
Senn, H. **274** (4) 661
Sentenac, A. **268** (2) 243
Serban, H. **273** (3) 614
Serpell, L. C. **273** (3) 729
Serrano, L. **266** (3) 610 **268** (4) 760 **271** (3) 472 **273** (4) 898 **274** (2) 276
Serwer, P. **273** (3) 658
Sessa, G. **274** (3) 303
Sessions, R. B. **270** (3) 413
Seto, C. **274** (2) 145
Sette, A. **267** (5) 1258
Severinov, K. **270** (5) 648
Sevilla, P. **267** (1) 184
Seville, M. **272** (2) 178
Sexton, J. L. **273** (4) 857
Shaikh, T. H. **271** (2) 222
Shakes, D. C. **268** (3) 619
Shakked, Z. **267** (3) 595
Shan, Q. **265** (5) 519
Shapiro, J. R. **270** (2) 275
Shapiro, L. **272** (5) 665
Shariv, I. **266** (1) 135
Sharma, V. **267** (2) 433
Sharp, K. A. **268** (2) 401
Shatzky-Schwartz, M. **267** (3) 595
Shaw, G. **272** (2) 253
Sheehan, J. **269** (4) 529
Shen, X. **269** (1) 1
Sherratt, D. J. **265** (1) 30 **266** (3) 525 **270** (5) 663 **274** (1) 39
Shi, F. **268** (2) 273
Shibata, T. **274** (2) 213
Shieh, T. **269** (3) 373
Shigesada, K. **269** (4) 514
Shimada, I. **270** (1) 8
Shimizu, H. **266** (2) 297
Shimotakahara, S. **269** (4) 592
Shimura, Y. **272** (1) 82
Shin, Y.-K. **267** (5) 1139 **273** (5) 951
Shing Ho, P. **269** (5) 796
Shirouzu, M. **269** (4) 579

Shoham, G. **265** (5) 620
Shortle, D. **268** (1) 158, 170 **272** (1) 9
Shugar, D. **265** (2) 202
Sia, S. **273** (5) 1032
Siddiqui, S. S. **270** (5) 627
Siddiqui, Z. K. **270** (5) 627
Sidney, J. **267** (5) 1258
Sielecki, A. R. **273** (1) 238
Sigurdsson, S. Th. **274** (2) 197
Silva, J. L. **273** (2) 456, (3) 692
Silver, P. A. **272** (5) 716
Simon, I. **272** (4) 597
Simon, M. N. **271** (5) 718
Simoncsits, A. **267** (1) 118
Simons, K. T. **268** (1) 209
Simons, R. W. **270** (1) 14
Simonsson, S. **267** (4) 807
Simonsson, T. **267** (4) 807
Sinden, R. R. **269** (2) 176
Singer, M. F. **271** (1) 7
Singh, O. **272** (5) 731
Singh, S. **267** (3) 584
Sinning, I. **272** (3) 383
Sirotkin, A. M. **271** (1) 124
Sissler, M. **274** (4) 505
Sjöbring, U. **270** (1) 8
Sjøttem, E. **267** (3) 490
Skerra, A. **268** (5) 934
Skiba, M. C. **266** (2) 306
Skinner, R. **266** (3) 601
Skolnick, J. **265** (2) 217
Skoultchi, A. I. **271** (1) 124
Slaughter, C. A. **273** (3) 646
Smerdon, S. J. **272** (1) 1
Smillie, L. B. **273** (1) 238
Smith, B. E. **266** (4) 642
Smith, B. J. **266** (2) 381
Smith, D. K. **274** (4) 530
Smith, G. R. **272** (5) 699
Smith, J. A. **272** (2) 237
Smith, L. J. **274** (2) 152
Smith, R. A. G. **274** (2) 152
Smith, S. O. **269** (3) 373
Smith, T. F. **273** (1) 338
Smolyar, A. **271** (2) 278
Soberon, X. **274** (5) 722
Söderlind, E. **273** (3) 544
Sodroski, J. **267** (3) 684
Søgaard-Andersen, L. **266** (5) 866
Sogabe, S. **273** (4) 882
Sogo, J. M. **267** (5) 1089
Sohn, R. L. **266** (2) 317
Soisson, S. M. **273** (1) 226
Soloviev, M. M. **273** (1) 14
Solovyev, V. V. **268** (1) 31
Soma, A. **268** (4) 704
Soman, N. S. **270** (3) 385
Sommers, C. M. **266** (3) 559
Sonnhammer, E. L. L. **270** (4) 587
Sorimachi, H. **270** (5) 688
Soulier, J. **274** (5) 801
Soulimane, T. **271** (4) 629
Sousa, R. **265** (1) 8 **269** (1) 41 **273** (5) 958
Sozhamannan, S. **268** (4) 689
Spada, S. **268** (3) 607
Spadari, S. **274** (5) 738
Speir, J. A. **269** (5) 665
Sperling, J. **267** (3) 570
Sperling, R. **267** (3) 570
Spickler, C. **273** (3) 586
Spithill, T. W. **273** (4) 857
Spitzfaden, C. **265** (5) 565 **270** (5) 763
Spoerl, R. **271** (2) 278
Spungin-Bialik, A. **265** (5) 620
Squire, J. M. **273** (2) 440
Srisodsuk, M. **272** (3) 383
Stafford III, W. F. **268** (3) 655
Stahl, F. W. **267** (1) 75 **268** (1) 1
Stahl, M. M. **267** (1) 75
Stahl, M. **268** (2) 468
Stahl, S. J. **271** (5) 819
Ståhlberg, J. **272** (3) 383
Standiford, D. M. **265** (1) 40
Stapley, B. J. **272** (3) 456, 465
Stark, H. **271** (4) 566
Stark, W. M. **266** (1) 108
Stasiak, A. Z. **266** (4) 711
Stasiak, A. **266** (4) 711 **271** (5) 704
Stebbins, J. **267** (3) 467
Stedman, K. **273** (1) 299
Steege, D. A. **266** (1) 51
Steger, G. **266** (3) 465 **267** (5) 1075
Stein, A. **270** (4) 559
Steinbacher, S. **267** (4) 865 **270** (4) 616
Steinberg, S. **266** (2) 269
Steiner, W. **272** (5) 688
Steinhauser, O. **270** (3) 520
Steinmetzer, K. **269** (5) 684
Steipe, B. **270** (1) 1
Steitz, T. A. **274** (5) 748
Stemmer, C. **273** (1) 52
Stenberg, G. **269** (5) 892 **274** (2) 268
Stenland, C. J. **267** (4) 963
Stern, M.-H. **274** (5) 801
Sternberg, M. J. E. **266** (4) 814 **269** (3) 423 **272** (1) 106
Sterner, R. **272** (4) 591
Stevens, R. C. **268** (2) 390
Stewart, L. **269** (3) 355
Stewart, M. **266** (4) 722 **272** (5) 716
Stier, G. **265** (1) 20 **270** (5) 688
Stitt, B. L. **268** (4) 689
Stock, A. M. **269** (3) 301
Stockley, P. G. **266** (1) 1 **270** (5) 724
Stoller, G. **271** (5) 827
Stone, S. R. **265** (3) 344
Stonehouse, N. J. **266** (1) 1 **270** (5) 724
Storer, A. C. **271** (2) 266
Stormo, G. D. **271** (2) 178
Stouracova, R. **267** (5) 1207
Strauss, M. **266** (2) 317
Striepen, B. **266** (4) 797
Strub, M.-P. **274** (5) 801
Struyvé, M. **269** (4) 473
Strynadka, N. C. J. **273** (1) 238
Stuart, F. **273** (4) 882
Stubbs, G. **269** (5) 769
Stubbs, M. T. **269** (3) 395
Stüber, D. **266** (1) 23 **268** (1) 21
Studier, F. W. **269** (1) 10, 28
Stuhrmann, H. B. **266** (2) 343 **271** (4) 588, 602
Stump, M. D. **266** (1) 51
Sturgis, J. **274** (5) 816
Stutz, F. **266** (5) 950
Suck, D. **265** (1) 20
Sudbeck, E. A. **267** (3) 584
Sullivan, M. **266** (1) 144
Sun, M. **271** (3) 374
Sun, W. **273** (4) 765

Sun, X. C. **268** (2) 284
Sundaralingam, M. **267** (5) 1149, 1157, 1171 **270** (3) 511, (2) 247
Sunde, M. **273** (3) 729
Sundquist, W. I. **269** (5) 780
Superti-Furga, G. **274** (5) 757
Suri, A. K. **272** (5) 645
Surolia, A. **267** (2) 433
Sutterluety, H. **265** (2) 153
Sutton, M. D. **271** (5) 693 **274** (4) 546
Suzuki, C. **270** (1) 14
Suzuki, K. **270** (5) 688
Suzuki, M. **274** (3) 421
Suzuki, T. **274** (2) 145
Suzuki, Y. **269** (1) 142
Svensson, L. A. **269** (2) 270
Svergun, D. I. **271** (4) 588, 602
Svinth, M. **266** (5) 1043
Sweezy, M. A. **266** (5) 927
Sykes, B. D. **267** (2) 382
Syu, L.-J. **271** (1) 76
Szczelkun, M. D. **270** (3) 413 **271** (1) 112
Szent-Gyorgyi, A. G. **266** (2) 317
Szostak, J. W. **273** (2) 467
Szyperski, T. **266** (3) 576
Tadaki, T. **268** (5) 803
Taguchi, H. **273** (3) 635
Tait, T.-M. **270** (4) 551
Takami, Y. **265** (4) 394
Takano, K. **274** (1) 132
Takeda, S. **265** (4) 394, (5) 480
Takio, K. **272** (1) 82
Tamm, L. K. **268** (5) 809
Tampé, R. **272** (4) 484
Tamura, A. **273** (5) 1048
Tamura, K. **268** (3) 640
Tan, Y.-J. **269** (4) 611
Tanimura, R. **267** (5) 1247 **268** (5) 922
Tao, L. **273** (3) 509
Tarricon, C. **269** (4) 558
Tars, K. **271** (5) 759
Tashiro, M. **269** (4) 592 **272** (4) 573
Tasset, D. M. **272** (5) 688
Tateno, M. **274** (3) 421
Tatulian, S. A. **268** (5) 809
Tavakoli, N. P. **274** (4) 491
Tavares, G. A. **273** (3) 701
Tavares, P. **268** (5) 822
Taveau, J.-C. **266** (5) 1002
Taylor, I. A. **272** (1) 1
Taylor, R. K. **268** (1) 137
Taylor, R. **267** (3) 727
Taylor, T. C. **265** (4) 432
Taylor, W. R. **269** (5) 902
Teeri, T. T. **272** (3) 383
Teichmann, S. A. **273** (1) 349
Tejero, R. **272** (4) 573
Teng, Y. **267** (2) 324
Tennant, M. G. **267** (3) 467
Tenni, R. **269** (4) 488
Teplyakov, A. **268** (2) 449
Terada, T. **274** (2) 213
Terry, T. D. **266** (4) 649
Tétart, F. **267** (2) 237
Tezuka, T. **271** (5) 671
Thaler, D. S. **267** (1) 75
Than, M. E. **271** (4) 629
Then, R. L. **266** (1) 23 **268** (1) 21
Theunissen, H. J. M. **269** (3) 395
Thirumalai, D. **272** (3) 423 **273** (1) 7
Thomas, C. M. **265** (5) 507
Thomason, L. C. **267** (1) 75
Thompson, A. **274** (5) 757
Thorgeirsson, T. E. **273** (5) 951
Thornton, J. M. **272** (1) 121, 133
Thouvenin, E. **270** (2) 238
Tilburn, J. **274** (4) 466
Tillman, D. M. **265** (3) 319
Timpl, R. **272** (2) 226
Timsit, Y. **270** (3) 328
Tinoco Jr, I. **269** (1) 52
Tippin, D. B. **267** (5) 1171 **270** (2) 247
Tishby, N. **268** (2) 539
Tittor, J. **271** (3) 405
Titus, M. A. **272** (4) 523
Todd, M. J. **272** (5) 770
Toker, A. S. **273** (3) 623
Tollefsbol, T. O. **269** (4) 494
Tomlinson, I. M. **268** (1) 69 **270** (4) 587
Tommassen, J. **269** (4) 468, 473
Töpfer-Petersen, E. **274** (4) 635, 650
Torchia, D. A. **274** (1) 101
Torda, A. E. **267** (4) 1012
Törö, I. **267** (1) 118
Totrov, M. M. **268** (3) 678
Toussaint, B. **274** (5) 687
Towler, E. M. **267** (3) 467
Tradler, T. **271** (5) 827
Trauger, J. W. **274** (4) 439
Trautner, T. A. **268** (5) 822
Travers, A. **266** (1) 66
Treiber, M. K. **272** (1) 1
Trent, J. O. **269** (5) 827
Treumann, A. **269** (4) 529
Trinei, M. **274** (3) 318
Trinh, T. Q. **269** (2) 176
Trinick, J. **265** (2) 100
Tripet, B. **271** (5) 728
Tronche, F. **266** (2) 231
Tsareva, N. A. **265** (4) 372
Tse-Dinh, Y.-C. **267** (3) 481
Tskhovrebova, L. **265** (2) 100
Tsodikov, O. V. **267** (5) 1186
Tszine, N. Y. **274** (1) 1
Tümmler, B. **271** (3) 386
Turk, D. **271** (5) 774
Turk, V. **271** (5) 774
Tzeng, Y.-L. **272** (2) 200
Uebel, S. **272** (4) 484
Ueguchi, C. **274** (2) 145
Uga, H. **274** (1) 27
Újvári, A. **273** (4) 775
Unger, V. M. **272** (1) 144
Ushida, C. **268** (5) 803
Valadez, J. G. **269** (2) 167
Valadon, P. **274** (4) 622
Valegård, K. **270** (5) 724
Valencia, A. **271** (4) 511 **274** (4) 466
Valentin-Hansen, P. **266** (5) 866
van Boxtel, R. **269** (4) 468
Van Dael, H. **268** (5) 903
van de Ven, F. J. M. **267** (4) 963
van den Worm, S. **270** (5) 724
van der Doelen, A. **269** (3) 395
van der Krift, T. **269** (4) 473
van Duin, J. **265** (4) 372
Van Eyk, J. E. **271** (5) 728
Van Gelder, P. **269** (4) 468

Van Gilst, M. R. **274** (2) 160
van Gunsteren, W. F. **267** (4) 1012
van Heel, M. **271** (3) 417, (4) 566
van Hoffen, A. **273** (2) 417
van Lohuizen, M. **273** (5) 993
van Pouderoyen, G. **266** (2) 357
van Tilbeurgh, H. **274** (5) 801
van Vlijmen, H. W. T. **267** (4) 975
van Zeeland, A. A. **273** (2) 417
Vandekerckhove, J. **267** (5) 1124 **274** (3) 381
Vanloo, B. **274** (3) 381
Varani, G. **267** (2) 338
Varela, P. F. **274** (4) 635, 650
Varma, S. **269** (5) 732
Vartanian, J.-P. **270** (2) 139
Vasmatzis, G. **267** (3) 707 **268** (1) 107
Vaughn, D. E. **274** (4) 597
Vautherot, J.-F. **270** (2) 238
Vázquez, A. **267** (1) 184
Vendrell, J. **269** (5) 861
Vénien-Bryan, C. **274** (5) 687
Venkataraman, S. **265** (4) 445
Ventura, S. **269** (5) 861
Venu, K. **268** (1) 118
Verdine, G. L. **270** (3) 385
Verma, C. S. **266** (4) 776
Versteegh, A. **273** (2) 417
Vetriani, C. **269** (5) 694
Vibert, P. **266** (1) 8 **273** (1) 150 **274** (3) 310
Viglino, P. **267** (2) 368
Vignais, P. M. **274** (5) 687
Vijayakumar, M. **267** (4) 1002
Vikstrom, K. L. **266** (2) 317
Villani, G. **270** (4) 539
Villar, H. O. **274** (1) 84
Villemain, J. **273** (5) 958
Villoing, S. **267** (3) 749
Vincentelli, R. **265** (4) 409
Vitoux, B. **268** (4) 739
Vliegenthart, J. F. G. **266** (4) 797
Vogel, J. **270** (2) 179
Vogt, G. **269** (4) 631
Völker, J. **274** (2) 237
Volkov, V. V. **271** (4) 588, 602
Vologodskii, A. V. **267** (2) 299, 312
von Ahsen, O. **273** (1) 1
von Heijne, G. **272** (4) 633
von Hippel, P. H. **270** (2) 125 **273** (4) 797 **274** (2) 160
Voncken, J. W. **273** (5) 993
Vonderviszt, F. **270** (2) 222
Vorbrüggen, G. **274** (2) 174
Wada, C. **274** (1) 27
Wadzack, J. **266** (2) 343
Wagner, G. **272** (3) 443
Wagner, J. **265** (3) 302
Wahl, M. C. **267** (5) 1149
Wain-Hobson, S. **270** (2) 139
Wainberg, M. A. **265** (4) 419 **272** (2) 167
Wall, J. S. **271** (5) 718
Wallace, B. A. **266** (5) 963
Wallisch, M. **268** (2) 229
Wallon, G. **266** (5) 1016
Wallqvist, A. **269** (2) 281
Walsh, D. A. **267** (3) 584
Walter, N. G. **273** (3) 600
Walther, D. **273** (3) 740
Walz, T. **265** (2) 107
Wang, D. **268** (1) 54
Wang, H. **269** (5) 769
Wang, L. H. **268** (2) 390
Wang, S. **267** (1) 118
Wang, W. **268** (3) 619
Wang, Y.-F. **272** (1) 56
Wang, Y. **270** (5) 648
Wang, Z.-F. **271** (1) 124
Wang, Z. **271** (4) 499
Ward, E. S. **269** (3) 385
Wardell, M. R. **266** (3) 601
Warne, N. **266** (2) 441
Watanabe, K. **269** (1) 142
Waters, R. **267** (2) 324 **271** (1) 31
Waye, M. M. Y. **272** (3) 301
Webb, B. L. **265** (5) 519
Weber, C. **267** (4) 1012
Weber, H. **267** (5) 1089
Wedemayer, G. J. **268** (2) 390
Wehland, J. **273** (1) 269
Weideman, C. A. **271** (1) 61
Weijland, A. **274** (5) 757
Weinhold, E. **265** (1) 56
Weintraub, A. **267** (4) 865
Weisberg, R. A. **272** (5) 677
Weise, F. **270** (1) 50
Weiss, H. **265** (4) 409
Weiss, M. A. **269** (1) 113
Weiss, M. S. **273** (2) 479
Weitzel, S. E. **273** (4) 797
Welch, K. K. **269** (1) 82
Wells, J. A. **270** (1) 26
Welty, D. J. **272** (1) 31
Wemmer, D. **273** (1) 299
Wengler, G. **266** (3) 633
Werner, T. **270** (5) 674
West, S. C. **266** (2) 217 **270** (5) 663 **271** (5) 704
Westergaard, O. **266** (1) 93
Westermann, B. **272** (4) 477
Westhof, E. **269** (3) 326 **270** (1) 36 **274** (1) 54, (2) 197
Westley, B. R. **267** (2) 418
Weston, B. F. **272** (1) 21
Whalen, R. G. **265** (5) 480
Wheeler, R. **272** (5) 665
Whipple, F. W. **265** (3) 261
Whisstock, J. C. **266** (3) 601
Whitby, M. C. **272** (4) 509
White, M. F. **266** (1) 122 **269** (5) 647
Whittaker, M. **269** (4) 548
Wider, G. **267** (3) 673
Widlund, H. R. **267** (4) 807
Widom, J. **274** (5) 708
Wiedemann, H. **272** (2) 226
Wierenga, R. K. **273** (3) 714 **274** (5) 757
Wiese, D. E. II. **270** (2) 152
Wiesmann, C. **269** (5) 851
Wijmenga, S. S. **271** (1) 147
Wikström, M. **266** (5) 859 **270** (1) 8
Wilce, M. C. J. **273** (4) 857
Wildegger, G. **270** (2) 294
Wiles, A. P. **272** (2) 253
Wilkinson, A. J. **271** (2) 161
Wilkinson, D. A. **265** (3) 319
Wilkosz, P. **272** (4) 553
Wille, H. **270** (4) 574
Willemann, B. **266** (4) 677
Willett, P. **267** (3) 727
Williams, D. C. W Jr. **270** (5) 751
Williams, G. **273** (4) 882
Williams, J. C. **274** (5) 757
Williams, M. A. **267** (2) 418

Williamson, J. R. **267** (3) 624
Williamson, R. A. **273** (3) 614
Willis, A. C. **269** (3) 440
Wills, N. M. **271** (4) 491
Willumeit, R. **266** (2) 343
Wilmans, M. **268** (4) 760
Wilson, C. **267** (1) 60
Wilson, I. A. **266** (1) 31
Wilting, R. **266** (4) 637
Wingfield, P. T. **271** (5) 819
Winkler, F. K. **273** (4) 882
Winter, G. **268** (1) 69 **270** (4) 587
Wintrode, P. L. **266** (5) 1050
Winzeler, E. **272** (5) 665
Wipf, B. **266** (1) 23 **274** (4) 661
Wirtz, R. A. **269** (2) 203
Witt, H. T. **272** (5) 741
Witte, T. **271** (2) 278
Wittekind, M. **267** (4) 933, (5) 1223
Wittinghofer, A. **266** (4) 847
Wlodawer, A. **268** (2) 460
Woell, S. **269** (4) 631
Wolberger, C. **273** (1) 226
Wolfson, H. J. **271** (5) 838
Wolynes, P. G. **272** (1) 95
Wong, C. W. M. **269** (5) 676
Wong, K.-B. **268** (2) 494
Wong, W. Y. **267** (2) 382
Wood, A. A. **269** (5) 827
Wood, L. F. **274** (1) 1
Wood, S. P. **267** (4) 899 **269** (4) 570
Woodson, S. A. **273** (1) 7
Woodson, S. **266** (1) 144
Worrall, D. M. **267** (3) 561
Wright, P. E. **273** (1) 183
Wu, J. **270** (2) 285
Wu, Z. **267** (1) 132
Wüthrich, K. **266** (3) 576 **267** (3) 673 **271** (5) 803 **272** (1) 64 **273** (1) 283
Wuttke, D. S. **273** (1) 183
Wynn, R. **266** (2) 441
Xiao, W. **273** (5) 951
Xu, D. **265** (1) 68 **271** (5) 838
Xu, G.-Y. **268** (2) 468
Xu, J. **270** (3) 346
Xu, Y. **268** (2) 284
Xue, H. **274** (4) 530
Yamada, H. **271** (5) 671
Yamada, M. **267** (4) 778
Yamagata, J. F. Y. **274** (1) 132
Yamaguchi, H. **266** (2) 297
Yamamoto, K. R. **274** (3) 325
Yamazaki, T. **267** (4) 953
Yan, X. **266** (5) 1043
Yanchunas Jr, J. **267** (5) 1223
Yang, D. **272** (5) 790
Yang, H. Y. **270** (5) 640
Yang, J. **268** (2) 449
Yang, M. **270** (5) 696
Yang, Y. S. **270** (3) 496
Yang, Y.-S. **274** (5) 801
Yang, Z.-N. **265** (3) 330
Yaniv, M. **266** (2) 231, 465
Yao, Y. **271** (2) 278
Yarus, M. **268** (3) 631 **274** (4) 519
Yazaki, K. **273** (3) 635
Yeager, M. **272** (3) 362
Yeh, C.-Y. **269** (5) 780
Yewdall, S. J. **268** (2) 424
Yoder, J. A. **270** (3) 385
Yohda, M. **273** (3) 635
Yokobori, S.-i. **265** (2) 95
Yokoyama, S. **269** (4) 579 **272** (1) 82 **274** (2) 213
Yona, G. **268** (2) 539
Yoo, S. **269** (5) 780
Yoshida, S. **268** (4) 704
Yoshida, T. **273** (3) 635
Yoshioka, Y. **271** (4) 619
Young, A. C. M. **274** (4) 622
Yousafzai, F. K. **266** (4) 642
Yu, D. **272** (4) 493
Yu, H.-A. **268** (2) 468
Yu, X. **266** (2) 217
Yu, Y. G. **270** (2) 259
Yura, T. **274** (1) 27
Yutani, K. **274** (1) 132
Zaccaï, G. **273** (5) 1004
Zahn, R. **269** (5) 892
Zambonin, M. **266** (2) 223
Zampighi, G. A. **265** (5) 590
Zanaboni, G. **269** (4) 488
Zannis-Hadjopoulos, M. **273** (3) 509
Zarnt, T. **271** (5) 827
Zdanov, A. **268** (2) 460
Zeelen, J. P. **273** (3) 714
Zemlin, F. **271** (3) 417
Zentgraf, H. **266** (4) 677
Zerbe, O. **272** (1) 64
Zerbib, D. **270** (5) 663
Zhang, C. **267** (3) 707
Zhang, H. **270** (4) 574
Zhang, J. **274** (3) 338
Zhang, L. **266** (3) 479
Zhang, O. **272** (1) 9
Zhang, P. **272** (3) 443
Zhang, W. L. **266** (2) 441
Zhang, X. **269** (1) 10, 28
Zhang, Y.-P. **266** (3) 633
Zhao, S. Q. **267** (5) 1113
Zhou, H.-X. **267** (4) 1002
Zhou, J. **273** (2) 428
Zhou, M. **271** (3) 362
Zhou, W. **271** (3) 456
Zhu, L. **267** (5) 1055
Zimm, B. H. **270** (4) 598
Zimmerman, D. E. **269** (4) 592 **272** (4) 573
Zinder, N. D. **274** (5) 722
Zinecker, C. F. **266** (4) 797
Zitzmann, N. **269** (4) 529
Zou, J.-Y. **272** (3) 383
Zucconi, A. **269** (5) 694

39 339HI FM 0469
7/98 31253-190 NJLU

10 002280877
UNIVERSITY OF HAWAII
QH 301 .J73 INDEX v.265- 274
1997
Journal of molecular biology